

**RULE 801 NEW SOURCE PERFORMANCE STANDARDS**  
**Adopted 11-19-91**  
**(Amended 9-7-93, 3-7-96, 8-1-96, 4-2-98, 6-28-01, 1-22-04, XX-XX-XX)**

The provisions of Title 40, of the Code of Federal Regulations, Part 60 (40 CFR 60) in effect ~~4-22-04~~ (date of adoption), applicable to the Subparts listed in this Regulation are hereby adopted by reference and made part of the Rules and Regulations of the District.

All new sources of air pollution and all modified or reconstructed sources of air pollution shall comply with the standards, criteria, and requirements set forth herein. For the purpose of this rule, the word "Administrator" as used in 40 CFR shall mean the Air Pollution Control Officer, of the Sacramento Metropolitan Air Quality Management District, except that the Air Pollution Control Officer shall not be empowered to approve alternate or equivalent test methods, alternate standards or work practices. Other deviations from these federal standards as presented in the CFR are noted in the affected Subpart. District authority to implement and enforce these subparts will not be effective until the U.S. Environmental Protection Agency formally delegates such authority to the District.

**SUBPART A****GENERAL PROVISIONS**

Date First Adopted (40FR53346, Nov. 17, 1975)  
Date Last Amended ~~(68FR69043, Dec. 11, 2003)~~  
(72FR64860, Nov. 16, 2007)

**SUBPART D****STANDARDS OF PERFORMANCE FOR FOSSIL-FUEL-FIRED STEAM GENERATORS FOR WHICH CONSTRUCTION IS COMMENCED AFTER AUGUST 17, 1971**

Date First Adopted (39FR20791, Jun. 14, 1974)  
Date Last Amended ~~(65FR61752, Oct. 17, 2000)~~  
(72FR32710, June 13, 2007)

**SUBPART Da****STANDARDS OF PERFORMANCE FOR ELECTRIC UTILITY STEAM GENERATING UNITS FOR WHICH CONSTRUCTION IS COMMENCED AFTER SEPTEMBER 18, 1978**

Date First Adopted (44FR33613, Jun. 11, 1979)  
Date Last Amended ~~(66FR42610, Aug. 14, 2001)~~  
(72FR32710, June 13, 2007)

**NOTE:** The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

**SUBPART Db****STANDARDS OF PERFORMANCE FOR INDUSTRIAL-COMMERCIAL-INSTITUTIONAL STEAM GENERATING UNITS**

Date First Adopted (51FR42768, Nov. 25, 1986)  
Date Last Amended ~~(66FR49834, Oct. 1, 2001)~~  
(72FR32710, June 13, 2007)

**NOTE:** The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

<b>SUBPART Dc</b>	<b>STANDARDS OF PERFORMANCE FOR SMALL INDUSTRIAL-COMMERCIAL-INSTITUTIONAL STEAM GENERATING UNITS</b>
Date First Adopted	(55FR37674, Sept. 12, 1990)
Date Last Amended	<del>(65FR61753, Oct. 17, 2000)</del> <u>(72FR32710, June 13, 2007)</u>
<b>SUBPART E</b>	<b>STANDARDS OF PERFORMANCE FOR INCINERATORS</b>
Date First Adopted	(36FR24877, Dec. 23, 1971)
Date Last Amended	<del>(65FR61753, Oct. 17, 2000)</del> <u>(71FR27324, May 10, 2006)</u>
<b>SUBPART Ea</b>	<b>STANDARDS OF PERFORMANCE FOR MUNICIPAL WASTE COMBUSTORS FOR WHICH CONSTRUCTION IS COMMENCED AFTER DECEMBER 20, 1989 AND ON OR BEFORE SEPTEMBER 20, 1994</b>
Date First Adopted	(56FR5488, Feb. 11, 1991)
Date Last Amended	(65FR61753, Oct. 17, 2000)
<b>SUBPART Eb</b>	<b>STANDARDS OF PERFORMANCE AND EMISSIONS GUIDELINES FOR MUNICIPAL WASTE COMBUSTORS</b>
Date First Adopted	(60FR65387, Dec. 19, 1995)
Date Last Amended	<del>(66FR57827, Nov. 16, 2001)</del> <u>(71FR27324, May 10, 2006)</u>
<b>SUBPART Ec</b>	<b>STANDARDS OF PERFORMANCE FOR HOSPITAL/MEDICAL/INFECTIOUS WASTE INCINERATORS</b>
Date First Adopted	(62FR48348, Sep. 15, 1997)
Date Last Amended	(65FR61753, Oct. 17, 2000)
<b>SUBPART F</b>	<b>STANDARDS OF PERFORMANCE FOR PORTLAND CEMENT PLANTS</b>
Date First Adopted	(36FR24877, Dec. 23, 1971)
Date Last Amended	(65FR61753, Oct. 17, 2000)
<b>SUBPART G</b>	<b>STANDARDS OF PERFORMANCE FOR NITRIC ACID PLANTS</b>
Date First Adopted	(39FR20794, Jun. 14, 1974)
Date Last Amended	(54FR6666, Feb. 14, 1989)
<b>SUBPART H</b>	<b>STANDARDS OF PERFORMANCE FOR SULFURIC ACID PLANTS</b>
Date First Adopted	(39FR20794, Jun. 14, 1974)
Date Last Amended	(65FR61753, Oct. 17, 2000)
<b>SUBPART I</b>	<b>STANDARDS OF PERFORMANCE FOR HOT MIX ASPHALT FACILITIES</b>
Date First Adopted	(39FR9314, Mar. 8, 1974)
Date Last Amended	(54FR6667, Feb. 14, 1989)

<b>SUBPART J</b>	<b>STANDARDS OF PERFORMANCE FOR PETROLEUM REFINERIES</b>
	Date First Adopted (39FR9315, Mar. 8, 1974) Date Last Amended ( <del>65FR61755, Oct. 17, 2000</del> ) (71FR55119, Sept. 21, 2006)
<b>SUBPART K</b>	<b>STANDARDS OF PERFORMANCE FOR STORAGE VESSELS FOR PETROLEUM LIQUIDS FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER JUNE 11, 1973, AND PRIOR TO MAY 19, 1978.</b>
	Date First Adopted (39FR9317, Mar. 8, 1974) Date Last Amended (65FR61755, Oct. 17, 2000)
<b>SUBPART Ka</b>	<b>STANDARDS OF PERFORMANCE FOR STORAGE VESSELS FOR PETROLEUM LIQUIDS FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER MAY 18, 1978, AND PRIOR TO JULY 23, 1984.</b>
	Date First Adopted (45FR23379, Apr. 4, 1980) Date Last Amended (65FR78275, Dec. 14, 2000)
<b>SUBPART Kb</b>	<b>STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC LIQUID STORAGE VESSELS (INCLUDING PETROLEUM LIQUID STORAGE VESSELS) FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER JULY 23, 1984</b>
	Date First Adopted (52FR11420, Apr. 8, 1987) Date Last Amended (68FR59333, Oct. 15, 2003)
	<b>NOTE:</b> Any violation of provision 60.113.b, testing procedures, determined by the Air Pollution Control Officer, shall constitute a violation of Subpart Kb.
<b>SUBPART L</b>	<b>STANDARDS OF PERFORMANCE FOR SECONDARY LEAD SMELTERS</b>
	Date First Adopted (39FR9317, Mar. 8, 1974) Date Last Amended (65FR61756, Oct. 17, 2000)
<b>SUBPART M</b>	<b>STANDARDS OF PERFORMANCE FOR SECONDARY BRASS AND BRONZE PRODUCTION PLANTS</b>
	Date First Adopted (39FR9318, Mar. 8, 1974) Date Last Amended (65FR61756, Oct. 17, 2000)
<b>SUBPART N</b>	<b>STANDARDS OF PERFORMANCE FOR PRIMARY EMISSIONS FROM BASIC OXYGEN PROCESS FURNACES FOR WHICH CONSTRUCTION IS COMMENCED AFTER JUNE 11, 1973</b>
	Date First Adopted (39FR9318, Mar. 8, 1974) Date Last Amended (65FR61756, Oct. 17, 2000)
<b>SUBPART Na</b>	<b>STANDARDS OF PERFORMANCE FOR SECONDARY EMISSIONS FROM BASIC OXYGEN PROCESS STEELMAKING FACILITIES FOR WHICH CONSTRUCTION IS COMMENCED AFTER JANUARY 20, 1983</b>
	Date First Adopted (51FR161, Jan. 2, 1986) Date Last Amended (65FR61756, Oct. 17, 2000)

<b>SUBPART O</b>	<b>STANDARDS OF PERFORMANCE FOR SEWAGE TREATMENT PLANTS</b>
	Date First Adopted (39FR9319, Mar. 8, 1974) Date Last Amended (65FR61756, Oct. 17, 2000)
<b>SUBPART P</b>	<b>STANDARDS OF PERFORMANCE FOR PRIMARY COPPER SMELTERS</b>
	Date First Adopted (41FR2338, Jan. 15, 1976) Date Last Amended (65FR61756, Oct. 17, 2000)
<b>SUBPART Q</b>	<b>STANDARDS OF PERFORMANCE FOR PRIMARY ZINC SMELTERS</b>
	Date First Adopted (41FR2340, Jan. 15, 1976) Date Last Amended (54FR6669, Feb. 14, 1989)
<b>SUBPART R</b>	<b>STANDARDS OF PERFORMANCE FOR PRIMARY LEAD SMELTERS</b>
	Date First Adopted (41FR2340, Jan. 15, 1976) Date Last Amended (54FR6669, Feb. 14, 1989)
<b>SUBPART S</b>	<b>STANDARDS OF PERFORMANCE FOR PRIMARY ALUMINUM REDUCTION PLANTS</b>
	Date First Adopted (45FR44207, Jun. 30, 1980) Date Last Amended (65FR61757, Oct. 17, 2000)
<b>SUBPART T</b>	<b>STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: WET-PROCESS PHOSPHORIC ACID PLANTS</b>
	Date First Adopted (40FR33154, Aug. 6, 1975) Date Last Amended (65FR61757, Oct. 17, 2000)
<b>SUBPART U</b>	<b>STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: SUPERPHOSPHORIC ACID PLANTS</b>
	Date First Adopted (40FR33155, Aug. 6, 1975) Date Last Amended (65FR61757, Oct. 17, 2000)
<b>SUBPART V</b>	<b>STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: DIAMMONIUM PHOSPHATE PLANTS</b>
	Date First Adopted (40FR33155, Aug. 6, 1975) Date Last Amended (65FR61757, Oct. 17, 2000)
<b>SUBPART W</b>	<b>STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: TRIPLE SUPERPHOSPHATE PLANTS</b>
	Date First Adopted (40FR33156, Aug. 6, 1975) Date Last Amended (65FR61757, Oct. 17, 2000)
<b>SUBPART X</b>	<b>STANDARDS OF PERFORMANCE FOR THE PHOSPHATE FERTILIZER INDUSTRY: GRANULAR TRIPLE SUPERPHOSPHATE STORAGE FACILITIES</b>
	Date First Adopted (40FR33156, Aug. 6, 1975) Date Last Amended (65FR61757, Oct. 17, 2000)



<b>SUBPART GG</b>	<b>STANDARDS OF PERFORMANCE FOR STATIONARY GAS TURBINES</b>
	Date First Adopted (44FR52798, Sept. 10, 1979) Date Last Amended ( <del>65FR61759, Oct. 17, 2000</del> ) (71FR9453, Feb. 24, 2006)
<b>SUBPART HH</b>	<b>STANDARDS OF PERFORMANCE FOR LIME MANUFACTURING PLANTS</b>
	Date First Adopted (43FR18080, Apr. 26, 1984) Date Last Amended (65FR61760, Oct. 17, 2000)
<b>SUBPART KK</b>	<b>STANDARDS OF PERFORMANCE FOR LEAD-ACID BATTERY MANUFACTURING PLANTS</b>
	Date First Adopted (47FR16573, Apr. 16, 1982) Date Last Amended (65FR61760, Oct. 17, 2000)
<b>SUBPART LL</b>	<b>STANDARDS OF PERFORMANCE FOR METALLIC MINERAL PROCESSING PLANTS</b>
	Date First Adopted (49FR6464, Feb. 21, 1984) Date Last Amended (65FR61760, Oct. 17, 2000)
<b>SUBPART MM</b>	<b>STANDARDS OF PERFORMANCE FOR AUTOMOBILE AND LIGHT DUTY TRUCK SURFACE COATING OPERATIONS</b>
	Date First Adopted (45FR85415, Dec. 24, 1980) Date Last Amended (65FR61760, Oct. 17, 2000)
	<b>NOTE:</b> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.
<b>SUBPART NN</b>	<b>STANDARDS OF PERFORMANCE FOR PHOSPHATE ROCK PLANTS</b>
	Date First Adopted (47FR16589, Apr. 16, 1982) Date Last Amended (65FR61760, Oct. 17, 2000)
<b>SUBPART PP</b>	<b>STANDARDS OF PERFORMANCE FOR AMMONIUM SULFATE MANUFACTURE</b>
	Date First Adopted (45FR74850, Nov. 12, 1980) Date Last Amended (65FR61760, Oct. 17, 2000)
<b>SUBPART QQ</b>	<b>STANDARDS OF PERFORMANCE FOR THE GRAPHIC ARTS INDUSTRY: PUBLICATION ROTOGRAVURE PRINTING</b>
	Date First Adopted (47FR50649, Nov. 8, 1982) Date Last Amended (65FR61761, Oct. 17, 2000)
	<b>NOTE:</b> The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

**SUBPART RR                    STANDARDS OF PERFORMANCE FOR PRESSURE SENSITIVE TAPE AND LABEL SURFACE COATING OPERATIONS**

Date First Adopted                    (48FR48375, Oct. 18, 1983)  
Date Last Amended                    (65FR61761, Oct. 17, 2000)

**NOTE:** The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

**SUBPART SS                    STANDARDS OF PERFORMANCE FOR INDUSTRIAL SURFACE COATING: LARGE APPLIANCES**

Date First Adopted                    (44FR47785, Oct. 27, 1982)  
Date Last Amended                    (65FR61761, Oct. 17, 2000)

**NOTE:** The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

**SUBPART TT                    STANDARDS OF PERFORMANCE FOR METAL COIL SURFACE COATING**

Date First Adopted                    (47FR49612, Nov. 1, 1982)  
Date Last Amended                    (65FR61761, Oct. 17, 2000)

**NOTE:** The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

**SUBPART UU                    STANDARDS OF PERFORMANCE FOR ASPHALT PROCESSING AND ASPHALT ROOFING MANUFACTURE**

Date First Adopted                    (47FR34143, Aug. 6, 1982)  
Date Last Amended                    (65FR61762, Oct. 17, 2000)

**SUBPART VV                    STANDARDS OF PERFORMANCE FOR EQUIPMENT LEAKS OF VOC IN THE SYNTHETIC ORGANIC CHEMICALS MANUFACTURING INDUSTRY FOR WHICH CONSTRUCTION, RECONSTRUCTION OR MODIFICATION COMMENCED AFTER JANUARY 5, 1981, AND ON OR BEFORE NOVEMBER 7, 2006**

Date First Adopted                    (48FR48335, Oct. 18, 1983)  
Date Last Amended                    (72FR64860, November 16, 2007)

**SUBPART VVa                    STANDARDS OF PERFORMANCE FOR EQUIPMENT LEAKS OF VOC IN THE SYNTHETIC ORGANIC CHEMICALS MANUFACTURING INDUSTRY FOR WHICH CONSTRUCTION, RECONSTRUCTION OR MODIFICATION COMMENCED AFTER NOVEMBER 7, 2006**

Date First Adopted                    (72FR64860, November 16, 2007)

**SUBPART WW                      STANDARDS OF PERFORMANCE FOR THE BEVERAGE CAN SURFACE COATING INDUSTRY**

Date First Adopted                      (48FR38737, Aug. 25, 1983)  
Date Last Amended                      (65FR61763, Oct. 17, 2000)

**NOTE:** The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

**SUBPART AAA                      STANDARDS OF PERFORMANCE FOR NEW RESIDENTIAL WOOD HEATERS**

Date First Adopted                      (52FR5860, Feb. 26, 1988)  
Date Last Amended                      (65FR61764, Oct. 17, 2000)

**SUBPART BBB                      STANDARDS OF PERFORMANCE FOR THE RUBBER TIRE MANUFACTURING INDUSTRY**

Date First Adopted                      (52FR34868, Sept 15, 1987)  
Date Last Amended                      (65FR61765, Oct. 17, 2000)

**SUBPART DDD                      STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND EMISSIONS FROM THE POLYMER MANUFACTURING INDUSTRY**

Date First Adopted                      (55FR51010, Dec. 11, 1990)  
Date Last Amended                      (65FR78278, Dec. 14, 2000)

**NOTE:** The 14-day rolling ethylene glycol concentration averaging periods specified in the federal standards are deleted and replaced with a daily concentration standard for affected facilities.

**SUBPART FFF                      STANDARDS OF PERFORMANCE FOR FLEXIBLE VINYL AND URETHANE COATING AND PRINTING**

Date First Adopted                      (49FR26892, Jun. 29, 1984)  
Date Last Amended                      (65FR61768, Oct. 17, 2000)

**NOTE:** The 30-day emissions averaging periods specified in the federal standard are deleted and replaced with 24-hour maximum emission averaging periods for affected sources within the Sacramento Metropolitan Air Quality Management District.

**SUBPART GGG                      STANDARDS OF PERFORMANCE FOR EQUIPMENT LEAKS OF VOC IN PETROLEUM REFINERIES FOR WHICH CONSTRUCTION, RECONSTRUCTION, OR MODIFICATION COMMENCED AFTER JANUARY 4, 1983, AND ON OR BEFORE NOVEMBER 7, 2006**

Date First Adopted                      (49FR22606, May 30, 1984)  
Date Last Amended                      (72FR64860, November 16, 2007)



<b>SUBPART PPP</b>	<b>STANDARDS OF PERFORMANCE FOR WOOL FIBERGLASS INSULATION MANUFACTURING PLANTS</b>
	Date First Adopted (50FR7699, Feb. 25, 1985) Date Last Amended (65FR61778, Oct. 17, 2000)
<b>SUBPART QQQ</b>	<b>STANDARDS OF PERFORMANCE FOR VOC EMISSIONS FROM PETROLEUM REFINERIES WASTE WATER SYSTEMS</b>
	Date First Adopted (53FR47616, Nov. 23, 1988) Date Last Amended (65FR61778, Oct. 17, 2000)
<b>SUBPART RRR</b>	<b>STANDARDS OF PERFORMANCE FOR VOLATILE ORGANIC COMPOUND EMISSIONS FROM SYNTHETIC ORGANIC CHEMICAL MANUFACTURING INDUSTRY REACTOR PROCESSES</b>
	Date First Adopted (58FR45963, Aug. 31, 1993) Date Last Amended (65FR78279, Dec. 14, 2000)
<b>SUBPART SSS</b>	<b>STANDARDS OF PERFORMANCE FOR MAGNETIC TAPE COATING FACILITIES</b>
	Date First Adopted (53FR38892, Oct. 3, 1988) Date Last Amended (64FR7467, Feb. 12, 1999)
<b>SUBPART TTT</b>	<b>STANDARDS OF PERFORMANCE FOR INDUSTRIAL SURFACE COATING; SURFACE COATING OF PLASTIC PARTS FOR BUSINESS MACHINES</b>
	Date First Adopted (53FR2672, Jan. 29, 1988) Date Last Amended (65FR61778, Oct. 17, 2000)
<b>SUBPART UUU</b>	<b>STANDARDS OF PERFORMANCE FOR CALCINERS AND DRYERS IN MINERAL INDUSTRIES</b>
	Date First Adopted (57FR44496, Sept. 28, 1992) Date Last Amended (65FR61778, Oct. 17, 2000)
<b>SUBPART VVV</b>	<b>STANDARDS OF PERFORMANCE FOR POLYMERIC COATING OF SUPPORTING SUBSTRATES</b>
	Date First Adopted (53FR37534, Sept. 11, 1989)
<b>SUBPART WWW</b>	<b>STANDARDS OF PERFORMANCE FOR MUNICIPAL SOLID WASTE LANDFILLS</b>
	Date First Adopted (61FR9905, March 12, 1996) Date Last Amended ( <del>65FR61778, Oct. 17, 2000</del> ) <u>(71FR55119, Sept. 21, 2006)</u>
<b>SUBPART AAAA</b>	<b>STANDARDS OF PERFORMANCE FOR SMALL MUNICIPAL WASTE COMBUSTION UNITS FOR WHICH CONSTRUCTION IS COMMENCED AFTER AUGUST 30, 1999 OR FOR WHICH MODIFICATION OR RECONSTRUCTION IS COMMENCED AFTER JUNE 6, 2001</b>
	Date First Adopted (65FR76355, Dec. 6, 2000)

