# RULE 202 - NEW SOURCE REVIEW Adopted 9-20-76

(Amended 6-19-79, 7-26-79, 4-19-83, 11-20-84, 2-26-91, 4-4-96, 1-24-02, 2-24-05, 10-28-10)

### **INDEX**

100	GENEI	RAL
	101	PURPOSE
	102	APPLICABILITY
	103	SEVERABILITY
	110	EXEMPTION: EMERGENCY EQUIPMENT
	111	EXEMPTION: TEMPORARY SOURCE
	112	EXEMPTION: NON-MAJOR AGRICULTURAL STATIONARY SOURCE AND NON-MAJOR MODIFICATIONS
	11 <mark>32</mark>	EXEMPTION: NOTIFICATION REQUIREMENTS
	11 <u>4</u> 3	EXEMPTION: REPLACEMENT EQUIPMENT
	1154	EXEMPTION: RULE COMPLIANCE
	116	EXEMPTION: ALTERNATIVE SITING
	117	RESERVED
200	<b>DEFIN</b> 201	ITIONS ACTUAL EMISSIONS
		ACTUAL EMISSION REDUCTIONS
		ACTUAL INTERRUPTIONS OF ELECTRICAL POWER
		AFFECTED POLLUTANTS
		AMBIENT AIR QUALITY STANDARDS
	20 <u>4</u> 6	BEST AVAILABLE CONTROL TECHNOLOGY
	20 <u>5</u> 7	CARGO CARRIERS
	20 <mark>6</mark> 8	CEQA
	207	COMMENCING OPERATION
	208	CONSTRUCTION COMMENCES
	209	CONTIGUOUS PROPERTY
	210	COST-EFFECTIVE
	211	CREDITABLE INCREASES AND DECREASES
	212	CUMULATIVE EMISSION INCREASE
	213	EMISSION OFFSET
	214	EMISSIONS LIMITATION
	215	EMISSIONS UNIT
	216	EXISTING EMISSIONS UNIT
	217	FEDERAL MAJOR MODIFICATION
	218 <del>6</del>	FUGITIVE EMISSIONS
		HAZARDOUS AIR POLLUTANT
	21 <u>9</u> 7	
		HISTORIC ACTUAL EMISSIONS
		HISTORIC POTENTIAL EMISSIONS
	222	IDENTICAL EMISSIONS UNIT
	<del>220</del> —	MAJOR STATIONARY SOURCE
	22 <mark>3</mark> 4	MAJOR MODIFICATION
	224	MAJOR STATIONARY SOURCE
	22 <mark>52</mark>	MODIFICATION
	226	NEW EMISSIONS UNIT
	22 <mark>73</mark>	NON-ATTAINMENT POLLUTANT
	22 <mark>84</mark>	PEAKING POWER PLANT
	229	PLANTWIDE APPLICABILITY LIMIT (PAL)
		PM10
	231	PM2.5
		PORTABLE EQUIPMENT
		POTENTIAL TO EMIT
		PRECURSOR
	∠ <u>∪4</u> <del>∠0</del>	THEOUTION

	2 <mark>35<del>29</del></mark>	PRIORITY RESERVE BANK
	236	PROJECT
	237 <del>0</del>	PROPOSED EMISSIONS
	<del>231</del>	PROPOSED EMISSION INCREASE- PEAKING POWER PLANTS
	23 <mark>82</mark>	QUARTER/QUARTERLY
		REACTIVE ORGANIC COMPOUND
	23 <mark>94</mark>	RECONSTRUCTED SOURCE
	240	REGULATED AIR POLLUTANT
		REPLACEMENT EQUIPMENT
	241 <del>36</del>	SACRAMENTO FEDERAL NON-ATTAINMENT AREA FOR OZONE
	242	SACRAMENTO FEDERAL NONATTAINMENT AREA FOR PM10
	243	SACRAMENTO FEDERAL NONATTAINMENT AREA FOR PM2.5
	2 <u>44</u> 37	STATIONARY SOURCE
	2 <u>45</u> 38	TEMPORARY SOURCE
300	STANE	DARDS
	301	BEST AVAILABLE CONTROL TECHNOLOGY
	302	EMISSION OFFSET REQUIREMENTS, GENERAL
	303	LOCATION OF EMISSION OFFSETS AND EMISSION OFFSET RATIOS
	304	INTERPOLLUTANT EMISSION OFFSETS EXCEPT FOR PM2.5
	305	PM2.5 INTERPOLLUTANT EMISSION OFFSETS
	30 <del>65</del>	AMBIENT AIR QUALITY STANDARDS
	30 <mark>76</mark>	DENIAL, FAILURE TO MEET STANDARDS
	30 <mark>8</mark> 7	DENIAL, FAILURE TO MEET CEQA
400	ADMIN	IISTRATIVE REQUIREMENTS
	401	ALTERNATIVE SITING
	402	COMPLETE APPLICATION
	403	AIR QUALITY MODELS
	404	ENHANCED NEW SOURCE REVIEW
	405	PRELIMINARY DECISION
	406	PUBLICATION AND PUBLIC COMMENT
	407	PUBLIC INSPECTION
	408	SUBMITTAL OF BACT DETERMINATIONS
	409	AUTHORITY TO CONSTRUCT, FINAL ACTION
	410	REQUIREMENTS, AUTHORITY TO CONSTRUCT AND PERMIT TO OPERATE
	411	ISSUANCE, PERMIT TO OPERATE
	412	REGULATIONS IN FORCE GOVERN
	<u>413</u>	EMISSION AND OFFSET CALCULATIONS
	413	CALCULATION OF EMISSIONS FOR BACT TRIGGER LEVELS
		CALCULATION OF EMISSION OFFSET TRIGGERS FOR ROC AND NOX
		CALCULATION OF EMISSION OFFSET TRIGGERS FOR SOX, PM10 AND CO
	<del>416</del> —	CALCULATION OF POUNDS PER DAY EMISSION OFFSET TRIGGERS FOR PEAKING
		POWER PLANTS
		CALCULATION OF EMISSION OFFSETS REQUIRED FOR ROC AND NOX
		CALCULATION OF EMISSION OFFSETS REQUIRED FOR SOX, PM10 AND CO
		NOTIFICATION OF EMISSIONS FOR NOTIFICATION TRIGGERS
	414	PLANTWIDE APPLICABILITY LIMITS  POWER PLANTS
	4 <u>15</u> 20	POWER PLANTS

# 500 MONITORING AND RECORDS (NOT APPLICABLE)

#### 100 **GENERAL**

- PURPOSE: The purpose of this rule is to provide for the <u>issuance of authorities to construct</u> and <u>permits to operate review of at</u> new and modified stationary air pollution sources and to provide mechanisms, including emission offsets, by which authorities to construct such sources may be granted without interfering with the attainment or maintenance of ambient air quality standards.
  - A facility in possession of a valid Title V Operating Permit issued pursuant to Rule 207, TITLE V FEDERAL OPERATING PERMIT PROGRAM, seeking a permit for a new emissions unit or a modified emissions unit which qualifies as a significant. Title V modification, may choose to have their permit reviewed through an Enhanced New Source Review process, thereby meeting all the procedural requirements specified in Sections 401 through 408 of Rule 207, TITLE V FEDERAL OPERATING PERMIT PROGRAM and the compliance requirements in Section 305 of Rule 207, TITLE V FEDERAL OPERATING PERMIT PROGRAM. The Title V Operating Permit maywould then be amended administratively to reflect this permitting action.
- APPLICABILITY: This rule shall apply to all new stationary sources and emissions units and all modifications to existing stationary sources and emissions units which are subject to Rule 201, GENERAL PERMIT REQUIREMENTS, except as provided in Section 220 for emissions units exempted by Rule 201, must be included in the potential to emit of the stationary source unless the emission unit emits less than 2 pounds per day of each pollutant, and which, after construction or modification, emit or may emit any affected pollutants. This rule shall not apply to prescribed burning of forest, agriculture or range land, road construction or any other non-stationary source common to timber harvesting or agricultural practices. This Section 102 shall not be used to exempt any stationary source or modification, which would be subject to review under US Environmental Protection Agency regulations, from permit requirements.

The Enhanced New Source Review process applies only to facilities in possession of a valid Title V Operating Permit-issued pursuant to Rule 207, TITLE V - FEDERAL OPERATING PERMIT PROGRAM, which are installing a new emissions unit or performing a significant Title V modification as defined in Section 233 of Rule 207, TITLE V - FEDERAL OPERATING PERMIT PROGRAM, and which have specifically requested in writing, in the permit application package, to have the application reviewed pursuant to the Enhanced New Source Review process.

Note: Major sources are subject to this rule and Rule 214, FEDERAL NEW SOURCE REVIEW.

- SEVERABILITY: If a court of competent jurisdiction issues an order that any provision of this rule is invalid, it is the intent of the Board of Directors of the District that other provisions of this rule remain in full force and <a href="mailto:effect">effect</a> to the extent allowed by law.
- 110 **EXEMPTION: EMERGENCY EQUIPMENT:** The Air Pollution Control Officer shall exempt an emissions unit from the requirements of Sections 302 and 303, <u>unless installation of such equipment would result in a major modification or be a major stationary source, in and of itself; and if it would provide emergency electrical power, emergency water pumping for flood control or fire fighting, emergency potable water pumping, or emergency sewage pumping provided the following requirements are met.</u>
  - 110.1 Operation for maintenance purposes shall <u>not exceed</u> <u>be limited to 100</u> hours per year, and such maintenance shall be scheduled in cooperation with the District so as to limit air quality impact, and
  - 110.2 Operation of the equipment shall <u>not exceed</u> <u>be limited to</u> a total of 200 hours per year, <u>including maintenance operation</u>, and
  - 110.3 Operation of the equipment shall not be for supplying power to a serving utility for distribution on the grid, and

- 110.4 Operation for other than maintenance purposes shall be limited to actual interruptions of electrical power by the serving utility, emergency water pumping for flood control or fire fighting, emergency potable water pumping, or emergency sewage pumping, or
- 110.5 Operation for other than maintenance purposes shall be limited to maintaining the safety and preserving the integrity of nuclear power generating systems.
- **EXEMPTION: TEMPORARY SOURCE:** The Air Pollution Control Officer shall exempt an emissions unit from the requirements of Sections 302 and 303, if it is
  - 111.1 a A temporary source; and
  - 111.2 is ls not a major stationary source or major modification or is not located at a major stationary source; and
  - 111.3 The emission increase for the project calculated pursuant to Section 413.3 does not exceed the following levels:

Pollutant	lb/day
Volatile organic compounds	150
Nitrogen oxides	150
Sulfur oxides	150
PM10	80
Carbon monoxide	550

- 112 EXEMPTION: NON-MAJOR AGRICULTURAL STATIONARY SOURCE AND NON-MAJOR

  MODIFICATIONS: An agricultural stationary source that is not a major stationary source or is not making a major modification is exempt from the requirements of this rule.
- EXEMPTION: NOTIFICATION REQUIREMENTS: Except for applications reviewed under the Enhanced New Source Review process pursuant to Section 404, tThe requirements of Sections 405, 406, 407, and 409.2 relating to notification, publication, and public inspection of Preliminary Decisions; and notification, publication, and public inspection of Final Action shall not apply if the application is for any new or modified emissions unit where the combined potential to emit from the project all new or modified emissions units at the stationary source, which are covered by the application for such Authority to Construct(s), would have an increase in potential to emit as defined in Section 413.119 of less than thethose amounts listed below. This exemption does not apply if the application is reviewed under the Enhanced New Source Review process pursuant to Section 404 or for any new or modified emissions unit where emission offsets are required pursuant to Section 302:

Pollutant	Pounds per quarter
Volatile Reactive organic compounds	5,000 pounds per quarter
Nitrogen oxides	5,000 pounds per quarter
Sulfur oxides	13,650 pounds per quarter
PM10	7,300500 pounds per quarter
PM2.5	10 tons per year
Carbon monoxide	49,500 pounds per quarter

- 1143 **EXEMPTION: REPLACEMENT EQUIPMENT:** The requirements of Sections 302 and 303 shall not apply to replacement equipment where
  - 114.1 The replacement unit(s) is an identical emissions unit(s); or
  - The replacement unit(s) is not a major source or major modification and serves
    the identical function as the unit(s) being replaced where the maximum rating and
    the potential to emit any pollutant will not be greater from the new or modified
    emission unit(s) than the replaced units, and the emission increase calculated
    pursuant to Section 413.2 does not exceed the following levels:

Pollutant	lb/day
Volatile organic compounds	136
Nitrogen oxides	<u> 136</u>
Sulfur oxides	150
PM10	80

CO 550

This exemption does not apply to the replacing of air pollution control equipment pursuant to Section 225.3e.

- 1154 **EXEMPTION: RULE COMPLIANCE:** The requirements of Sections 302 and 303 shall not apply to modifications necessary to comply with standards contained in Regulation 4, PROHIBITIONS, or in the State Implementation Plan. Where more than one compliance option is allowed, then this exemption only applies to the emissions resulting from the least emissive option. The incremental emissions difference between the least emissive option and the selected option must comply with Sections 302 and 303. This exemption shall not apply to modifications in production rate, hours of operation, or other changes or additions to existing equipment not necessary for compliance with standards contained in District Regulation 4, PROHIBITIONS, or in the State Implementation Plan. This exemption also does not apply if the modifications for compliance with standards contained in Regulation 4, PROHIBITIONS, or the State Implementation Plan are majoreignificant modifications under the United States Environmental Protection Agency regulations promulgated pursuant to Title I of the Federal Clean Air Act, including 40 CFR Parts 51 and 52.
- <u>EXEMPTION: ALTERNATIVE SITING:</u> If the permit applicant demonstrates that a proposed modification to an existing stationary source would not constitute a Federal Major Modification, the application for Authority to Construct such modification shall not be subject to Section 401, Alternative Siting.

### 117 **RESERVED**

- **DEFINITIONS**: Unless otherwise defined below, the terms in this rule are defined in <u>Rule 101</u>, <u>GENERAL PROVISIONS AND DEFINITIONS</u>, Rule 201, GENERAL PERMIT REQUIREMENTS, Rule 204, EMISSION REDUCTION CREDITS, and Rule 207, TITLE V FEDERAL OPERATING PERMIT PROGRAM.
  - 201 **ACTUAL EMISSIONS:** Measured or estimated emissions which most accurately represent the emissions from an emissions unit.
  - 202 ACTUAL EMISSIONS REDUCTIONS: Reductions of historic actual emissions from an emissions unit selected for on-site or off-site emissions offsets. Historic actual emission reductions shall be calculated, adjusted and certified pursuant to Rule 204, EMISSION REDUCTION CREDITS.
  - 2023 ACTUAL INTERRUPTIONS OF ELECTRICAL POWER: When electrical service is interrupted by an unforeseeable event.
  - 204 AFFECTED POLLUTANTS: Reactive organic compounds (ROC), nitrogen oxides (NOx), sulfur oxides (SOx), PM10, carbon monoxide (CO), lead, and municipal waste organics, municipal waste metals, and municipal waste acid gases, as defined in 40 CFR Part 60 Subpart Ea.
  - 2035 AMBIENT AIR QUALITY STANDARDS: State and national federal ambient air quality standards established pursuant to 42 U.S.C Section 7409 of the Federal Clean Air Act or California Health and Safety Code Section 39606. For the purpose of submittal to the US Environmental Protection Agency for inclusion in the California State Implementation Plan all references in this rule to Ambient Air Quality Standards shall be interpreted as National Ambient Air Quality Standards.
  - 2046 BEST AVAILABLE CONTROL TECHNOLOGY (BACT):
    - 2046.1 For any emissions unit the most stringent of:
      - a. The most effective emission control device, emission limit, or technique, singly or in combination, which has been required or used for the type of equipment comprising such an emissions unit unless the applicant

- demonstrates to the satisfaction of the Air Pollution Control Officer that such limitations required on other sources have not been demonstrated to be achievable in practice.
- b. Any alternative basic equipment, fuel, process, emission control device or technique, singly or in combination, determined to be technologically feasible and cost-effective by the Air Pollution Control Officer.
- 2046.2 In making a BACT determination for each <u>regulated air\_affected</u> pollutant the Air Pollution Control Officer may consider the overall effect of the determination on other <u>affected\_regulated\_air</u> pollutants. In some cases the lowest emission rates may be required for one or more <u>affected\_regulated\_air</u> pollutants at the cost of not achieving the lowest emission rate for other pollutants. The Air Pollution Control Officer shall discuss these considerations in the Preliminary Decision prepared pursuant to Section 405.
- 20<u>4</u>6.3 Under no circumstances shall BACT be determined to be less stringent than the emission control required by any applicable provision of District, state or federal laws or regulations, or contained in the implementation plan of any State for such class or category of stationary source unless the applicant demonstrates to the satisfaction of the Air Pollution Control Officer that such limitations are not achievable.
- 2057 CARGO CARRIERS: Cargo carriers are trains dedicated to a specific source.
- 2068 **CEQA**: The California Environmental Quality Act, Public Resources Code, Section 21000, et seq.
- 207 **COMMENCING OPERATION:** Emissions unit becomes operational and begins to emit a regulated air pollutant.
- 208 **CONSTRUCTION COMMENCES:** A person has all necessary preconstruction approvals or permits and either has:
  - 208.1 Begun, or caused to begin, a continuous program of actual on-site construction of the stationary source, to be completed within a reasonable time; or
  - 208.2 Entered into binding agreements or contractual obligations, which cannot be canceled or modified without substantial loss to the owner or operator, to undertake a program of actual construction of the source to be completed within a reasonable time.
- 209 **CONTIGUOUS PROPERTY**: Two or more parcels of land with a common boundary or separated solely by a public roadway or other public right-of-way.
- 210 **COST-EFFECTIVE:** A cost per unit of emissions reduction which is lower than or equivalent to the maximum unit costs, for the affected regulated air pollutant or source category, of the same emission reduction through the use of Best Available Control Technology, calculated in current year dollars, in accordance with methodology and criteria specified in the BACT PolicyCost-Effectiveness Guidelines developed by the District. Cost effectiveness consideration shall not apply to stationary sources that are a major stationary source or major modification.
- 211 CREDITABLE INCREASES AND DECREASES:
  - 211.1 An increase or decrease in actual emissions is creditable only if:
    - a. It occurs within a reasonable period to be specified by the reviewing authority; and between:
      - the date five years before construction commences on the project and
      - 2. the date the project commences operation; and
    - b. The Air Pollution Control Officer has not relied on it in issuing a permit which permit is in effect when the increase in actual emissions from the particular change occurs.
  - 211.2 An increase in actual emissions is creditable only to the extent that the new level of

- actual emissions exceeds the old level.
- 211.3 A decrease in actual emissions is creditable only to the extent that:
  - a. The old level of actual emission or the old level of allowable emissions whichever is lower, exceeds the new level of actual emissions;
  - b. It is federally enforceable as a practical matter at and after the time that actual construction on the particular change begins; and
  - The Air Pollution Control Officer has not relied on it in issuing any permit under regulations approved pursuant to 40 CFR part 51 subpart I or the State has not relied on it in demonstrating attainment or reasonable further progress;
  - d. It has approximately the same qualitative significance for public health and welfare as that attributed to the increase from the particular change.
- 211.4 An increase that results from a physical change at a source occurs when the emissions unit on which construction occurred becomes operational and begins to emit a particular pollutant. Any replacement unit that requires shakedown becomes operational only after a reasonable shakedown period, not to exceed 180 days.
- 212 **CUMULATIVE EMISSION INCREASE:** An increase calculated pursuant to Section 414 413 or 415.
- 213 **EMISSION OFFSET:** An emission reduction credit that compensates for an emission increase of an affected regulated air pollutant from a new or modified source subject to the requirements of Sections 302 and 303.
- 214 **EMISSIONS LIMITATION**: One or more permit conditions specific to an emissions unit which restricts its maximum emissions, at or below the emissions associated with the maximum design capacity and, An emissions limitation shall be:
  - 214.1 Contained in <u>ander</u> enforceable by the latest Authority to Construct and Permit to Operate for the emissions unit, and
  - 214.2 Enforceable pursuant to Section 410, and
  - 214.3 Enforceable on a daily, quarterly basis, and where applicable, annual basis, and
  - 214.4 No less stringent than the applicable emission standards given in 40 CFR Part 60, Standards of Performance for New Stationary Sources, and 40 CFR Part 61 and 63, National Emission Standards for Hazardous Air Pollutants.
- 215 **EMISSIONS UNIT:** An identifiable operation or piece of process equipment such as an article, machine, or other contrivance which controls, emits, may emit, or results in the emissions of any affected regulated air pollutant or hazardous air pollutant (HAP), directly or as fugitive emissions. Emissions unit shall not include the open burning of agricultural biomass.
- 216 **EXISTING EMISSIONS UNIT:** Any emissions unit that is not a new emissions unit.
- 217 **FEDERAL MAJOR MODIFICATION:** Exclusively for the purpose of Section 116, a Major Modification as defined in 40 CFR Section 51.165(a)(1)(v) (July 1, 2010 edition).
  - 217.1 All terms used in the definition of Major Modification shall be as defined in 40 CFR 51.165(a)(1)(v), except that:
    - a. the term "reviewing authority" as used in that Section shall mean the Sacramento Metropolitan Air Quality Management District;
    - b. the term "major stationary source" as used in that Section means a Major Stationary Source as defined in Section 224; and
    - c. the term "significant" as used in that Section means a rate of emissions that would equal or exceed the rates specified in Section 223.
- 2186 **FUGITIVE EMISSIONS:** Those emissions which could not reasonably pass through a stack, chimney, vent or other functionally equivalent opening.
- 2197 HAZARDOUS AIR POLLUTANT (HAP): Any air pollutant listed pursuant to Section 112(b)

(42 U.S.C Section 7412(b) of the Federal Clean Air Act).

### 22018 HISTORIC ACTUAL EMISSIONS:

- 220.1 Existing emissions units: Historic Aactual emissions for the existing emissions unit averaged over the two year period immediately preceding the date of application for an Authority to Construct.
  - a. If the last two years are unrepresentative of normal source operations as determined by the Air Pollution Control Officer, then any two consecutive years of the last five years that represent normal source operation may be used.
  - b. The daily Historic Actual Emissions for each calendar quarter equals the actual emissions for the calendar quarter divided by the total number of actual operating days. If there are no records for actual operating days, then use the number of permitted operating days or calendar days, whichever is less.
  - g. If, at any time during the two year period, actual emissions exceeded allowed or permitted emission levels, then actual emissions shall be reduced to reflect emission the levels that would have occurred if the unit were in compliance with all applicable limitations and rules.
  - d. If less than one year has passed since the date of commencing operation under an issued Permit to Operate or an Authority to Construct then the historic actual emissions, for the purpose of this rule, shall be the potential to emit.
  - e. If one year or more but less than two years have passed since the date of issuance of the Permit to Operate or an Authority to Construct then the historic actual emissions shall be the actual emissions over the one year period immediately preceding the date of application. All calculations will be based on a quarterly basis.
- 220.2 New emissions unit: Zero.

## 22149 HISTORIC POTENTIAL EMISSIONS: The historic potential emissions shall be:

221.1 New Emissions Unit: Zero.

- 22119.21 Emissions units not part of a major modification as defined in Section 223Non-Major Modifications:
  - Mhen determining BACT applicability, existing emissions units that had enforceable daily emissions limits on the Authority to Construct or Permit to Operate prior to modification: Except as provided in Section 219.4, tThe potential to emit of the emissions unit prior to modification as represented by the enforceable daily limiting condition on the permit.
  - b. When determining quarterly offsets trigger and quantity of offsets required existing emissions units that had enforceable quarterly emissions limits on the Authority to Construct or Permit to Operate prior to modification: The potential to emit of the emissions unit prior to modification as represented by the enforceable quarterly limiting condition on the permit.
  - when determining daily offsets trigger at Peaking Power Plants, or for when determining the daily limit specified in Section 303.2, existing emissions units that had enforceable daily emissions limits on the Authority to Construct or Permit to Operate prior to modification: The potential to emit of the emissions unit prior to modification as represented by the enforceable daily limiting conditions on the permit.
- 22119.32 All other Emission Units Major Modifications:
  - . The historic potential actual emissions equal to the enforceable potential to emit limit contained in the most recent Authority to Construct or Permit to Operate, if any of the following criteria are met:divided by 0.8, but no more than the potential to emit. If emission offsets were provided from a previous permitting action to fully offset (including offset ratios) the potential to emit of the emission's unit, then the historic potential emissions will be based on the

potential to emit of the emissions unit prior to modification.

i. Actual emissions are at least 80% of the potential to emit limit, or
 ii. The emissions unit was fully offset for any emission increase. If the emissions increase from the project, including the emissions unit being evaluated, will result in a major source in and of itself, as defined in Section 224, or a major modification, as defined in Section 223, then the offset of the nonattainment pollutant for the emissions unit must have occurred during the 5 year period prior to the date that the application is deemed complete, then this provision is not applicable; or

b. The historic actual emissions as defined in Section 220.1.

219.3 New Emissions Unit: Zero.

219.4 Emission Unit without Enforceable Limiting Conditions: The historic actual emissions divided by 0.8, but no more than, the potential to emit.

- 222 **IDENTICAL EMISSIONS UNIT:** A replacement emissions unit which is the same as the original unit in all respects except for serial number.
- 220 MAJOR STATIONARY SOURCE: A stationary source is a major source for the affected pollutant if it emits or has the potential to emit an affected pollutant in quantities equal to or exceeding any of the following thresholds:

220.1 25 tons per year of reactive organic compounds;

220.2 25 tons per year of nitrogen oxides;

220.3 100 tons per year of sulfur oxides;

220.4 100 tons per year of PM10; or

220.5 100 tons per year of carbon monoxide.

Emissions associated with emissions units exempt from permit requirements pursuant to Rule 201, GENERAL PERMIT REQUIREMENTS, except for emissions units exempted pursuant to Rule 201, Sections 111 and 113, shall be included in the potential to emit of the stationary source unless the emissions unit emits less than 2 pounds per day of each pollutant. Fugitive emissions associated with the emissions unit or stationary source shall not be included in the potential to emit of the emissions unit or stationary source for the purpose of determining whether the source is major unless the source belongs to one of the categories of stationary sources included in Rule 207, TITLE V - FEDERAL OPERATING PERMIT PROGRAM. Section 219.3.

- 2234 MAJOR MODIFICATION: A Modification as defined in Section 225, to a stationary source classified as a major source for:
  - A Modification as defined in Section 222 to a major stationary source VOC or NOx emissions, which results in an emission increase in the potential to emit for the project as determined by Section 413.6, equal to or exceeding any of the following thresholds when which when aggregated with all other creditable increases and decreases in emissions from the source ever the period of five consecutive years before the application for modification, and including the calendar year of the most recent application is equal to or exceeding any of the following thresholds:

221.1a. 25 tons per year of volatile reactive organic compounds; or

221.2b. 25 tons per year of nitrogen oxides.;

221.3 40 tons of sulfur oxides;

221.4 15 tons of PM10; or

221.5 100 tons of carbon monoxide.

- 223.2 PM10 or a PM10 precursor emissions, which results in an emission increase for the project as determined by Section 413.6, which when aggregated with all other creditable increases and decreases in emissions from the source is equal to or exceeding any of the following thresholds:
  - 40 tons per year of volatile organic compounds;
  - b. 40 tons per vear of nitrogen oxides:
  - c. 40 tons per year of sulfur oxides; or

- d. 15 tons per year of PM10.
- 223.3 PM2.5 or a PM2.5 precursor emissions, which results in an emission increase in the potential to emit for the project as determined by Section 413.6, which when aggregated with all other creditable increases and decreases in emissions from the source is equal to or exceeding any of the following thresholds:
  - a. 10 tons per year of direct PM2.5;
  - b. 40 tons per year of sulfur dioxide
  - c. 40 tons per year of volatile organic compounds if volatile organic compounds is determined to be a necessary part of the PM2.5 control strategy in the attainment demonstration and is approved by EPA in the State Implementation Plan; or
  - d. The significance level established in the attainment demonstration, if ammonia is determined to be a necessary part of the PM2.5 control strategy in the attainment demonstration and is approved by EPA in the State Implementation Plan.
- 223.4 Carbon monoxide emissions, which results in an emission increase for the project as determined by Section 413.6, which when aggregated with all other creditable increases and decreases in emissions from the source is equal to or exceeding the following threshold:
  - a. 100 tons per year of carbon monoxide.
- 223.5 Lead emissions, which results in an emission increase for the project as determined by Section 413.6, which when aggregated with all other creditable increases and decreases in emissions from the source is equal to or exceeding the following threshold:
  - 0.6 tons per year of lead.
- 224 MAJOR STATIONARY SOURCE: A stationary source is a major source for the regulated air pollutant if it emits or has the potential to emit a regulated air pollutant in quantities equal to or exceeding any of the following thresholds:
  - 224.1 25 tons per year of volatile organic compounds;
  - 224.2 25 tons per year of nitrogen oxides;
  - 224.3 100 tons per year of PM10; or 100 tons per year of sulfur oxides as a PM10 precursor;
  - 224.4 100 tons per year of directly emitted PM2.5, or 100 tons per year of nitrogen oxides or sulfur oxides as PM2.5 precursors;
  - 224.5 100 tons per year of carbon monoxide; or
  - 224.6 100 tons per year of volatile organic compounds or ammonia as a PM2.5 precursor, if volatile organic compounds or ammonia is determined to be a necessary part of the PM2.5 control strategy in the attainment demonstration and is approved by EPA into the State Implementation Plan.

Emissions associated with emissions units exempt from permit requirements pursuant to Rule 201, GENERAL PERMIT REQUIREMENTS, shall be included in the potential to emit of the stationary source unless the emissions unit emits less than 2 pounds per day of each pollutant. Notwithstanding the previous sentence, emissions units exempted by Rule 201, Sections 111 and 113 shall not be included in the potential to emit calculations. Fugitive emissions associated with the emissions unit or stationary source shall not be included in the potential to emit of the emissions unit or stationary source for the purpose of determining whether the source is major unless the source belongs to one of the categories of stationary sources included in Rule 207, TITLE V - FEDERAL OPERATING PERMIT PROGRAM, Section 219.3.

- 22<u>5</u>**2 MODIFICATION:** Any physical change, change in method of operation <u>(including change in fuel)</u>, or addition, which:
  - 22<u>5</u>2.1 For an emissions unit would necessitate a change in an emissions limiting permit condition or result in the potential to emit proposed emissions being higher than the historic potential emissions.
  - 2252.2 For a stationary source:
    - a. is a modification of anyits emissions unit, or

- b. addition of any new emissions unit.
- 2252.3 Unless previously limited by a permit condition, the following shall not be considered a modification for the purpose of this rule:
  - a. An increase in the production rate if such increase does not exceed the operating design capacity or the actual demonstrated capacity of the facility as approved by the Air Pollution Control Officer.
  - b. An increase in the hours of operation.
  - ea. A change in ownership.
  - **db**. Routine maintenance and repair.
  - ec. A reconstructed stationary source or emissions unit, which shall be treated as a new stationary source or emissions unit, not as a modification.
  - f.d The addition of a continuous emission monitoring system.
  - ge. The replacement Replacing of air pollution control equipment with new control equipment if the actual emissions of the new equipment are less than or equal to those from the original piece of equipment as determined by Section 413.3 and the replacement is not a major significant modification as defined in this rule, under the United States Environmental Protection Agency regulations promulgated pursuant to Title I of the Federal Clean Air Act, including 40 CFR Parts 51 and 52.
- 226 **NEW EMISSIONS UNIT:** An emissions unit which has not commenced operation.
- 2273 NONATTAINMENT POLLUTANT: Any pollutant and any precursors of such pollutants which have been designated "nonattainment" for the District by the US Environmental Protection Agency as codified in 40 CFR 81.305 in the Federal Register, or which have been designated nonattainment for the District by the California Air Resources Board pursuant to Section 396087 of the Health and Safety Code.
- PEAKING POWER PLANT: A fossil-fueled combustion turbine power generation unit or other power generation unit with an actual annual capacity factor of 25% or less, which is used during peak electricity demand periods, and may operate for short periods, with frequent start-ups and shutdowns. Emergency equipment that is operated in compliance with the requirements of Section 110 is not considered a peaking power plant.
- 229 PLANTWIDE APPLICABILITY LIMIT (PAL): Exclusively for the purpose of Section 116, an emission limitation expressed in tons per year, for a pollutant at a major stationary source, that is enforceable as a practical matter and established source-wide in accordance with 40 CFR Section 51.165(f)(1) through (f)(15).
  - 229.1 All terms used in 40 CFR 51.165(f) shall be as defined in 40 CFR 51.165(f)(2), or if not defined in 40 CFR 51.165(a)(1) as each subsection exists on July 1, 2010, except that:
    - a. the term "reviewing authority" as used in those Sections shall mean the Sacramento Metropolitan Air Quality Management District.
- 23025 **PM10:** Particulate matter with an aerodynamic diameter smaller than or equal to a nominal 10 microns as measured by an applicable reference test method or methods found in Article 2, Subchapter 6, Title 17, California Code of Regulations (commencing with Section 94100).
- PM2.5: Particulate matter with an aerodynamic diameter smaller than or equal to a nominal
   2.5 microns as measured by an applicable reference test method or methods found in Article
   Subchapter 6, Title 17, California Code of Regulations (commencing with Section 94100).
- 23226 **PORTABLE EQUIPMENT:** Equipment which is periodically relocated and is not operated more than a total of 180 days at any one stationary source in the District within a continuous 12 month period.
- 23327 **POTENTIAL TO EMIT:** The maximum physical and operational design capacity to emit a pollutant. Limitations on the physical or operational design capacity, including emissions

control devices and limitations on hours of operation, may be considered only if such limitations are incorporated into the applicable Authority to Construct and Permit to Operate <u>as a practically enforceable permit condition</u>. The potential to emit shall include both directly emitted and fugitive emissions.

23428 **PRECURSOR:** A pollutant that, when emitted into the atmosphere, may undergo either a chemical or physical change which then produces another pollutant for which an ambient air quality standard has been adopted, or whose presence in the atmosphere will contribute to the violation of one or more ambient air quality standards. The following precursor-secondary air contaminant relationships shall be used for the purposes of this rule:

Precursor Volatile Reactive Organic Compound	Secondary Air Contaminant  a. Photochemical oxidants (Ozone)  b. Organic fraction of PM10  c. Organic fraction of PM2.5, if volatile organic compounds is determined to be a necessary part of the PM2.5 control strategy in the attainment demonstration
	approved by EPA in the State Implementation Plan
Nitrogen Oxides	a. Nitrogen dioxide b. Nitrate fraction of PM10 c. Photochemical oxidants (Ozone) d. Nitrate fraction of PM2.5
Sulfur Oxides	a. Sulfur dioxide b. Sulfates c. The sSulfate fraction of PM10 d. Sulfate fraction of PM2.5
Ammonia	a. Nitrate fraction of PM2.5, if ammonia is determined to be a necessary part of the PM2.5 control strategy in the attainment demonstration approved by EPA in the State Implementation Plan.

- 23529 **PRIORITY RESERVE BANK:** A depository for preserving emission reduction credits pursuant to Rule 205, COMMUNITY BANK AND PRIORITY RESERVE BANK for use as an emission offset in accordance with Sections 302, 303, and 4137 and 418.
- 236 **PROJECT:** A project includes all of the emissions units associated with the scope of the preconstruction application for a new or modified stationary source and any emissions units indirectly affected.
- 23<u>7</u>9 **PROPOSED EMISSIONS:** Emissions based on the potential to emit for the new or modified emissions unit.
- 231 PROPOSED EMISSION INCREASE- PEAKING POWER PLANTS: An increase calculated pursuant to Section 416.
- 2382 QUARTER/QUARTERLY: Calendar quarters beginning January 1, April 1, July 1, and October 1.
- 233 **REACTIVE ORGANIC COMPOUND**: For the purposes of this rule, reactive organic compound has the same meaning as "volatile organic compound" in Rule 101, GENERAL PROVISIONS AND DEFINITIONS.

- 2394 **RECONSTRUCTED SOURCE:** Any stationary source or emissions unit undergoing physical modification where the fixed capital cost of the new components exceeds 50 percent of the fixed capital cost of a comparable entirely new stationary source or emissions unit. Fixed capital cost means that capital needed to provide and install all the depreciable components: this includes the cost of parts and labor. A reconstructed source shall be treated as a new stationary source or emissions unit.
- 240 **REGULATED AIR POLLUTANT:** Any air pollutant for which there is a national or state ambient air quality standard, or a precursor to such air pollutant.
- 235 **REPLACEMENT EQUIPMENT:** The replacement or modification of emission unit(s) at a non-major stationary source or non-major modifications wherethe replacement unit(s) serves the identical function as the unit(s) being replaced, and the maximum rating and the potential to emit any pollutant will not be greater from the new or modified emissions unit(s) than the replaced unit(s).
- 24136 SACRAMENTO FEDERAL NON-ATTAINMENT AREA FOR OZONE: The area defined in 40 CFR Section 81.305 for the Sacramento Metropolitan area.
- 242 SACRAMENTO FEDERAL NONATTAINMENT AREA FOR PM10: The area defined in 40 CFR Section 81.305.
- 243 SACRAMENTO FEDERAL NONATTAINMENT AREA FOR PM2.5: The area defined in 40 CFR Section 81.305.
- 24437 **STATIONARY SOURCE:** Any building, structure, facility, or emissions unit which emits or may emit any affected regulated air pollutant directly or as a fugitive emission.
  - 2<u>4437</u>.1 Building, structure, facility, or emissions unit includes all pollutant emitting activities which:
    - a. belong to the same industrial grouping, and
    - b. are located on one property or on two or more contiguous properties, and
    - c. are under the same or common ownership, operation, or control or which are owned or operated by entities which are under common control.
  - 2<u>4437.2</u> Pollutant emitting activities shall be considered as part of the same industrial grouping if:
    - a. they belong to the same two-digit standard industrial classification code, or
    - b. they are part of a common production process. (Common production process includes industrial processes, manufacturing processes and any connected processes involving a common material.)
  - 24437.3 The emissions within District boundaries of cargo carriers associated with the stationary source shall be considered emissions from the stationary source to the extent that emission reductions from cargo carriers are proposed as emission offsets.
- 24538 **TEMPORARY SOURCE:** Emission sources such as pilot plants and portable facilities that will be terminated or located outside the District after less than a cumulative total of 90 days of operation in any continuous 12 months.

#### 300 STANDARDS

301 **BEST AVAILABLE CONTROL TECHNOLOGY:** An applicant shall apply Best Available Control Technology to a new emissions unit or modification of an existing emissions unit, except cargo carriers, for each emissions change of an affected regulated air pollutant, if the change would result in an emission increase calculated pursuant to Section 413.2 of more than the levels specified in Section 301.1. in quarterly emissions according to procedures specified in Section 413, and if the daily potential to emit of the new or modified emissions unit meets or exceeds the levels specified in Section 301.1. Notwithstanding the preceding

sentence, if the modification is a major modification, then the applicant shall apply Best Available Control Technology for each <u>regulated</u> pollutant that triggers major modification requirements.

301.1	Pollutant	lb/day	
	Volatile Reactive organic compounds	•	<u>0</u> 10
	Nitrogen oxides	<u>0</u> 10	
	Sulfur oxides	<u>0</u> 10	
	PM10	<u>0</u> <del>10</del>	
	PM2.5	0	
	Carbon monoxide	550	
	Lead	3.3	

### 302 EMISSION OFFSET REQUIREMENTS, GENERAL:

302.1 Except as provided in Sections 302.73 and 302.8, an applicant shall provide emission offsets for the affected regulated air pollutant for new and modified stationary sources where the cumulative potential to emitemission increase of that pollutant calculated pursuant to Section 413.4, 414 or 415 meets or exceeds the following levels:

a.	Pollutant	<del>lbs/quarter</del>
	Volatile Reactive organic compounds	5,000 lbs/quarter
	Nitrogen oxides	5,000 lbs/quarter
	Sulfur oxides	13,650 lbs/quarter
	PM10	7,300 <del>5</del> 00 lbs/quarter
	PM2.5	· <del></del>
	45 : /	

15 ton/year

Carbon monoxide 49,500 lbs/quarter

If Ammonia is determined to be a necessary part of the PM2.5 control strategy in the attainment demonstration approved by EPA in the State Implementation Plan:

Ammonia 100 ton/year

- 302.2 Emission offsets shall be obtained pursuant to Rule 204, EMISSION REDUCTION CREDITS, Rule 205, COMMUNITY BANK AND PRIORITY RESERVE BANK, or Rule 206, MOBILE AND TRANSPORTATION SOURCE EMISSION REDUCTION CREDITS.
- 302.23 For a peaking power plant, if the emissions increase calculated pursuant to Section 413.4 is below the levels in Section 302.1 In addition to 302.1, an applicant for a peaking power plant shall provide emission offsets for the affected regulated air pollutant for new and modified stationary sources where the proposed daily emission increase calculated pursuant to Section 413.4416 exceeds the following levels:

. Pollutant Ib/day

Volatile Reactive organic compounds 150

Nitrogen oxides 150

Sulfur oxides 150

PM10 80

Carbon monoxide 550

- 302.34 Except for PM2.5 or as provided in Section 302.34(a,) or (b), c, or d; sufficient emission offsets shall be provided from the same calendar quarter as the proposed emissions, to offset the net emissions increase. The quantity of offsets required of reactive organic compounds and nitrogen exides (except as provided in Section 302.8) shall be determined using the calculationed according to procedures specified in Section 413.5417.
  - a. Emission credits for volatile reactive organic compounds and nitrogen oxides during the quarters starting April 1 and July 1 may be used to offset emission increases during any quarter except as provided below.
    - 1. Emission credits from the quarter starting April 1 that will be used in the quarter starting July 1 shall not exceed more than 20% of a project's volatile reactive organic compound or nitrogen oxides offset needs, as applicable, in the quarter beginning July 1.
    - 2. Emission credits from the quarter starting July 1 that will be used in

- the quarter starting April 1 shall not exceed more than 20% of a project's <u>volatile</u>reactive organic compound or nitrogen oxides needs, as applicable, in the quarter beginning April 1.
- b. Emission credits for <u>volatile</u>reactive organic compounds and nitrogen oxides during quarters starting January 1 and October 1 may be used to offset emission increases during either quarter starting January 1 and October 1.
- 302.5 Except as provided in Section 302.5 (a), sufficient emission offsets shall be provided from the same calendar quarter as the proposed emissions to offset the net emissions increase of sulfur oxides, PM10 and carbon monoxide (except as provided in Section 302.7 or 302.8) calculated according to procedures specified in Section 418.
  - <u>ca.</u> Emission credits for carbon monoxide, PM10, and sulfur oxides during the quarters starting January 1 and October 1 may be used during any quarter except as provided below.
    - Emission credits from the quarter starting January 1 that will be used in the quarter starting October 1 shall not exceed more than 20% of a project's carbon monoxide, PM10, and sulfur oxides offset needs, as applicable, in the quarter beginning October January 1.
    - 2. Emission credits from the quarter starting October 1 that will be used in the quarter starting January 1 shall not exceed more than 20% of a project's carbon monoxide, PM10, and sulfur oxides offset needs, as applicable, in the quarter beginning January October 1.
  - <u>db.</u> Emission credits for carbon monoxide, PM10, and sulfur oxides during quarters starting April 1 and June 1 may be used to offset emission increases during either quarter starting April 1 and June 1.
- 302.4 Emission offsets shall be obtained pursuant to Rule 204, EMISSION REDUCTION CREDITS, Rule 205, COMMUNITY BANK AND PRIORITY RESERVE BANK, or Rule 206, MOBILE AND TRANSPORTATION SOURCE EMISSION REDUCTION CREDITS, or pursuant to an adopted emission reduction credit rule in another air district that meets the requirements of Section 302.6.
- 302.56 If an application for an Authority to Construct is received for an emissions unit that hade previously obtained emission reduction credits forcem thea shutdown of that emissions unit under Rule 204, EMISSION REDUCTION CREDITS, then sufficient emission offsets shall be provided consistent with Section 302.1. If the emissions unit does not trigger emission offsets in accordance with this section then the applicant shall provide sufficient emission offsets to offset the lesser of the amount of the emission reduction obtained pursuant to Rule 204, EMISSION REDUCTION CREDITS or the potential to emitproposed emissions from the emissions unit.
- 302.6 Emission offsets which are required and obtained pursuant to permitting and/or banking actions in a district other than that in which the proposed source is located may be used only if the Air Pollution Control Officer has reviewed the permit conditions and/or banking action issued by the other district in which the proposed emission offsets are obtained and made a determination that the impact of using such emission offsets meets the requirements of District Rules and Regulations, Health and Safety Code Section 40709.6, state, and federal requirements. An offset ratio not less than the levels specified in Section 303 shall be applied as necessary to discount the offsets and mitigate the associated impact.
- 302.7 Emission offsets for increases in carbon monoxide shall not be required if the applicant, using an air quality modeling analysis prepared pursuant to Section 403, demonstrates to the satisfaction of the Air Pollution Control Officer that the increase in ambient concentration does not exceed 500 micrograms per cubic meter, 8 hour average, at and beyond the property line of the stationary source.
- 302.8 Except for portable equipment located at a major stationary source or that is a major stationary source by itself, portable equipment shall be offset at the initially permitted location only. In the event such portable equipment is shutdown, emission reduction credits shall be granted based on the initially permitted location.
- 302.9 For major stationary sources or major modifications, emission offsets for volatile organic compounds and nitrogen oxides must be obtained from within the Sacramento Federal Nonattainment Area for ozone.

- 302.10 For major stationary sources or major modifications that exceed the levels in Section 223.3, emissions offsets for PM2.5 and PM2.5 precursors must be obtained within the Sacramento Federal Nonattainment Area for PM2.5 and emission offsets for PM10 must be obtained within Sacramento County as long as Sacramento County is a federal PM10 nonattainment area.
- 303 LOCATION OF EMISSION OFFSETS AND EMISSION OFFSET RATIOS: The applicable offset ratio for use in Section 413.5 shall be determined based on the location of the new or modified stationary source required to provide offsets and the distance to the location of the emission offsets, as indicated in the following tables.
  - 303.1 Except as provided in Section 303.2, Aan applicant shall provide emission offsets for emissions from a <u>new or modified proposed</u> stationary source subject to the requirements of Section 302 according to using the following ratios except as provided in 303.1b and 303.1c:

	Emission Offset Ratio			
Location of Emission Offset	Volatile organic compounds or Nitrogen oxides	PM2.5 or ammonia if determined to be PM2.5 precursor by Section 234	Other Nonattainment pollutants	Attainment pollutants
Same Source	1.3 to 1.0 if used at a major stationary source or major modification at a major source  OR  1.0 to 1.0 if used at a non-major stationary source or non-major modifications at a major source	1.0 to 1.0	1.0 to 1.0	1.0 to 1.0

Within 15-mile radius and within Sacramento Valley Air Basin	1.3 to 1.0 if used at a major stationary source or major modification at a major source  OR  1.2 to 1.0 if used at a non-major stationary source or non-major modifications at a major source  OR  1.0 to 1.0 if used at a stationary source  With an emission increase calculated pursuant to Section 413.4 of the following levels: ≥5000 lb/qtr and <7500 lb/qtr,	<u>1.2 to 1.0</u>	<u>1.2 to 1.0</u>	1.1 to 1.0
Greater than 15-mile but within 50-mile radius and within Sacramento Valley Air Basin	2.0 to 1.0	2.0 to 1.0	2.0 to 1.0	<u>1.2 to 1.0</u>
More than 50-mile radius and within Sacramento Valley Air Basin	>2.0 to 1.0 (*)	>2.0 to 1.0 (*)	>2.0 to 1.0 (*)	>1.2 to 1.0 (*)
(*	<u>) based on case by ca</u>	se determination		

a. Emission Offset Ratio:

<sup>1.</sup> For use by new major stationary sources or major modifications at an existing major stationary source

New Major Stationary Sources or Major Modifications			
	Emission Offset Ratio		
Location of Emission Offset	Reactive organic compounds or Nitrogen oxides	Sulfur oxides, PM10 or Carbon Monoxide	
Same Source	<del>1.3 to 1.0</del>	1.0 to 1.0	
Within 15-mile radius and within Sacramento Valley Air Basin	<del>1.3 to 1.0</del>	<del>1.2 to 1.0</del>	
Greater than 15-mile but within 50-mile radius and within Sacramento Valley Air Basin	<del>1.5 to 1.0</del>	<del>1.5 to 1.0</del>	
More than 50-mile radius and within Sacramente Valley Air Basin	>1.5 to 1.0 (*) (*) based on case by case determination	>1.5 to 1.0 (*) (*) based on case by case determination	

For use by non-major stationary sources or non-major modifications with a cumulative emission increase calculated pursuant to Section 414 or

### 415 that meets or exceeds the following levels:

Pollutant	Emission Level (Ibs/quarter)
ROC	<del>7,500</del>
NOx	<del>7,500</del>
SOx	<del>13,650</del>
PM10	<del>7,500</del>
CO	4 <del>9,500</del>

Non-major Stationary Sources or Non-major Modifications		
	Emission Offset Ratio	
Location of Emission Offset	Reactive organic compounds or Nitrogen oxides	Sulfur oxides, PM10 or Carbon Monoxide
Same Source	<del>1.0 to 1.0</del>	<del>1.0 to 1.0</del>
Within 15-mile radius and within Sacramento Valley Air Basin	<del>1.2 to 1.0</del>	<del>1.2 to 1.0</del>
Greater than 15-mile but within 50-mile radius and within Sacramento Valley Air Basin	1.5 to 1.0	1.5 to 1.0
More than 50-mile radius and within Sacramento Valley Air Basin	>1.5 to 1.0 (*) (*) based on case by case determination	>1.5 to 1.0 (*)  (*) based on case by case determination

3. For use by non-major stationary sources or non-major modifications with a cumulative emission increase calculated pursuant to Section 414 of the following levels:

Pollutant	Requirement	Emission Level (Ibs/quarter)	Emission Offset Ratio
ROC or NOx	Same Source or Within 15-mile radius and within Sacramento Valley Air Basin	>=5000 and <7500	<del>1.0 to 1.0</del>

b. 303.2 Applicants providing emission offsets obtained pursuant to Rule 205, COMMUNITY BANK AND PRIORITY RESERVE BANK and applicants providing emission offsets obtained pursuant to Rule 206, Mobile and Transportation Source Emission Reduction Credits, shall provide emission offsets for all pollutants at all distances pursuant to the following:

Emission offsets obtained fro Rule 205, COMMUNITY BANK/AND PRIORITY I	
Rule 206, MOBILE AND TRANSPORTATION SOURCE EMISSION REDUCTION CREDITS	
Source Type/Pollutant	Emission offset ratio
For use by non-major stationary sources or non-major modifications for all pollutants if the non-major modifications has an increase in emissions calculated pursuant to Section 413.4 of 250 lbs/day or less of VOC, NOx, and SOx, and 80 lbs/day or less of PM10.	1.0 to 1.0
If the non-major modification has an increase in	<u>1.2 to 1.0</u>

emissions calculated pursuant to Section 413.4 that is greater than 250 lbs/day of VOC, NOx, and SOx, or greater than 80 lbs/day of PM10.	
For use by major stationary sources or major modifications for volatile reactive organic compounds or nitrogen oxides	1.3 to 1.0
For use by major stationary sources or major modifications for other nonattainment pollutants, except for PM2.5, and all attainment pollutants sulfur oxides, PM10 or carbon monoxide	1.2 to 1.0
For use by major stationary sources or major modifications for PM2.5 or ammonia if determined to be PM2.5 precursor by Section 234	1.0 to 1.0

Applicants providing emission offsets obtained pursuant to Rule 206, MOBILE AND TRANSPORTATION SOURCE EMISSION REDUCTION CREDITS shall provide emission offsets for all pollutants at all distances pursuant to the following:

Emission offsets obtained from Rule 206, MOBILE AND TRANSPORTATION SOURCE EMISSION REDUCTION CREDITS	
Source Type/Pollutant	Emission offset ratio
For use by non-major stationary sources or non-major modifications for all pollutants	<del>1.0 to 1.0</del>
For use by major stationary sources or major modifications for volatile reactive organic compounds or nitrogen oxides	<del>1.3 to 1.0</del>
For use by major stationary sources or major modifications for other nonattainment pollutants, except PM2.5, and all attainment pollutants sulfur oxides, PM10 or carbon monoxide	<del>1.2 to 1.0</del>
For use by major stationary sources or major modifications for PM2.5 or ammonia if determined to be PM2.5 precursor by Section 232	<del>1.0 to 1.0</del>

- 303.2 Emission offsets which are required pursuant to Sections 302 and 303 and obtained pursuant to permitting actions in a district other than that in which the proposed source is located may be used only if the Air Pollution Control Officer has reviewed the permit conditions issued by the other district in which the proposed emission offsets are obtained and made a determination that the impact of using such emission offsets meets the requirements of District Rules and Regulations and Health and Safety Code Section 40709.6. An offset ratio not less than the levels specified in 303.1 shall be applied as necessary to discount the offsets and mitigate the associated impact.
- 303.3 For major stationary sources or major modifications, emission offsets for reactive organic compounds and nitrogen oxides must be obtained from within the Sacramento Federal Non-attainment Area for ozone.
- INTERPOLLUTANT EMISSION OFFSETS EXCEPT FOR PM2.5: Interpollutant emission offsets are discouraged and may only be allowed between precursor contaminants. The Air Pollution Control Officer may approve interpollutant emission offsets for precursor pollutants on a case by case basis, except for PM2.5 which is subject to Section 305, provided that the applicant demonstrates through the use of an air quality model that the emission increases from the new or modified source will not cause or contribute to a violation of an ambient air quality standard. In such cases, the Air Pollution Control Officer shall impose, based on an

air quality analysis, emission offset ratios in addition to the requirements of Section 303. Interpollutant emission offsets between PM10 and PM10 precursors may be allowed. PM10 emissions shall not be allowed to offset nitrogen oxides or volatile reactive organic compound emissions in ozone nonattainment areas, nor be allowed to offset sulfur oxide emissions in sulfate nonattainment areas. In no case shall the compounds excluded from the definition of Volatile Reactive Organic Compounds be used as offsets for Volatile Reactive Organic Compounds. Interpollutant emission offsets used at a major stationary source must receive written approval by the US Environmental Protection Agency.

PM2.5 INTERPOLLUTANT EMISSION OFFSETS: Interpollutant emission offsets between PM2.5 and PM2.5 precursors are allowed at specific ratios as set by US EPA pursuant to the following, unless State modeling demonstrates that lower offset ratios are appropriate in an attainment plan approved by the US Environmental Protection Agency into the State Implementation Plan:

PM2.5 Interpollutant Emission Offset Ratios	
<u>Precursor</u>	Primary PM2.5 Interpollutant Offset Ratio
NOx to Primary PM2.5	<u>100.0 to 1.0</u>
SOx to Primary PM2.5	40.0 to 1.0
VOC to Primary PM2.5	Not allowed unless an offset ratio is established in the attainment demonstration approved by EPA into the State Implementation Plan
Ammonia to Primary PM2.5	Not allowed unless an offset ratio is established in the attainment demonstration approved by EPA into the State Implementation Plan
NOx to SOx	Not allowed unless an offset ratio is established in the attainment demonstration approved by EPA into the State Implementation Plan

- 3065 AMBIENT AIR QUALITY STANDARDS: In no case shall emissions from a new or modified stationary source, prevent or interfere with the attainment or maintenance of any applicable ambient air quality standard. The Air Pollution Control Officer may require the use of an air quality model to estimate the effects of a new or modified stationary source. In making this determination the Air Pollution Control Officer shall take into account the mitigation of emissions through emission offsets obtained pursuant to this rule.
- 3076 **DENIAL, FAILURE TO MEET STANDARDS:** The Air Pollution Control Officer shall deny any Authority to Construct or Permit to Operate if the Air Pollution Control Officer finds that the subject of the application would not comply with the standards set forth in District, state, or federal rules, regulations or statutes.
- 3087 **DENIAL, FAILURE TO MEET CEQA:** The Air Pollution Control Officer shall deny an Authority to Construct or Permit to Operate if the Air Pollution Control Officer finds that the project which is the subject of the application would not comply with CEQA.
- 400 **ADMINISTRATIVE REQUIREMENTS**: The following administrative requirements in Sections 401-4149 shall apply to any activities regulated by this rule, except for the review of power plants over 50 megawatts. Power plants over 50 megawatts shall be subject to the review requirements of Section 41520.
  - 401 **ALTERNATIVE SITING:** Except as provided in Section 116, Ffor new major sources or major modifications for which an analysis of alternative sites, sizes, and production processes is required under Section 173(a)(5) of the Clean Air Act, the Air Pollution Control Officer shall require the applicant to prepare an alternative siting analysis that is functionally equivalent to the requirements of Division 13 of the Public Resources Code (California

Environmental Quality Act-CEQA). An authority to construct shall not be issued unless the Air Pollution Control Officer has concluded, based on the information contained in the alternative siting analysis, that the benefits of the proposed source significantly outweigh the environmental and social costs imposed as a result of its location, construction, or modification.

- 402 **COMPLETE APPLICATION:** The Air Pollution Control Officer shall determine whether the application is complete not later than 30 days after receipt of the application, or after such longer time as both the applicant and the Air Pollution Control Officer have agreed in writing. If the Air Pollution Control Officer determines that the application is not complete, the applicant shall be notified in writing of the decision specifying the information required. Upon receipt of any re-submittal of the application, a new 30-day period to determine completeness shall begin. Completeness of an application or re-submitted application shall be evaluated on the basis of the information requirements set forth in the District's List and Criteria (adopted pursuant to Article 3, 65940 through 65944 of Chapter 4.5 of Division I of Title 7 of the California Government Code) as it exists on the date on which the application or re-submitted application was received, and on payment of the appropriate fee pursuant to Rule 301 PERMIT FEES, STATIONARY SOURCES. The Air Pollution Control Officer may, during the processing of the application, request an applicant to clarify, amplify, correct, or otherwise supplement the information submitted in the application.
- AIR QUALITY MODELS: All air quality models used for the purposes of this rule shall be consistent with the requirements provided in the most recent edition of US Environmental Protection Agency "Guidelines on Air Quality Models, 40 CFR 51 Appendix WOAQPS 1.2-080" unless the Air Pollution Control Officer finds that such model is inappropriate for use. After making such finding the Air Pollution Control Officer may designate an alternate model only after allowing for public comment, and only with concurrence of the US Environmental Protection Agency. Credit shall not be given for stacks higher than that dictated by good engineering practice. All modeling costs associated with the siting of a stationary source shall be borne by the applicant.
- 404 **ENHANCED NEW SOURCE REVIEW:** Applications for which the applicant has requested review pursuant to this Section and Section 101 shall be reviewed in accordance with the procedural requirements specified in Sections 401 through 408 of District Rule 207, TITLE V FEDERAL OPERATING PERMIT PROGRAM, and Sections 70.6(a) through 70.6(g), 70.7(a), and 70.7(b), Part 70, Title 40, Code of Federal Regulations (40 CFR).
- PRELIMINARY DECISION: Following acceptance of an application as complete, the Air Pollution Control Officer shall perform the evaluations required to determine compliance with all applicable District, state and federal rules, regulations, or statutes and shall make a preliminary written decision as to whether an Authority to Construct should be approved, conditionally approved, or denied. The decision shall be supported by a succinct written analysis.
  - 405.1 Except as provided in Section 1132, the Air Pollution Control Officer shall transmit to the California Air Resources Board and the US Environmental Protection Agency its preliminary written decision and analysis for sources subject to Sections 301 or 302, upon issuance of the preliminary decision for a 30-day period.
- PUBLICATION AND PUBLIC COMMENT: Except as provided in Section 1132, within ten calendar days following a preliminary decision pursuant to Section 300, Standards, of this rule, the Air Pollution Control Officer shall publish in at least one newspaper of general circulation in the District a notice stating the preliminary decision of the Air Pollution Control Officer, noting how pertinent information can be obtained, and inviting written public comment for a 30-day period following the date of publication. The notice shall include the time and place of any hearing that may be held, including a statement of procedure to request a hearing (unless a hearing has already been scheduled). The Air Pollution Control Officer shall give notice of any public hearing at least 30 days in advance of the hearing.

- PUBLIC INSPECTION: Except as provided in Section 1132, the Air Pollution Control Officer shall make available for public inspection at the District's office the information submitted by the applicant and the Air Pollution Control Officer's analysis no later than the date the notice of the preliminary decision is published, pursuant to Section 406. All such information shall be transmitted no later than the date of publication to the California Air Resources Board and the US Environmental Protection Agency regional office, and to any party which requests such information. Information submitted which contains trade secrets shall be handled in accordance with Section 6254.7 of the California Government Code and relevant sections of the California Administrative Code.
- SUBMITTAL OF BACT DETERMINATIONS: The Air Pollution Control Officer shall submit to the California Air Resources Board all new BACT determinations made by the District. A new BACT determination is any BACT determination made by the District for the first time for a given type of emission unit. All such determinations shall be <a href="made-available-for-public-comment and-submitted">made-available-for-public-comment and-submitted to the California Air Resources Board by no later than 30 days after issuance of the final Authority to Construct containing the new BACT determination.</a>

### 409 **AUTHORITY TO CONSTRUCT, FINAL ACTION:**

- 409.1 a. Except as provided in Sections 409.1b and 409.1c, the Air Pollution Control Officer shall take final action on the application, after considering all written comments, no later than 180 days after acceptance of an application as complete.
  - b. The Air Pollution Control Officer shall not take final action for any project for which an Environmental Impact Report (EIR) or a Negative Declaration is being prepared until a final EIR for that project has been certified or a Negative Declaration for that project has been approved, and the Air Pollution Control Officer has considered the information in that final EIR or Negative Declaration. The Air Pollution Control Officer shall take final action on the application within whichever of the following periods of time is longer:
    - 1. Within 180 days after the certification of the final EIR or approval of the Negative Declaration, or
    - 2. Within 180 days of the date on which the application was determined complete by the Air Pollution Control Officer.
  - c. The Air Pollution Control Officer shall take final action on applications reviewed pursuant to the Enhanced New Source Review Process no later than 18 months after acceptance of an application as complete.
- 409.2 Except as provided in Section 1132, the Air Pollution Control Officer shall provide written notice of the final action to the applicant, the US Environmental Protection Agency, and the California Air Resources Board, and shall publish such notice in a newspaper of general circulation and shall make the notice and all supporting documents available for public inspection at the District's office.

### 410 REQUIREMENTS, AUTHORITY TO CONSTRUCT AND PERMIT TO OPERATE:

- 410.1 General Conditions: As a condition for the issuance of a Permit to Operate, the Air Pollution Control Officer shall require that the emissions unit and stationary source, and any emissions units which provide emission offsets, be operated in the manner stated in making the analysis required to determine compliance with this rule, and as conditioned in the Authority to Construct.
- 410.2 Emissions Limitations: The following emissions limitations shall be included on the Authority to Construct and Permit to Operate, if applicable.
  - a. Emission limitations which reflect Best Available Control Technology, if <u>applicable</u>. Such condition shall be expressed in a manner consistent with testing procedures, such as ppmv NOx, g/liter VOC, or lbs/MMBtuhr.
  - b. An enforceable daily emissions limitation, for emissions units subject to Sections 111, 114.2, and 302.2, and a quarterly emissions limitation for all regulated air pollutants, and an enforceable annual emissions limitation for PM2.5 and for any each affected regulated air pollutants for which the stationary source exceeds the major source or major modification

- thresholds listed in Section 223 or 224. Enforceable daily emission limits are also required for emissions units not required to install BACT pursuant to Section 413.2.
- c. If the Air Pollution Control Officer determines that technological or economic limitations on the application of measurement methodology to a particular class of sources would make the imposition of a numerical emission standard infeasible, the Air Pollution Control Officer may instead prescribe a design, operational, or equipment standard. In such cases, the Air Pollution Control Officer shall make a best estimate as to the emission rate that will be achieved. Any permits issued without an enforceable numerical emission standard must contain enforceable conditions that assure that the design characteristics or equipment will be properly maintained, or that the operational conditions will be properly performed, so as to continuously achieve the assumed degree of control. The Air Pollution Control Officer shall discuss the determination in the Preliminary Decision prepared pursuant to Section 405.
- d. The emissions limitation shall be no less stringent than the applicable emission standards given in 40 CFR Part 60, Standards of Performance for New Stationary Sources, and 40 CFR Part 61 and 63, National Emission Standards for Hazardous Air Pollutants.
- 410.3 Emission offsets: The following conditions shall be included on the Authority to Construct and Permit to Operate:
  - a. Before the Air Pollution Control Officer shall approve or conditionally approve an application for an Authority to Construct, the applicant shall supply evidence of a sufficient number of emission reduction credits to meet any offset obligation in accordance with this rule.
  - b. Except as provided in Section 410.3c, tThe operation of any emissions unit which provides emission offsets shall be subject to enforceable permit conditions, containing specific emissions and operational limitations, to ensure that the emission reductions are provided in accordance with the provisions of this rule.
  - c. For new major stationary sources and major modifications, all emission reductions claimed as offset credit shall be federally enforceable as a practical matter.
  - d. A violation of the emission limitation provisions of any contract pursuant to Rule 204, EMISSION REDUCTION CREDITS, Section 303.2 shall be a violation of this rule by the owner or operator of the permitted stationary sourcepermit applicant.
  - e. The operation of any emissions unit which uses emission offsets provided by another emissions unit shall be subject to enforceable permit conditions, containing specific emissions and operational limits, to ensure that the emission reductions are used in accordance with the provisions of District rules and shall continue for the reasonably expected life of the proposed emissions unit.
  - f. Any offsets required pursuant to Sections 302, 303 or any other state or federal law or regulation must be surrendered prior to commencing operation of the new or modified source, and the emission offsets shall be maintained throughout the operation of the new or modified source which is the beneficiary of the emission offsets.
- ISSUANCE, PERMIT TO OPERATE: In addition to the requirements of Rule 207, TITLE V FEDERAL OPERATING PERMIT PROGRAM if applicable, the Air Pollution Control Officer shall issue a Permit to Operate an emissions unit, pursuant to Rule 201, GENERAL PERMIT REQUIREMENTS, subject to the requirements of this rule if it is determined that any offsets required as a condition of an Authority to Construct or amendment to a Permit to Operate will commence not later than the initial operation of the new or modified source, and that the emission offsets shall be maintained throughout the operation of the new or modified source which is the beneficiary of the emission offsets. Further, the Air Pollution Control Officer shall determine that all conditions specified in the Authority to Construct have been complied with

or will be complied with by the dates specified on the Authority to Construct. Such applicable conditions shall be contained in the Permit to Operate. Where a new or modified stationary source is, in whole or in part, a replacement for an existing stationary source on the same property, the Air Pollution Control Officer may allow a maximum of 90 days as a startup period for simultaneous operation of the existing stationary source and the new replacement source or replacement.

- 412 **REGULATIONS IN FORCE GOVERN:** An Authority to Construct shall be granted or denied based on Best Available Control Technology and emission offset requirements of Sections 301, and 302, and 303 in force on the date the application is deemed complete, as defined in Section 402, except when a new federal requirement not yet incorporated into this rule applies to the new or modified source. In addition, the Air Pollution Control Officer shall deny an Authority to Construct for any new stationary source or modification, or any portion thereof, unless:
  - 412.1 The new source or modification, or applicable portion thereof, complies with the provisions of this rule and all other applicable district rules and regulations; and
  - The owner or operator of the proposed new or modified <u>stationary</u> source has demonstrated that all major stationary sources owned or operated by such person (or by an entity controlling, controlled by, or under common control with such person) in California which are subject to emission limitations are in compliance, or on a schedule for compliance, with all applicable emission limitations and standards in the Federal Act.
- 413 EMISSION AND OFFSET CALCULATIONS: The following provisions shall be used:
  - 413.1 Notification Increase in Potential to Emit: The increase in potential to emit for purposes of determining whether Section 113 Exemption: Notification Requirements applies shall be calculated by subtracting the potential to emit for the project prior to modification from the potential to emit for the project.
  - 413.2 BACT Emissions Increase: The emissions increase for the purposes of determining BACT applicability pursuant to Section 301 shall be calculated as the daily Potential to emit minus the daily Historic Potential Emissions. The increase must be calculated as daily emissions, and calculated separately for each emissions unit associated with the project.
  - 413.3 Temporary Source and Replacing of Air Pollution Control Equipment Emissions Increase: The emissions increase for the purposes of determining Temporary Source applicability pursuant to Section 111 or replacing of air pollution control equipment with new control equipment pursuant to Section 225.3e shall be calculated as the sum of emissions increases from Section 413.2 for all emissions units in the project.
  - 413.4 Offsets Trigger: For the purposes of determining whether Offsets are required pursuant to Sections 302.1 and 302.2, emissions shall be calculated as:.
    - a. For SOx, PM10, PM2.5, and CO: the sum of the potential to emit for all emissions units at the stationary source installed after January 1, 1977 plus the sum of the potential to emit minus Historic Potential Emissions for all emissions units installed prior to January 1, 1977 and modified after January 1, 1977 as determined by Section 413.5 of this rule or procedures specified in this rule at time of modification.
    - The increase must be calculated using daily emissions for peaking power plants and for purposes of Section 303.2 and quarterly emissions for all other purposes for SOx, PM10, and CO. The increase must be calculated in yearly emissions for PM2.5.
    - b. For VOC and NOx: the sum of the potential to emit for all emissions units at the stationary source. The increase must be calculated using daily emissions for peaking power plants and quarterly emission, for all other purposes.
    - c. For VOC and NOx for purposes of Section 303.2: the sum of the potential to emit for all emissions units at the stationary source installed after January 1, 1977 plus the sum of the potential to emit minus Historic Potential Emissions for all emissions units installed prior to January 1, 1977 and modified after January 1, 1977.
  - 413.5 Quantity of Offsets Required: If offsets are required pursuant to Section 302, the

quantity of offsets to be provided shall be determined as follows:

- Multiply the sum of all increases of the potential to emit minus the Historic
   Potential Emissions for the emissions units associated with a project by the appropriate offset ratio based on pollutant and location as specified in Section 303.
- b. The calculations shall be performed separately for each pollutant for each calendar quarter or, where the offset threshold is specified in tons/yr on an annual basis.
- 413.6 Emission Increase for Major Modification: The emissions increase from the project for purposes of Section 223 is the sum of the Potential to Emit for the project minus the Historic Actual Emissions, as defined in Section 220.1, for the project. However, the potential to emit, instead of historic actual emissions, can be used for emissions units if either of the following conditions applies:
  - a. Actual emissions are at least 80% of the potential to emit limit, or
  - b. The emissions unit was fully offset for any emissions increase during the 5 year period prior to the date that the application is deemed complete.
- CALCULATION OF EMISSIONS FOR BACT TRIGGER LEVELS: The emissions change for a new or modified emissions unit shall be calculated by subtracting the potential to emit of the emissions unit prior to modification from proposed emissions. Calculations shall be performed separately for each emissions unit for each calendar quarter.
- 414 CALCULATION OF EMISSION OFFSET TRIGGERS FOR ROC AND NOx: Except as provided in Sections 414.1, the cumulative emission increase for each calendar quarter for a stationary source shall be the sum of emissions from Sections 414.2 and 414.3 for each calendar quarter, expressed in terms of pounds per quarter.
  - 414.1 Any potential to emit represented by an Authority to Construct or Permit to Operate which has been canceled or has expired and emission reduction credits have not been applied for pursuant to Rule 204, EMISSION REDUCTION CREDITS shall not be included in the cumulative emissions increase calculation.
  - 414.2 The potential to emit for all emissions units based on current Permits to Operate or Authorities to Construct where Permits to Operate have not been issued, including the current application(s) being reviewed.
  - 414.3 Emission reduction credits obtained pursuant to Rule 204, EMISSION REDUCTION CREDITS, from emissions units installed after January 1, 1977.
- 415 CALCULATION OF EMISSION OFFSET TRIGGERS FOR SOX, PM10 AND CO: Except as provided in Sections 415.1, the cumulative emission increase for each calendar quarter for a stationary source shall be the sum of emissions from Sections 415.2, 415.3, and 415.4 for each calendar quarter, expressed in terms of pounds per quarter.
  - 415.1 Any potential to emit represented by an Authority to Construct or Permit to Operate which has been canceled or has expired and emission reduction credits have not been applied for pursuant to Rule 204, EMISSION REDUCTION CREDITS shall not be included in the cumulative emissions increase calculation.
    - 415.2 The potential to emit for all emissions units installed after January 1, 1977 based on current Permits to Operate or Authorities to Construct where Permits to Operate have not been issued, including the current application(s) being reviewed.
    - 415.3 All emission increases from the modification to emissions units installed prior to January 1, 1977 and modified after January 1, 1977 as determined by Section 417 of this rule or procedures specified in this rule at the time of modification.
    - 415.4 Emission reduction credits obtained pursuant to Rule 204, EMISSION REDUCTION CREDITS, from emissions units installed after January 1, 1977.
  - 416 CALCULATION OF POUNDS PER DAY EMISSION OFFSET TRIGGERS FOR PEAKING
    POWER PLANTS: The proposed emissions are the maximum proposed emissions for any
    day for all these units at the stationary source
    - 417 CALCULATION OF EMISSION OFFSETS REQUIRED FOR ROC AND NOX:

each calendar quarter expressed in pounds per quarter. The net emission increase shall be:  417.1 For new non-major sources and non-major modifications, the lesser of the following.  a. The potential to emit for all emissions units at the stationary source based on current Permits to Operate and Authorities to Construct including the current application subtracting the levels in Section 302.1; or  b. For new emissions units, the proposed emissions for the current application; or  c. For modifications to existing emissions units, the proposed emissions subtracting the historic potential emissions from the current application.  417.2 For new major stationary sources, the proposed emissions for the current application.
a. The potential to emit for all emissions units at the stationary source based on current Permits to Operate and Authorities to Construct including the current application subtracting the levels in Section 302.1; or  b. For new emissions units, the proposed emissions for the current application; or  c. For modifications to existing emissions units, the proposed emissions subtracting the historic potential emissions from the current application.  417.2 For new major stationary sources, the proposed emissions for the current application.
on current Permits to Operate and Authorities to Construct including the current application subtracting the levels in Section 302.1; or  b. For new emissions units, the proposed emissions for the current application; or  c. For modifications to existing emissions units, the proposed emissions subtracting the historic potential emissions from the current application.  417.2 For new major stationary sources, the proposed emissions for the current application.
current application subtracting the levels in Section 302.1; or  b. For new emissions units, the proposed emissions for the current application; or  c. For modifications to existing emissions units, the proposed emissions subtracting the historic potential emissions from the current application.  417.2 For new major stationary sources, the proposed emissions for the current application.
b. For new emissions units, the proposed emissions for the current application; or  c. For modifications to existing emissions units, the proposed emissions subtracting the historic potential emissions from the current application.  417.2 For new major stationary sources, the proposed emissions for the current application.
c. For modifications to existing emissions units, the proposed emissions subtracting the historic potential emissions from the current application.  417.2 For new major stationary sources, the proposed emissions for the current application.
c. For modifications to existing emissions units, the proposed emissions subtracting the historic potential emissions from the current application.  417.2 For new major stationary sources, the proposed emissions for the current application.
subtracting the historic potential emissions from the current application.  417.2 For new major stationary sources, the proposed emissions for the current application.
417.2 For new major stationary sources, the proposed emissions for the current application.
<del>application.</del>
417.3 For major modifications:
a.For modifications of emissions units which had their potential to emit fully offset
(including offset ratios) from a previous permitting action, the proposed emissions subtracting the potential to emit prior to modification from the
current application for modification; or
b. For modifications of emissions units which have not had their potential to emit fully
offset from a previous permitting action, the proposed emissions from the
current application subtracting the lesser of the historic actual emissions or
the adjusted historic potential emissions and subtracting any adjusted
offsets that were previously provided. The net emission increase shall be calculated as follows:
offsets = PE - (lesser of HAE or AHPE) - AO
Where, offsets = offsets required prior to offset ratio required
pursuant to Section 303, if calculation is negative
then no offsets are required
PE = proposed emissions
HAE = historic actual emissions
AHPE = potential to emit of the emission unit prior to
modification minus AO
AO = actual offsets, which are the offsets previously
provided divided by the offset ratio that was
applied during that permitting action.
Any emissions increase represented by an Authority to Construct or Permit to Operate which
has been cancelled or has expired shall not be included in the net emissions increase
calculation.
418 CALCULATION OF EMISSION OFFSETS REQUIRED FOR SOX, PM10 AND CO:
Calculations shall be performed separately for each pollutant and each emissions unit for
each calendar quarter expressed in pounds per quarter. The net emissions increase shall
<del>be:</del>
418.1 For new non-major sources and non-major modifications:
a. For new emission units, the proposed emissions for the current application;
<del>Of</del>
b. For modifications to existing emissions units, the proposed emissions
subtracting the historic potential emissions from the current application.
418.2 For new major stationary sources, the proposed emissions for the current application.
418.3 For major modifications:
a.For modifications of emissions units which had their potential to emit fully offset
from a previous permitting action, the proposed emissions subtracting the
potential to emit prior to modification from the current application for
modification; or
b.For modifications of emissions units which have not had their potential to emit fully
offset from a previous permitting action, the proposed emissions from the

current application subtracting the historic potential emissions and any offsets that were previously provided.

Offsets = PE - (lesser of HAE or AHPE) - AO	
Where, offsets =	offsets required prior to offset ratio required pursuant to Section 303 if calculation is negative then no offsets are required
PF	— proposed emissions
HAE =	historic actual emissions
AHPE =	potential to emit of the emission unit prior to
	medification minus AO actual offsets, which are the offsets previously provided divided by the offset ratio that was

- 419 CALCULATION OF EMISSIONS FOR NOTIFICATION TRIGGERS: The increase in potential to emit shall be calculated by subtracting the potential to emit prior to modification from the proposed emissions.
- PLANTWIDE APPLICABILITY LIMITS: Exclusively for the purpose of Section 116, the operator of a major stationary source may apply to the Air Pollution Control Officer pursuant to Rule 201, GENERAL PERMIT REQUIREMENTS to establish a PAL.
   414.1 All PALs shall be established according to the provisions of 40 CFR 51.165(f); and 414.2 All PALs shall comply with the requirements under 40 CFR 51.165(f) to either maintain, renew or retire the PAL.
- 4<u>15</u>20 **POWER PLANTS:** This section shall apply to all power plants proposed to be constructed in the District and for which a Notice of Intention (NOI) or Application for Certification (AFC) has been accepted by the California Energy Commission.
  - 41520.1 Within 14 days of receipt of a Notice of Intention, the Air Pollution Control Officer shall notify the Air Resources Board and the California Energy Commission of the District's intent to participate in the Notice of Intention proceeding. If the District chooses to participate in the Notice of Intention proceeding, the Air Pollution Control Officer shall prepare and submit a report to the California Air Resources Board and the California Energy Commission prior to the conclusion of the non-adjudicatory hearing specified in Section 25509.5 of the California Public Resources Code. That report shall include, at a minimum:
    - a. a preliminary specific definition of Best Available Control Technology for the proposed facility;
    - b. a preliminary discussion of whether there is substantial likelihood that the requirements of this rule and all other District regulations can be satisfied by the proposed facility;
    - c. a preliminary list of conditions which the proposed facility must meet in order to comply with this rule or any other applicable district regulation.

The preliminary determinations contained in the report shall be as specific as possible within the constraints of the information contained in the Notice of Intention.

- 41520.2 Upon receipt of an Application for Certification for a power plant, the Air Pollution Control Officer shall conduct a determination of compliance review. This determination shall consist of a review identical to that which would be performed if an application for a permit to construct had been received for the power plant. If the information contained in the Application for Certification does not meet the requirements of this rule, the Air Pollution Control Officer shall, within 20 calendar days of receipt of the Application for Certification, so inform the California Energy Commission, and the Application for Certification shall be considered incomplete and returned to the applicant for resubmittal.
- 4<u>15</u>20.3 The Air Pollution Control Officer shall consider the Application for Certification to be equivalent to an application for a permit to construct during the

determination of compliance review, and shall apply all provisions of this rule which apply to applications for a permit to construct.

- 41520.4 The Air Pollution Control Officer may request from the applicant any information necessary for the completion of the determination of compliance review. If the Air Pollution Control Officer is unable to obtain the information, the Air Pollution Control Officer may petition the presiding Commissioner of the California Energy Commission for an order directing the applicant to supply such information.
- 4<u>15</u>20.5 Within 180 days of accepting an Application for Certification as complete, the Air Pollution Control Officer shall make a preliminary decision on:
  - whether the proposed power plant meets the requirements of this rule and all other applicable district regulations; and
  - b. in the event of compliance, what permit conditions will be required including the specific Best Available Control Technology requirements and a description of required mitigation measures.
  - The preliminary written decision under Section 420.5 shall be treated as a preliminary decision under Section 405 of this rule, and shall be finalized by the Air Pollution Control Officer only after being subject to the public notice and comment requirements of Sections 405 and 406. The Air Pollution Control Officer shall not issue a determination of compliance unless all requirements of this rule are met.
- 41520.6 Within 240 days of the filing date, the Air Pollution Control Officer shall issue and submit to the California Energy Commission a determination of compliance or, if such a determination cannot be issued, shall so inform the California Energy Commission. A determination of compliance shall confer the same rights and privileges as an Authority to Construct only when and if the California Energy Commission approves the Application for Certification, and the California Energy Commission certificate includes all conditions of the determination of compliance.
- 4<u>15</u>20.7 Any applicant receiving a certificate from the California Energy
  Commission pursuant to this section and in compliance with all conditions of the
  certificate shall be issued a Permit to Operate by the Air Pollution Control Officer.