

SACRAMENTO METROPOLITAN



AIR QUALITY
MANAGEMENT DISTRICT

SACRAMENTO METROPOLITAN AIR QUALITY MANAGEMENT DISTRICT

2026 ANNUAL REPORT

ON THE

AIR TOXICS “HOT SPOTS” INFORMATION & ASSESSMENT ACT

OCTOBER 2026

PREPARED BY: Quintin Phan, Associate Air Quality Engineer
Amar Zagdragchaa, Assistant Air Quality Engineer

REVIEWED BY: Steve Mosunic, Permitting Program Manager
Matt Baldwin, Permitting Program Supervisor
Steven Bolton, Permitting Program Supervisor

APPROVED BY: Amy Roberts, Engineering & Compliance Division Director

TABLE OF CONTENTS

EXECUTIVE SUMMARY	1
SECTION 1.....	5
BACKGROUND OF THE AIR TOXICS “HOT SPOTS” PROGRAM	
Overview	5
Requirements of the Air Toxics “Hot Spots” Program	5
Air District Assistance to Facilities	6
Industrywide Facilities	7
SECTION 2.....	8
CHANGES TO THE AIR TOXICS “HOT SPOTS” PROGRAM	
Overview	8
Statutory & Regulatory Changes	8
Air Toxics Fees	9
Exempt Facilities	13
Risk Assessment Changes	15
SECTION 3.....	16
AIR TOXICS HOT SPOTS RISKS	
Overview	16
Prioritization for Risk Assessment.....	16
Risk Assessment Review	19
Air Toxics Health Risks.....	20
Risks Assessment Results Requiring Notification.....	21
Public Notification Requirements	21
Risk Reduction Audits and Plans	22
SECTION 4.....	24
AIR TOXICS HOT SPOTS REPORTING	
Overview	24
Criteria for Adding Facilities to the Air Toxic Hot Spots List	24
Criteria for Removing Facilities from the Air Toxic Hot Spots List.....	26
Reinstating Facilities to the Air Toxic “Hot Spots” List.....	26
SECTION 5.....	28
AIRBORNE TOXIC CONTROL MEASURES	
Overview	28
APPENDIX A.....	30
PRIORITIZATION SCORES	
Approved Prioritization Scores.....	30
APPENDIX B.....	31
HEALTH RISK ASSESSMENT RESULTS	
Health Risk Assessment Results Approved by the District & OEHHA.....	31
APPENDIX C.....	32
INDUSTRYWIDE SCREENING HEALTH RISK ASSESSMENT RESULTS	
Retail Gas Stations	32
Chrome Platers	48
Diesel Internal Combustion Engine.....	48

Executive Summary

BACKGROUND

Many air pollutants are created in the operation of our modern society. From the combustion of gasoline in the cars we drive to the fossil fuels burned to provide electricity for our homes, these processes produce emissions of chemicals that contribute to poor air quality and potentially adverse health effects. While cars, power plants, and many industrial plants release pollutants that are well known to impact attainment of ambient air quality standards and climate targets, like nitrogen oxides and carbon dioxide, they can also emit many toxic chemicals that can be even more concerning for their potential to directly affect human health. Toxic chemicals, like benzene found in gasoline and particulate matter created from combusting diesel, gasoline, natural gas, and other fossil fuels, are of particular concern because these substances may pose a hazard to human health by either causing or contributing to an increase in serious illness or mortality.

Toxic emissions have long been recognized by federal, state, and local health agencies for their role in adverse health outcomes and impacts at localized levels, thereby driving the need for emission standards and controls. In 1987, the California Legislature enacted the Air Toxics “Hot Spots” Information and Assessment Act¹ (Hot Spots Act). The statute requires facilities to report the types and quantities of certain substances routinely released into the air, with the goal of identifying facilities having localized impacts and notifying nearby residents of significant risks. Additionally, the Hot Spots Act requires risk management plans and public notification of significant health risks.

The Sac Metro Air District (District) implements the Hot Spots Act in Sacramento County through its Hot Spots Program and in coordination with the California Air Resources Board (CARB).

The main goals of the Hot Spots Program include:

- (i) collecting data from permitted facilities to calculate toxic air emissions,
- (ii) identifying facilities having localized impacts,
- (iii) ascertaining the health risks associated with exposure to the identified toxic emissions,
- (iv) notifying the public if significant risks are determined, and
- (v) reducing identified risks to acceptable health-preserving levels.

Facilities subject to the Hot Spots Program include large sources (Core Facilities), such as power plants and landfills, that emit more than 10 tons/year of total organic gases (TOG), oxides of nitrogen (NOx), sulfur oxides (SOx), or particulate matter (PM), as well as smaller classes of sources, called industrywide facilities. These smaller sources include diesel-fired engines commonly used for back-up power, retail gas stations, and chrome platers.

An important part of the Hot Spots Program is assuring public access to the information determined under the program. As required under Section 44363 of the Health and Safety Code, the District has prepared this 2026 Annual Report on the Air Toxics “Hot Spots” Information & Assessment Act. The report describes the elements and requirements of the Hot Spots Program and the District’s ongoing efforts to regulate and reduce toxic air emissions. To ensure public access, the report is published on the District’s website and distributed to the California Air Resources Board, County Board of Supervisors, city councils, local health officers, and to all AB 617 community listservs within the District’s jurisdiction, to the extent that any such AB 617 community listservs are established. It is also presented to the Sac Metro Air District Board of Directors during a regularly scheduled public meeting and opened to public hearing.

¹ Assem. Bill 2588 (Stats. 1987, ch. 1252)

RECENT UPDATES & UPCOMING CHANGES

Since the passage of the Hot Spots Act, other efforts have been made at the statewide and local air district level to continue to address toxic air emissions. These ongoing efforts are highlighted below.

2015 OEHHA HRA Guidelines – In February 2015, the Office of Environmental Health Hazard Assessment (OEHHA) adopted updated Health Risk Assessment (HRA) guidelines in response to the Children’s Environmental Health Protection Act of 1999², which required infants and children to be explicitly considered when assessing health risks. Under these updated guidelines, risk estimates could increase compared to estimates under the previous risk guidelines. To address these changes, the District adopted revised prioritization and HRA guidelines and reassessed health risks for certain large facilities using the updated OEHHA guidelines. The District continues to assess health risks associated with new facility emissions and other smaller source categories using the updated guidelines.

Gasoline Dispensing Facility HRA Guidelines – In February 2022, CARB and the California Air Pollution Control Officers Association (CAPCOA) published updated risk assessment guidance for air districts to use when assessing emission risks from gasoline dispensing facilities (GDFs). The updated CARB/CAPCOA GDF guidance incorporated changes to risk methodology, air dispersion models, fuel composition, and emission factors that have occurred since the previous 1997 CARB/CAPCOA guidance. This guidance was used when screening GDFs and performing any site-specific risk assessments.

Criteria and Toxics Reporting Rule – To address concerns of air pollution impacts on local communities, especially disadvantaged communities that have historically borne a higher pollution burden, the Legislature in 2017 added and amended several sections of the Health & Safety Code³. The California Air Resources Board established the Community Air Protection Program to implement these statutes and coordinate efforts with involved air districts.

In response to the legislative mandate for additional reporting of criteria and toxic air contaminants from stationary sources, CARB adopted the “Regulation for the Reporting of Criteria Air Pollutants and Toxic Air Contaminants” (CTR).⁴ Effective January 1, 2020, this regulation improves upon the existing criteria and toxics emission inventory data to meet the comprehensive needs and goals of these mandates, such as community protection and public right to know. The regulation underwent subsequent revisions to lower reporting emission thresholds and require additional businesses and industrial sectors to report their criteria and toxic emissions data annually. Those revisions were effective as of January 1, 2022.

Emissions Inventory Criteria and Guidelines Regulation – On November 19, 2020, CARB adopted amendments to the Emission Inventory Criteria and Guidelines (EICG) Regulation to harmonize Hot Spots Program requirements with the CTR. These amendments were approved by the Office of Administrative Law (OAL) and became effective on March 21, 2022. As amended, the EICG Regulation will:

- (1) provide additional consideration factors for exempting facilities and reinstating previously exempt facilities;
- (2) require reporting of 900+ new substances and three broad functional groups of chemicals found in the emissions from facilities;
- (3) update risk screening modeling approaches; and
- (4) align the EICG requirements with the CTR.

District Challenges and Solutions to Increased Emission Inventory Requirements – Both the CTR and amended EICG represent a substantial increase in the data collection, analysis, and reporting

² Sen. Bill 25 (Stats. 1999, ch. 731, § 3)

³ Assem. Bill 617 (Stats. 2017, ch. 136)

⁴ Cal. Code Regs. tit. 17, § 93400 et. seq.

requirements for emissions from permitted stationary sources. To be able to comply with these additional requirements, the District devoted substantial effort and resources over the past several years to develop a new software solution that helps the District more easily collect, process, and analyze this large amount of emission data from its permitted sources. The new system was released to the public on September 4, 2024, and includes an online portal for permitted sources to submit annual emissions data. To update the emission calculations in this 2026 report, the District used data reported through online submittals via the new AiriA customer portal.

SUMMARY OF ACTIVITIES

The following table summarizes key activities the District accomplished since the last annual report:

Core Facilities (large facilities emitting 10 tons/year)	• Reviewed 4-year update forms submitted by intermediate priority facilities for any increases or changes which would require reprioritization. • Reviewed 4-year update forms submitted by intermediate risk facilities for any increases or changes which would require a new risk assessment. • Reviewed emission inventory plans for core facilities, which will be used to submit their emission inventory reports to report their toxic emissions. • Reviewed the 2023 emissions inventory to identify new core facilities to be included in the Hot Spots Program. • Collected 2024 emissions inventory data for review and identification of new core facilities or facilities subject to reinstatement. The 2025 emissions inventory data will be collected in 2026 as part of the annual reporting process.
Industrywide Facilities (small emission sources in certain industry groups)	Similar to core facilities, the District utilizes a 4-year plan for evaluating industrywide sources that are below 10 in a million risk and have a Hazard Index below 1. This results in approximately a quarter of industrywide sources being reevaluated every year. This is a reasonable approach because risk calculations are a snapshot in time and risk values for retail gas stations and diesel internal combustion engines are not expected to have annual variability with regular maintenance schedules and relatively stable throughput and operation levels. Additionally, every year the District will evaluate all new permitted sources added to the Hot Spots Program and any organization that had a significant throughput increase (>10% increase) since the previous evaluation. The following is a summary of the evaluations performed: • Retail gasoline dispensing facilities (GDF): the District updated all new permitted sources added to the Hot Spots Program, the second half of permitted sources based on organization ID that submitted annual reports for 2023, and any organizations that had a significant throughput increase (>10% increase). The SMAQMD performed 374 health risk assessment screenings. One facility had a significant risk. • Diesel engines: the District updated all new permitted sources added to the Hot Spots Program, the second half of permitted sources based on organization ID that submitted annual reports for 2023, and any organizations that had a significant throughput increase (>10% increase). The District performed 789 individual engine screening HRAs, identified two facilities as high risk, and will be requesting those facilities to submit a site-specific HRA to further refine their risk. Additionally, the District identified two facilities as high-risk last year. One of those facilities has been re-evaluated and lowered to intermediate risk this year based on updated emission information. The other was high-risk the year prior as well.

General Hot Spots Program Activities	• Prepared 2026 Annual Report for Board Meeting and Public Hearing. • Attended workshops to prepare for implementation of the EICG amendments and harmonization with CTR. • Coordinated with CARB to resolve invoices for Hot Spots Program state fees.
---	---

In summary, the District continues to implement this long-standing program to support the goals of reducing exposure to toxic chemicals emitted by stationary facilities. The Hot Spots Program, in conjunction with the District's permitting program, its enforcement efforts, and other Districtwide programs, helps reduce exposure to air pollution and toxic emissions from both stationary and mobile sources by identifying critical areas where reductions and increased controls are needed. While implementation of state emission inventory and regulatory reporting requirements have been challenging, the District fully supports the goals these regulations aim to achieve – increasing transparency and access to localized air pollution information for our communities. These combined efforts play a significant role in helping the District achieve its overarching mission to improve air quality for all residents in Sacramento County.

Section 1

Background of the Air Toxics “Hot Spots” Program

Overview

Introduction

The Air Toxics “Hot Spots” Information and Assessment Act of 1987 established a statewide program to:

- inventory routine toxic air emissions from individual facilities
- assess health risks from these toxic air emissions
- notify the affected public of these toxic air emissions and their potential health risks
- reduce the toxic air emissions to the affected public

In This Section

This section is divided into the following parts:

- Requirements of the Air Toxics “Hot Spots” Program..... Page 5
- Air District Assistance to Facilities Page 6
- Industrywide Facilities Page 7

Requirements of the Air Toxics “Hot Spots” Program

Annual Report Required

The Hot Spots Act requires air districts to prepare and publish an annual report that:

- describes the priorities and categorizes the results and progress of the health risk assessment program
- ranks and identifies facilities according to cancer risk
- identifies facilities that expose individuals to any chronic and acute non-cancer health risk
- describes the status of the development of control measures to reduce emissions of toxic air pollutants, if any
- disseminates the annual report to county boards of supervisors, city councils, and local health officers

Public Hearing Required

The Hot Spots Act requires the air district board of directors to hold a public hearing to present the report and discuss its content and significance.

Section 1: Background of the Air Toxics “Hot Spots” Program

Requirements of Facilities

The Hot Spots Act requires facilities meeting certain criteria to:

- prepare emission inventory plans
- prepare emission inventory reports quantifying toxic air emissions
- prepare and submit health risk assessments to the District
- notify all individuals who are exposed to “significant health risks” in accordance with a procedure specified by the District
- prepare and submit a plan to reduce toxic emissions
- reduce the toxic air emissions in accordance with the plan

Requirements of Air Districts

The Hot Spots Act requires air districts to:

- identify permitted facilities subject to the act
- collect, review, and approve emission inventory plans
- collect, review, and approve emission inventory reports
- submit the emission inventory reports to CARB for inclusion in the statewide Air Toxic Emission Data System
- review and approve health risk assessments considering comments from OEHHA
- consult with CARB as necessary to evaluate the emissions impact and modeling data contained in any risk assessment
- designate significant risk levels and determine which facilities must notify the public
- review and approve the risk reduction audits and plans

Air District Assistance to Facilities

Air District Assistance

The District assists facilities in complying with this complex legislation by doing the following:

- providing support and guidance for facilities, such as supplying them with emission factors and other information, to aid them in completing their plans and reports
- assisting facilities in completing their emission inventory plans and reports
- providing support and guidance for facilities in using CARB’s Hotspots Analysis Reporting Program (HARP) software
- This assistance continues with the submittal of new and updated plans and reports

Industrywide Facilities

Requirements of Air Districts for Industrywide Facilities

For certain facilities emitting less than 10 tons/year of criteria pollutants, the air district may prepare the industrywide emissions inventory and health risk assessment if all the following conditions are met:

- All facilities in the class fall within one four-digit Standard Industrial Classification Code
- Individual compliance with this part would impose severe economic hardships on the majority of the facilities within the class
- The majority of the class is composed of small businesses; and
- Releases from individual facilities in the class can easily and generically be characterized and calculated

The District has identified the following categories as industrywide facilities:

- retail gas stations
- dry cleaners using perchloroethylene
- chrome platers
- facilities with diesel internal combustion engines

For these industrywide facilities, the air district performs the following levels of review:

- prepares the industrywide emission inventory (conducting facility surveys, reviewing inspection reports, reviewing recordkeeping, cross-referencing with other sources or agencies)
- uses the collected emission inventory data and performs screening prioritization calculations or screening health risk assessments to identify high risk facilities
- for facilities screened as high risk, performs refined site-specific health risk assessments by incorporating available building, exhaust, and receptor data, and
- for facilities identified as high risk through the District-performed risk assessment, requests a refined health risk assessment from the facility which incorporates further refinements unique to the facility and subject to review and approval from District, OEHHA, and/or CARB

Section 2

Changes to the Air Toxics “Hot Spots” Program

Overview

Introduction

Initially, the Hot Spots Act only required facilities to inventory toxic air emissions and for Air Districts to identify facilities that posed a significant risk to the public. Subsequent legislation and amendments to the Act incorporated risk reduction requirements and provided low risk facilities a way to be removed from the program.

The below statutory and regulatory amendments highlight some of the more recent changes to this evolving program.

In This Section

This section covers the changes to the program:

- Statutory & Regulatory Changes Page 8
- Air Toxics Fees Page 9
- Diesel Engine Only Facilities Page 13
- Exempt Facilities Page 13
- Risk Assessment Changes Page 15

Statutory & Regulatory Changes

Statutory Changes to the Hot Spots Act Since 2014

The Legislature has amended the Air Toxics “Hot Spots” Information and Assessment Act of 1987 several times over the last 10 years.

- 2018 – Code Maintenance (non-substantive changes)⁵
- 2018 – Added Health & Safety Code § 44391.3 to authorize schools and school districts located in communities with a high cumulative exposure burden, as identified as part of the statewide strategy to reduce emissions of toxic air contaminants and criteria air pollutants, to work with air districts to identify school sites in need of air quality improvements and to be eligible for a grant as part of a community emissions reduction program to implement air quality mitigation efforts, as specified.⁶
- 2019 – Added Health & Safety Code § 44391.4 to specify that funds made available by an appropriation from the Greenhouse Gas Reduction Fund may be made available to an air district for projects related to the reduction of mitigation of emissions from mobile and stationary sources in affected communities.⁷

⁵ Sen. Bill 1289, (Stats 2018, ch. 92, § 144)

⁶ Assem. Bill 2453 (Stats 2018, ch. 714, § 2)

⁷ Sen. Bill 85, (Stats 2019, ch. 31 § 18)

Section 2: Changes to the Air Toxics “Hot Spots” Program

Statutory Changes to the Hot Spots Act Since 2014

- 2021 – Amended Health & Safety Code § 44346 to enact conforming and technical changes related to the recodification and reorganization of the California Public Records Act.⁸
- 2022 – Added Health & Safety Code § 44391.5 to require an air district with a population of 1,000,000 persons or more that issues permits to stationary sources of criteria air pollutants or toxic air contaminants to make available in an easily identifiable location on the air district’s internet website all permits issued by the air district for those stationary sources.⁹

Regulatory Changes to the Hot Spots Program since 2014

On November 19, 2020, CARB adopted amendments to EICG¹⁰, in part to support the Community Air Protection Program and the CTR Regulation. The EICG amendments do the following:

- provide additional factors for air district consideration of facility exemptions and reinstatements (based on the latest risk assessment methods; population exposure and cancer burden; persistence and bioaccumulation; and combined impacts from multiple facilities)
- add 900+ new substances and 3 broad functional groups
- update screening modeling approaches

The EICG amendments (in alignment with the CTR) include these additional items:

- updated industrial sectors and reporting thresholds
- phase-in schedule by air district groups and sectors (permitted processes)
- requirement to report the amount of a substance used or produced when emission quantification methods are not available

The EICG amendments were approved by OAL and became effective on March 21, 2022.

Air Toxics Fees

Program Cost Recovery Options

The Hot Spots Act¹¹ requires an air district to recover:

- its program costs, and
- the air district’s portion of the State’s program costs

This statute also requires an air district to impose fees on facility operators that are proportionate to the amount of toxic air emissions and the priority assigned to the facility.

An air district may recover these costs by either:

- adopting a fee rule (see SMAQMD Rule 306 – Air Toxics Fees), or
- choosing to have air district fee schedules established in the State’s Fee Regulation

⁸ Assem. Bill 474 (Stats 2021, ch. 302, § 262)

⁹ Assem. Bill 1749 (Stats 2022, ch. 340, § 2)

¹⁰ Cal. Code Regs. tit. 17, § 93300.5

¹¹ Health & Saf. Code § 44380.

Section 2: Changes to the Air Toxics “Hot Spots” Program

Fee Structure

Fees are assessed based on the health risk posed by the facility and the number of different processes at the facility.

Fee Categories

Depending on the potential health risk to the public associated with the toxic air emissions from the facility, the facility will fall under one of the following reporting categories:

FEE CATEGORY	DESCRIPTION
1	Industrywide
2	Unprioritized
3	Health Risk Assessment (HRA) >1 to <10 in a million excess cancer risk, or Hazard Index (HI) > 0.1 to < 1
4	Priority score >10 and no HRA
5	HRA >10 to <50 in a million excess cancer risk, or HI >1
6	HRA >50 in a million excess cancer risk
4YRS	Priority score < 10 and subject to update reporting every four years.

Fee Category 1

An industrywide facility, which includes retail gas stations, dry cleaners using perchloroethylene as a solvent, chrome platers using hexavalent chrome, and facilities with diesel internal combustion engines.

All existing perchloroethylene dry cleaning machines were required to be removed from service by the Airborne Toxic Control Measure for Emissions of Perchloroethylene from Dry Cleaning and Water-Repelling Operations no later than January 1, 2023.¹² As of May 2021, all perchloroethylene dry cleaning units in the District have been removed from service and have cancelled their permits.

Based on the 2024 inventory review period, there are 1,165 facilities in this category, organized as follows (Appendix C – AB 2588 Industrywide Screening Health Risk Assessment Results):

Industrywide Category	Number of Facilities
Retail Gas Stations	374
Dry Cleaners	0
Chrome Platers	2
Diesel Internal Combustion Engines	789

¹² Cal. Code Regs. tit. 17, § 93109

Section 2: Changes to the Air Toxics “Hot Spots” Program

Fee Category 2

A facility included in the program whose emissions have not yet been prioritized or otherwise evaluated.

There are seven facilities in this category:

- B & J Dairy
- Cal Denier Dairy
- New Hope Dairy LLC
- SMUD Cosumnes Power Plant
- West Coast Grape Farming
- Pabco Clay Products, LLC
- Setzer Forest Products

Fee Category 3

A facility that has a health risk assessment cancer risk greater than or equal to 1 in a million and less than 10 in a million, or a non-cancer Hazard Index (HI) greater than or equal to 0.1 and less than or equal to 1.

There are six facilities in this category:

- Teichert & Son (Perkins Plant)
- Lopez Agricultural Services
- Mercy General Hospital
- Mitsubishi Rayon Carbon Fiber & Composites
- SFPP, LP
- UCD Medical Center

Fee Category 4

A facility that has a priority score greater than 10 and does not have an approved health risk assessment.

There are two facilities in this category:

- Blue Diamond Growers
- ConFab Manufacturing Company LLC

Fee Category 5

A facility that has a health risk assessment cancer risk greater than or equal to 10 in a million but less than 50 in a million, or a hazard index greater than 1.

There are no facilities in this category.

Fee Category 6

A facility that has a health risk assessment cancer risk greater than or equal to 50 in a million.

There are no facilities in this category.

Section 2: Changes to the Air Toxics “Hot Spots” Program

Fee Category SMAQMD Rule 306, Section 301.2

A facility that has a priority score less than or equal to 10.

There are eleven facilities in this category:

- Bimbo Bakeries USA
- California Resources Production Corporation (Big Brannan)
- Chevron USA (Bulk Terminal)
- D & T Fiberglass
- Granite Construction Co. (4001 Bradshaw Road)
- County of Sacramento DWMR (Kiefer Landfill)
- City of Sacramento Solid Waste Public Works (Sacramento City Landfill)
- L and D Landfill
- Sacramento Area Sewer District (Sacramento Regional County Sanitation District)
- Silgan Can Company
- Siemens Industry, Inc

Exempt Facilities

These facilities are exempt from fees and update reporting. See the Exempt Facilities section for additional categories.

There are nine facilities in this category:

- Teichert & Son (Grantline Plant)
- California Resources Production Corporation (Baby Brannan)
- Carson Cogeneration
- Granite Construction Co. (4291 Bradshaw Road)
- Huhtamaki, Inc.
- Procter & Gamble
- Sacramento Cogeneration Authority
- Sacramento Power Authority
- Triangle Rock Products, Inc.

Diesel Engine Only Facilities

Facilities Added

As of August 27, 2007, diesel internal combustion engine reporting requirements were added to the EICG, after CARB’s 1998 identification of diesel PM as a toxic air contaminant and as part of an alignment with the Airborne Toxic Control Measure for Stationary Compression Ignition Engines reporting requirements.

A facility with a diesel engine is subject to the reporting requirements if the facility meets one of the following criteria:

- The facility operates any number of diesel engines for more than 5 hours per year combined for non-emergency operations; or the facility uses more than 30 gallons of fuel to operate any number of diesel engines that do not meet Tier 4 emission standards; or the facility uses more than 100 gallons of fuel to operate any number of diesel engines that meet Tier 4 emission standards; and
- The use of any number of diesel engines is part of the routine and predictable facility operation; or
- The diesel engine is stationary. The air district may include portable engines in this program if the routine and predictable emissions have the potential to pose a significant risk but is currently not including on-road engines and off-road engines in this program.

The air district must submit to CARB a list of facilities with diesel engines, their risk assessment scores, and their status in the Hot Spots Program during the annual update reporting.

Exempt Facilities

Exempt from Reporting

Certain low priority facilities are exempt from update reporting. These facilities include:

- Facilities with a prioritization score less than or equal to 1 for cancer health effects and less than or equal to 1 for non-cancer health effects (provided the facility does not emit more than 5 tons/year of a single HAP or 12.5 tons/year of total HAPs), or
- Facilities with an air district-approved health risk assessment that shows a total potential cancer risk at an actual receptor of less than 1 excess cancer case per one million persons and a total hazard index (HI) for each toxicological endpoint of less than 0.1, or
- Facilities where the primary activity falls into one of the classes listed in Appendix E of the EICG and for which the activity level is considered de minimis.
- The air district may opt to exempt a facility that was not required to conduct a risk assessment and that has a prioritization score greater than 1, if a conservative screening health risk assessment is performed that shows the facility’s excess potential cancer risk is less than one case per one million persons and the total hazard index for each toxicological endpoint is less than 0.1.

Appendix E Exemptions

Certain classes of facilities emitting less than 10 tons/year of criteria pollutants and listed in Appendix E of the Hot Spots Guidelines are exempted from the program if established use thresholds are not exceeded. The recent amendments to the EICG expanded Appendix E to include additional classes of facilities and revised exemption thresholds.

Currently, these established thresholds include:

- Facilities using any amount of carcinogenic solvents or 55 gallons per month of non-carcinogenic degreasing solvents
- Facilities emitting less than 10 pounds per year of 1,4 Dioxane (can apply to 1,1,1 trichloroethane degreasers)
- Facilities emitting less than one pound per year of styrene or styrene compounds (including fiberglass fabricators)
- Facilities using less than two gallons per day of printing chemicals with no isocyanates or 0.5 gallons per day of printing chemicals with isocyanates
- Boat and ship building/repair facilities using less than one gallon per year of coatings
- Covered wastewater treatment plants with throughputs less than 10 million gallons per day, if they do not have sludge incinerators

The full list of affected facility classes and activity level thresholds is listed in Appendix E of the Emission Inventory Criteria and Guidelines Report.

Risk Assessment Changes

Risk Assessment Changes

OEHHA is required to develop guidelines for conducting health risk assessments under the Hot Spots Program. The original guidelines were adopted by OEHHA in 2003 as a compilation of information presented in four Technical Support Documents (TSDs) adopted between 1999 and 2003.

In 1999, the legislature passed the Children’s Environmental Health Protection Act of 1999¹³. The Act required OEHHA to ensure infants and children are explicitly addressed in assessing risk. This necessitated revisions to the methods for both noncancer and cancer risk assessment and to the exposure variates. The following TSDs were adopted to update and replace the original methodologies.

- TSD for the Derivation of Noncancer Reference Exposure Levels (June 2008)
- TSD for Cancer Potency Factors (May 2009); and
- TSD for Exposure Assessment and Stochastic Analysis (June 2012)

These TSDs underwent public and peer review, were approved by the State’s Scientific Review Panel on Toxic Air Contaminants and were adopted by OEHHA for use in the Hot Spots Program in February 2015. The Air Toxics Hot Spots Program Risk Assessment Guidelines: Guidance Manual for the Preparation of Health Risk Assessments (2015 OEHHA Guidelines) combines the critical information from the three TSDs into a manual for the preparation of health risk assessments.

CARB and CAPCOA assessed the impacts of the 2015 OEHHA Guidelines and determined that risk estimates could increase approximately 1.5 to 3 times compared to estimates under the 2003 OEHHA Guidelines. In response, ARB and CAPCOA developed the ARB/CAPCOA Risk Management Guidance for Stationary Sources of Air Toxics (2015 ARB/CAPCOA Guidance). CARB officially adopted the guidance on July 23, 2015.

The District adopted revised prioritization guidelines and health risk analysis guidelines in March 2016 to implement the 2015 OEHHA and 2015 ARB/CAPCOA Guidance as part of the Hot Spots Program. To assess the impacts of the 2015 OEHHA Guidelines, the District requested revised 2016 inventories from existing core facilities and re-prioritized these facilities under the revised guidelines.

¹³ Sen. Bill 25 (Stats. 1999, ch. 731, § 3)

Section 3

Air Toxics Hot Spots Risks

Overview

Introduction

One of the main goals of the Hot Spots Program is to identify facilities whose emissions may pose a risk, assessing the health risks associated with individual facilities and, if this risk is considered significant, the dissemination of this information to the affected public and the imposition of risk reduction plans to reduce the facility's risk below the significance level over the next 5-10 years.

In This Section

This section covers the elements used to assess the potential health risks and inform the public of the results:

- Prioritization for Risk Assessment..... Page 16
- Risk Assessment Review..... Page 19
- Air Toxics Health Risks Page 20
- Risks Assessment Results Requiring Notification Page 21
- Public Notification Requirements Page 21
- Risk Reduction Audits and Plans Page 22

Prioritization for Risk Assessment

Introduction

As toxic air emissions reports are received by the District, the facilities are prioritized to determine which facilities must perform a health risk assessment. The risk prioritization process is a method of ranking facilities by calculating a numerical score based on the type, quantity, & potency or toxicity of emissions, and proximity to receptors. It does not provide an actual risk assessment at this point in the process, just a potential risk level.

Factors Used in Prioritization Procedures

The District developed prioritization procedures that consider the following factors:

- potency of the facility's carcinogenic toxic air emissions
- toxicity of the facility's non-carcinogenic toxic air emissions
- mass of the facility's toxic air emissions
- any additional factors the District determines to be significant

These procedures were originally approved by the Sac Metro Air District Board of Directors on January 29, 1991, and revisions were approved on March 24, 2016, to incorporate the 2015 OEHHA guidelines changes.

Prioritization Categories

Facilities are ranked and placed into one of three prioritization categories:

- High (priority score >10.0)
- Intermediate (priority score >1.0 and <10.0)
- Low (priority score <1.0)

Unprioritized

Unprioritized facilities are facilities that the District has identified as subject to the Hot Spots Program and has requested submission of an emission inventory plan or an emission inventory report. Once identified as part of the program, a facility must:

- Prepare an emission inventory plan that provides a comprehensive and detailed description of the methods that will be used to quantify air releases or potential air releases of listed substances from all points of release.
- Submit an emission inventory report that includes a facility diagram, results of any source tests, and a quantification of emissions from substances identified in the emission inventory plan.

Once a facility has submitted and the District has approved an emission inventory plan and report, the District will prioritize the facility as high, intermediate or low according to the District's prioritization procedures.

The following facilities are currently in the Hot Spots Program but have not yet been prioritized pending submission and approval of their emission inventory plan or report.

- B & J Dairy
- Cal Denier Dairy
- New Hope Dairy LLC
- SMUD Cosumnes Power Plant
- West Coast Grape Farming
- Pabco Clay Products, LLC
- Setzer Forest Products

High Priority

A designation of "high priority" does not necessarily indicate high risk, only that the District needs more information about the facility, such as:

- the proximity of the facility's toxic air emissions points to potential receptors including, but not limited to, worksites, residences, hospitals, schools, and daycare centers
- how wind direction and wind speed affect the concentrations of the toxic air emissions
- how the combined effect of the facility's toxic air emissions may affect those people nearby

The facilities categorized as high priority are required to submit health risk assessments to the District within 150 days of being placed into the high priority category.

High Priority

Two facilities were notified that they had been designated high priority and are required to perform health risk assessments. These facilities must prepare and submit health risk assessments that will be reviewed by the District and OEHHA.

The high priority facilities are:

- Blue Diamond Growers
- ConFab Manufacturing Company LLC

Intermediate Priority

A designation of “Intermediate Priority” requires the facility to submit toxic emissions reports on a quadrennial basis unless new information becomes available that suggests the need to reevaluate sooner. Ten facilities have been designated intermediate priority. These facilities are required to submit an update every four years and were not required to submit health risk assessments under the Hot Spots Program.

The intermediate priority facilities are:

- Bimbo Bakeries USA
- California Resources Production Corporation (Big Brannan)
- Chevron USA (Bulk Terminal)
- D & T Fiberglass
- Granite Construction Co. (4001 Bradshaw Road)
- Kiefer Landfill
- L and D Landfill
- Sacramento City Landfill
- Sacramento Regional County Sanitation District
- Silgan Can Company
- Siemens Industry, Inc

Low Priority

A designation of “Low Priority” exempts a facility from the Hot Spots Program unless new information becomes available that suggests the need to reevaluate the facility. Three facilities submitted emission inventory reports and were prioritized as a low priority facility.

The low priority facilities are:

- Teichert & Son (Grantline Plant)
- Granite Construction Co. (4291 Bradshaw Road)
- Triangle Rock Products, Inc.

Prioritization List

The current list of prioritized facilities can be found in Appendix A – Prioritization Scores.

**Reducing
Prioritization Scores**

All facilities are encouraged to lower their prioritization score by implementing toxic air emission reduction measures such as:

- adding emissions control equipment
- making product changes to reduce the use of toxic materials
- eliminating processes that have toxic air emissions

Risk Assessment Review

Definition

A health risk assessment is an evaluation of the potential adverse health effects that may result from exposure to routine toxic air emissions. The assumptions used in the Hot Spots Program risk assessments are designed to err on the side of health protection and are very conservative.

**Risk Assessment
Process**

After a facility is notified of the requirement to perform a risk assessment:

- within 45 days of the written notification, it must submit a risk assessment protocol if the facility does not want to use the OEHHA HRA Guidelines
- within 150 days of written notification, it must submit the completed health risk assessment, which will then be reviewed by the District and OEHHA

**Risk Assessment
Includes**

The review of the completed risk assessment includes, but is not limited to, the following areas:

- types of air dispersion models used
- meteorological (weather) data used
- emission source type designations (area and point sources)
- source aggregation
- inhalation exposure
- multi-pathway (non-inhalation) exposure
- deposition values
- receptor grid and sensitive receptor proximity
- toxic air substances and emission amounts used
- references to be used
- accuracy of the amounts of toxic air emissions used compared to the facility's emission inventory report

**Health Risk
Assessment Results**

The results of all health risk assessments that have been submitted to the District are listed in Appendix B – Health Risk Assessment Results.

Air Toxics Health Risks

Introduction

There are two categories of risk that are determined by a health risk assessment under Hot Spots Program requirements. These are cancer and non-cancer health risks. Risks for each are determined using different calculation methods and procedures.

Cancer Risk Definition

Cancer Risk is the probability of a person developing cancer from a lifetime exposure to carcinogenic substances.

Maximum individual cancer risk is the added statistical risk of an individual contracting cancer when exposed to a facility's toxic air emissions over a lifetime above the background cancer risk. According to the 2017 California Air Toxics Assessment (CATA), the background cancer risk in Sacramento County is 395¹⁴ cases per million persons. This term does not imply cancer fatalities as there are many other determinants of health outcomes.

Maximum Risk

As the term "maximum risk" implies, this estimate is conservative. In areas of uncertainty, assumptions are made that tend to overestimate rather than underestimate risk. Therefore, it is unlikely that the risk would be higher than this estimate.

Examples of Assumptions

The following are some of the assumptions used in a risk assessment:

- The current guidelines assume different breathing rates for different age groups, to account for higher breathing rates for infants and young children.
- Residential receptors are assumed to be located at their residence for a 30-year exposure duration beginning at the third trimester. Worker receptors are assumed to work at the same location and be exposed for a duration of 25 years beginning at age 16.
- Residential receptors are assumed to spend a fraction of time at home, depending on age. Young children are assumed to spend more time at home, while adults spend less.

Note: In the risk assessments performed for the Hot Spots Act process, the maximum individual cancer risk is calculated for the most exposed individual in the nearby residential area and in a nearby commercial/industrial area.

Non-Cancer Risk Defined

A non-cancer risk is defined as the risk of an adverse health effect, other than cancer, which may result from exposure to toxic air emissions. This risk is measured using a Hazard Index.

¹⁴ Air Resources Board, 2017. California Air Toxics Assessment Dashboard. Available online at: <https://california-air-toxics-assessment-californiaarb.hub.arcgis.com/>

Hazard Index	The Hazard Index (HI) indicates the potential for adverse health impacts on the same organ or organ system from all compounds emitted from a given facility. The index is a ratio of the estimated exposure level compared to an OEHHA approved reference exposure level. Both short term effects (acute) and long-term effects (chronic) are estimated.
Hazard Index Examples	The following are examples of how a Hazard Index is treated for health impacts: • Long term exposure to either ammonia or chlorine can cause respiratory irritation. Therefore, if a facility emits both substances, then the hazard index for each substance is added together. • If a facility emits both ammonia and ethylbenzene, ammonia can cause respiratory damage but is not known to cause liver damage; ethylbenzene can cause liver damage but is not known to be a respiratory irritant. Therefore, the hazard indices are not added together, but instead the highest resulting hazard index is reported.
Risk Categories	Facilities are ranked and placed into one of three risk categories: • High (cancer risk >10.0 or Hazard Index >1.0) • Intermediate (cancer risk >1.0 and <10.0 and Hazard Index >0.1 and <1.0) • Low (cancer risk <1.0 and Hazard Index <0.1)

Risks Assessment Results Requiring Notification

Facilities Required to Notify	Based on the results of the risk assessments, facilities are required to notify the affected public when the added risks: • equal or exceed 10.0 in a million for cancer, and/or • equal or exceed a Hazard Index of 1.0 and OEHHA determines that the level is significant.
Facilities That Notified	There were no facilities that were required to notify the public of health risks in this review period.

Public Notification Requirements

Notification Methods	The notification procedure relies primarily on: • letters sent to individual residences and workplaces • notices published in newspapers, and • public meetings
Notification Goals	The following are the primary goals of the notification procedure: • notify and inform, yet not alarm, the recipient • put the risk of health hazards into perspective

Section 3: Air Toxics Hot Spots Risks

Notification Package Content

The following table describes the elements contained in the notification package:

Item	Maximum Hazard Index
Air District Letter	The air district explains the health risk associated with the facility's emissions based on the approved health risk assessment.
Facility Letter	The facility describes its operations and the results of the health risk assessment and explains what steps the facility has taken to minimize the health risks.
Site Map	Shows the facility in relation to the residences and worksites of the notified public.

Notification Timelines

Once a facility is notified by the District in writing that its health risk assessment indicates that there is a significant health risk, the facility must:

- mail a notification package to the public and to the District within 90 days of the written notice, and
- hold a public meeting within 30 days of mailing the notice

Notification Guidelines

Additional information on the public notification procedure is contained in the Sac Metro Air District AB 2588 Air Toxics "Hot Spots" Significant Risk Thresholds and Public Notification Guidelines (June 1, 1993), which can be obtained from the District.

Risk Reduction Audits and Plans

Background

The Hot Spots Act¹⁵ requires air districts to review and oversee the implementation of risk reduction plans developed by existing high priority facilities of toxic air emissions.

Risk Reduction Requirements

The following table shows the requirements and their timelines to implement risk reduction:

Facility Risk	Requirement	Timeline
Cancer risk < 10.0 in a million or noncancer Hazard Index < 1.0	1. No risk reduction plan required.	1. Not applicable

¹⁵ Health & Saf. Code § 44390.

Section 3: Air Toxics Hot Spots Risks

Facility Risk	Requirement	Timeline
Cancer risk equal to or greater than 10.0 in a million or noncancer Hazard Index equal to or greater than 1.0	1. Prepare risk reduction audit and plan, including an implementation schedule. 2. Implement all feasible risk reduction measures to the lowest level achievable. 3. Reduce cancer risk at all specific receptor locations to less than 10.0 in a million and Hazard Index to less than 1.0.*	1. Within 6 months of determination of significant risk 2. Deadline set in implementation schedule or sooner 3. Within 5 years **

* Non-cancer Hazard Index (HI) greater than 1.0 may be allowed with OEHHA's approval.

** The APCO may grant an extension based on specific findings of up to an additional 5 years.

Risk Reduction Plans

No facilities were required to complete a risk reduction plan in this review period.

Risk Reduction Guidance

The California Air Resources Board, in cooperation with representatives from the local air districts and industry, has put together various guidelines for facilities to use to comply with the risk reduction audit and plan requirements in the Hot Spots Act. These guidelines include:

- Risk Reduction Plan General Guidance (November 1997)
- General Checklist for Risk Reduction Audit and Plan (November 1997)
- Guidelines for the Aerospace Industry Facilities (November 1997)
- Guidelines for the Automobile Refinishing Industry (May 1997)
- Guidelines for Chrome Plating Facilities (November 1997)
- Guidelines for Halogenated Solvents Degreasing Operations (November 1997)
- Guidelines for Dry Cleaning Facilities (in-progress)
- Guidelines for Gasoline Service Station Facilities (February 2022)
- Guidelines for Stationary Diesel Engines (July 2024)

Section 4

Air Toxics Hot Spots Reporting

Overview

Introduction

This section will explain how facilities become subject to the Hot Spots Act and how those facilities report their air toxic emissions inventories.

In This Section

This section will cover the following topics:

- Criteria for Adding Facilities to the Air Toxic Hot Spots List Page 24
- Criteria for Removing Facilities from the Air Toxic Hot Spots List.. Page 26
- Reinstating Facilities to the Air Toxic “Hot Spots” List Page 26

Criteria for Adding Facilities to the Air Toxic Hot Spots List

Criteria for Adding Facilities

A facility is added to the Air Toxic Hot Spots List when it exceeds 10 tons/year of one of these four criteria pollutants:

- total organic gases (TOG)
- particulate matter (PM)
- nitrogen oxides (NO_x)
- sulfur oxides (SO_x)

Appendix E

In addition, several classes of facilities emitting less than 10 tons/year of the four criteria pollutants are included in the Hot Spots program. These classes of facilities are listed in Appendix E of the Hot Spots Guidelines. Effective March 21, 2022, Appendix E was expanded to include additional classes of facilities and thresholds (e.g., facilities emitting greater than 4 tons/year) to harmonize with the CTR.

Appendix E – Facility Classes

Appendix E of the Hot Spots Guidelines lists 54 classes of facilities that potentially affect Sacramento:

- Metal plating using cadmium or chromium
- Plating, polishing, coating, engraving, and allied services, including thermal spraying, using chromium, cadmium, or nickel
- Industrial machinery manufacturing
- Fumigation of crops
- Rubber and miscellaneous plastics product manufacturing
- Processes emitting more than 10 pounds per year of 1,4-dioxane in several industries
- Combustion of crude, residual distillate, or diesel oil, excluding agricultural operations and medical related industry sectors

Appendix E – Facility Classes

- Processes emitting more than one pound of styrene per year in various manufacturing industries
- Use of methylene chloride as a paint stripper
- Paint stripping and varnish stripping for facilities engaged in furniture reupholstery and repair
- Use of N-methyl pyrrolidone (solvent) exceeding one gallon per year
- Solvent dry-cleaning facilities
- Tert-butyl acetate use of more than 20 pounds per year used in various manufacturing sectors
- Parachlorobenzotrifluoride (PCBTF) use of more than 5 pounds or 0.5 gallons per year in cleaning or degreasing solvents, adhesives, printing inks, or coating operations
- Solvent cleaning and degreasing for various industry sectors
- Isocyanate compound use in materials containing more than three pounds per year in various industry sectors
- Printing and publishing including print shops and miscellaneous commercial printing
- Welding, laser cutting and plasma cutting of metal materials in various industry sectors
- Construction aggregate processing if asphalt products are also used or produced
- Chemicals and allied products manufacturing in various industry sectors
- Bulk petroleum storage and loading, bulk benzene storage and loading, and related wholesalers
- Polybrominated biphenyl compounds (PBBs), and any brominated diphenyl ethers, manufacture or use
- Use of ethylene oxide for sterilization
- Retail sale of gasoline more than 25,000 gallons of gasoline sold per year
- Auto body repair and coating operations at auto body shops, including new and used car dealers using more than 50 gallons of paint per year
- Medical services, hospitals, and related facilities which use formaldehyde (or formalin), glutaraldehyde, ethylene oxide, or diesel engines
- Cooling towers that use hexavalent chromium
- Cremation of humans or animals
- Fiberglass and various fiberglass materials and product manufacturing
- Oil and gas extraction or production
- Prepared feed manufacturing
- Wood preserving
- Long term asbestos removal on a routine and predictable basis
- Combustion of natural gas or propane of more than 77,000 MMBtu per year
- Collection and disposal of refuse that emits more than one pound of vinyl chloride or one pound of benzene per year

**Appendix E –
Facility Classes**

-
- Composting of organic waste of more than 500 tons per year
 - Recycling facilities, and material recovery facilities that separate organic waste from recyclable materials
 - Scrap and waste wholesale handling and recycling of more than 1,000 tons per year, including but not limited to junk metals, auto dismantling, and shredding operations of more than 40,000 tons per year
 - Wastewater treatment at wastewater treatment plants, including incineration of sludge
 - Facilities identified by districts under Section II.E.(3)(a)

Criteria for Removing Facilities from the Air Toxic Hot Spots List

**Emissions Decrease
Below 10 TPY**

A facility may be removed from the Air Toxic Hot Spots List by an air district if the facility emissions of any one of the four criteria pollutants decrease below 10 tons/year (cumulatively) and if the air district determines that:

- The emission reductions are permanent and enforceable
- The facility poses no significant risk to public health, and
- The facility is not included in any class listed in Appendix E of the Hot Spots Guidelines

**Facilities
No Longer Listed in
Appendix E**

An air district may remove a facility that emits less than 10 tons/year of criteria pollutants (cumulatively) and is no longer included in an “Any SIC” Class Description listed in Appendix E of the Hot Spots Guidelines from the Air Toxic Hot Spots list if the facility meets all the following criteria:

- The facility does not satisfy any of the other conditions for inclusion on the Air Toxics “Hot Spots” List,
- The process listed in Appendix E of the EICG is discontinued permanently, and
- The facility poses no significant risk to public health

Reinstating Facilities to the Air Toxic “Hot Spots” List

Reinstatement

If at any time a facility ceases to satisfy any of the criteria specified for deletion from the Air Toxic “Hot Spots” List, the facility is again subject to the regulations, including update requirements.

Reinstatement Criteria

An exempt facility may again be subject to the requirements of the Hot Spots Program if any of the following reinstatement criteria are met:

- The facility emits a substance which has been added to the list of substances and for which there is an appropriate health effects value; or
- The air district determines that a sensitive receptor has been established or constructed within 500 meters of the facility after the facility became exempt; or

Section 4: Air Toxics Hot Spots Reporting

-
- | | |
|-------------------------------|--|
| Reinstatement Criteria | <ul style="list-style-type: none">• The facility emits a substance for which there is an appropriate health effects value, and the air district determines the facility no longer qualifies as a “low level” facility; or• The air district determines that the approved source test method or emission estimation method used by the facility to calculate its emissions changed after the facility became exempt, such that the facility no longer qualifies as a “low level” facility; or• The air district determines there is good cause to expect the facility no longer qualifies for an exemption as a "low level" facility. |
|-------------------------------|--|
-

Facilities Subject to Reinstatement Review	Two previously-exempt “Low Priority” facilities were notified that they had annual emissions exceeding 10 tons per year of TOG, PM, NO _x , or SO _x . Both facilities demonstrated that the reinstatement criteria were not met.
---	---

The 2 facilities reviewed were:

- Teichert & Son (Grantline Plant)
- Granite Construction Co. (4291 Bradshaw Road)

Section 5

Airborne Toxic Control Measures

Overview

Introduction

Various control measures have been or are being developed to control toxic emissions. As the results of the Hot Spots Act are received and analyzed, other specific control measures to control toxic emissions could be developed.

Current Rules

Current District rules regarding toxics are:

- Rule 902 – Asbestos
 - Rule 903 – Mercury
 - Rule 904 – Air Toxics Control Measures
-

Airborne Toxic Control Measures

Under the toxic air contaminant identification and control program, CARB has developed Airborne Toxic Control Measures (ATCMs) to control toxic air emissions from specific processes. Air districts are required to either implement and enforce any ATCM approved and adopted by CARB or adopt and enforce its own adopted rule equivalent to the state adopted ATCM.

The ATCMs which have been adopted by the District under Rule 904 – Air Toxics Control Measures are:

- Benzene from Retail Service Stations
- Hexavalent Chromium and Nickel from Thermal Spraying
- Chromium Plating and Chromic Acid Anodizing Facilities
- Chromate Treated Cooling Towers
- Dioxins from Medical Waste Incinerators
- Asbestos from Construction, Grading, Quarrying, and Surface Mining Operations
- Asbestos from Surfacing Operations
- Toxic Metals from Non-Ferrous Metal Melting
- Ethylene Oxide from Non-Commercial Sterilizers and Aerators and Commercial Sterilizers and Aerators Using Less Than 2,000 Pounds of Ethylene Oxide Per 12 Consecutive Months – Part 1
- Ethylene Oxide from Commercial Sterilizers and Aerators and Commercial Sterilizers and Aerators Using Less Than 2,000 Pounds or More of Ethylene Oxide Per 12 Consecutive Months – Part 2
- Perchloroethylene from Dry Cleaning and Water-Repelling Operations
- Environmental Training Program for Perchloroethylene Dry Cleaning Operations
- Chlorinated Toxic Air Contaminants from Automotive Maintenance and Repair Activities
- Hexavalent Chromium and Cadmium from Motor Vehicle and Mobile Equipment Coatings
- Toxic Air Contaminants from Outdoor Residential Waste Burning

Airborne Toxic Control Measures

- Particulate Emissions from Diesel-Fueled Engines – Standards for Non-vehicular Diesel Fuel
- Stationary Compression Ignition Engines
- Diesel Particulate Matter from Portable Engines Rated at 50 Horsepower and Greater
- Particulate Emissions from Diesel-Fueled Engines – Standards for Non-vehicular Diesel Fuel Used in Intrastate Diesel-Electric Locomotives and Harbor Craft
- Auxiliary Diesel Engines and Diesel- Electric Engines Operated on Ocean-Going Vessels Within California Waters and 24 Nautical Miles of the California Baseline
- Fuel Sulfur and Other Operational Requirements for Ocean-Going Vessels Within California Waters and 24 Nautical Miles of the California Baseline
- Commercial Harbor Craft
- Formaldehyde Emissions from Composite Wood Products

Appendix A

Prioritization Scores

Approved Prioritization Scores

SSID	FACILITY NAME	ADDRESS	CITY	INVENTORY YEAR	PRIORITIZATION	
					SCORE	CATEGORY
4795	LOPEZ AGRICULTURAL SERVICES	11499 FLORIN RD	SACRAMENTO	2017	497.0	HIGH
67	BLUE DIAMOND GROWERS (A)	1802 C ST	SACRAMENTO	2020	40.0	HIGH
160	CONFAB MANUFACTURING COMPANY, LLC	901 SIMMERHORN RD	GALT	2020	16.8	HIGH
2573	GRANITE CONSTRUCTION CO.	4001 BRADSHAW RD	SACRAMENTO	2017	9.3	INTERMEDIATE
124	BIMBO BAKERIES USA	3211 6TH AVE	SACRAMENTO	2016	8.0	INTERMEDIATE
2841	SIEMENS INDUSTRY, INC.	7464 FRENCH RD	SACRAMENTO	2017	7.6	INTERMEDIATE
198	CITY OF SACRAMENTO SOLID WASTE PUBLIC WORKS	20 28TH STREET	SACRAMENTO	2018	7.0	INTERMEDIATE
106	SACRAMENTO AREA SEWER DISTRICT	8521 LAGUNA STATION RD	ELK GROVE	2021	5.2	INTERMEDIATE
4490	L AND D LANDFILL	8635 FRUITRIDGE RD	SACRAMENTO	2017	4.4	INTERMEDIATE
201	SILGAN CAN COMPANY	6200 FRANKLIN BLVD.	SACRAMENTO	2021	3.6	INTERMEDIATE
196	COUNTY OF SACRAMENTO DWMR	KIEFER BLVD. & GRANTLINE RD.	SACRAMENTO	2016	1.7	INTERMEDIATE
995	D & T FIBERGLASS COMPANY, INC.	8900 OSAGE AVENUE	SACRAMENTO	2016	1.3	INTERMEDIATE
4720	CALIFORNIA RESOURCES PRODUCTION CORPORATION (BIG BRANNAN)	BIG BRANNAN COMPRESSOR STATION	RIO VISTA	2017	1.1	INTERMEDIATE
60	CHEVRON USA	2420 FRONT ST	SACRAMENTO	2016	1.0	INTERMEDIATE
111	GRANITE CONSTRUCTION CO.	4291 BRADSHAW RD	SACRAMENTO	2016	0.7	LOW
117	TRIANGLE ROCK PRODUCTS, INC.	11501 FLORIN ROAD	SACRAMENTO	2019	0.1	LOW
14	A. TEICHERT & SON (GRANTLINE PLANT)	3417 GRANTLINE RD	RANCHO CORDOVA	2016	0.1	LOW
4716	CALIFORNIA RESOURCES PRODUCTION CORPORATION (BABY BRANNAN)	BABY BRANNAN COMPRESSOR STATION	RIO VISTA	2017	<0.1	LOW

(A) Blue Diamond cancelled 23 permits in 2026. The prioritization score has not been re-evaluated since the permit cancellations occurred.

Appendix B

Health Risk Assessment Results

Health Risk Assessment Results Approved by the District & OEHHA

SSID	FACILITY NAME	ADDRESS	CITY	HRA YEAR	CANCER RISK (A)	ACUTE HAZARD INDEX (B)	CHRONIC HAZARD INDEX (B)
171	UCD MEDICAL CENTER	2315 STOCKTON BLVD.	SACRAMENTO	2016	7.0	0.4	<0.1
37	SFPP, LP	2901 BRADSHAW RD	SACRAMENTO	2016	3.4	<0.1	<0.1
4795	LOPEZ AGRICULTURAL SERVICES	11499 FLORIN RD	SACRAMENTO	2017	1.6	0.2	<0.1
192	A. TEICHERT & SON (PERKINS PLANT)	8760 KIEFER BLVD.	SACRAMENTO	2016	1.5	0.3	<0.1
67	BLUE DIAMOND GROWERS	1802 C STREET	SACRAMENTO	2016	1.1	0.2	<0.1
126	HUHTAMAKI FOODSERVICE, INC.	8450 GERBER RD	SACRAMENTO	2016	0.8	<0.1	<0.1
193	SMUD FINANCING AUTHORITY DBA CARSON POWER PLANT	8580 LAGUNA STATION RD	ELK GROVE	2016	0.6	<0.1	<0.1
112	MITSUBISHI RAYON CARBON FIBER & COMPOSITES	5900 88TH ST	SACRAMENTO	2016	0.4	0.4	0.2
195	SMUD FINANCING AUTHORITY DBA PROCTER AND GAMBLE PP	5000 83RD ST	SACRAMENTO	2016	0.1	<0.1	<0.1
194	SMUD FINANCING AUTHORITY DBA CAMP-BELL POWER PLANT	3215 47TH AVENUE	SACRAMENTO	2016	<0.1	<0.1	<0.1
27	PROCTER & GAMBLE	8201 FRUITRIDGE RD	SACRAMENTO	2016	<0.1	<0.1	<0.1

(A) Cancer Risk is expressed as lifetime excess cancer risk in chances per million.

(B) Hazard Index (HI) is the ratio of the concentration to the reference exposure level.

Appendix C

Industrywide Screening Health Risk Assessment Results

Retail Gas Stations

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	ACUTE HAZARD INDEX (B)	CHRONIC HAZARD INDEX (B)
5410	AIS OPERATIONS DBA ARCO AMPM	2225 16TH STREET	SACRAMENTO	2.6	1.07 (C)	0
4619	TOOLEY OIL COMPANY	730 29TH STREET	SACRAMENTO	7.5	0.4	0.0
3820	COSTCO WHOLESALE C/O BARGHAUSEN	7000 AUBURN BLVD	CITRUS HEIGHTS	7.4	0.3	0.0
7048	BP PRODUCTS NORTH AMERICA INC.	3921 WATT AVE	SACRAMENTO	6.6	0.5	0.0
6947	S & S MADISON, LLC	4700 MADISON AVE	SACRAMENTO	6.5	0.5	0.0
7043	BP PRODUCTS NORTH AMERICA INC.	4224 MARCONI AVE	SACRAMENTO	6.3	0.5	0.0
6911	PAT101 INC / COME N GO	4516 FREEPORT BLVD	SACRAMENTO	5.7	0.5	0.0
6638	ELVERTA FOOD & LIQUOR	8008 DUTCH HAVEN BLVD	ELVERTA	5.1	0.5	0.0
4618	BROADWAY CHEVRON/HARJAP INC.	1828 BROADWAY	SACRAMENTO	5.0	0.4	0.0
7045	BP PRODUCTS NORTH AMERICA INC.	4400 SUNRISE BLVD	FAIR OAKS	4.5	1.0	0.0
3029	CHEVRON PRODUCTS COMPANY	4221 RALEY BLVD	SACRAMENTO	4.5	0.4	0.0
2467	CJ GAS INC	6441 FOLSOM BLVD	SACRAMENTO	4.4	0.5	0.0
2359	SUPER STAR PLUS CORP	6351 FRANKLIN BLVD	SACRAMENTO	4.2	0.3	0.0
6681	AU ENERGY, LLC	3701 FRANKLIN BLVD	SACRAMENTO	4.1	0.3	0.0
5145	QUIK STOP MARKET	8500 FLORIN RD	SACRAMENTO	4.1	0.3	0.0
5293	DB & S, LLC DBA DHILLONS SACRAMENTO SHELL	5551 MARTIN LUTHER KING BLVD	SACRAMENTO	3.7	0.4	0.0
5923	ELKHORN GAS	4261 ELKHORN BLVD	NORTH HIGHLANDS	3.7	0.3	0.0
7050	BP PRODUCTS NORTH AMERICA INC.	8024 ELDER CREEK RD	SACRAMENTO	3.6	0.3	0.0
5220	CONVENIENCE ACQUISITION COMPANY DBA MORE FOR LESS	702 NORTH LINCOLN WAY	GALT	3.6	0.3	0.0
1284	CHEVRON PRODUCTS COMPANY	201 RICHARDS BLVD	SACRAMENTO	3.6	0.3	0.0
6425	GIL MOORE OIL COMPANY	8361 SHELDON RD	ELK GROVE	3.6	0.5	0.1

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	ACUTE HAZARD INDEX (B)	CHRONIC HAZARD INDEX (B)
6855	BP PRODUCTS NORTH AMERICA INC.	4420 MACK RD	SACRAMENTO	3.5	0.3	0.0
6576	AU ENERGY, LLC	7401 SHELDON RD	ELK GROVE	3.4	0.3	0.0
7008	JASON & JOBIN INC. DBA EL CAMINO SHIFT CHANGE	300 EL CAMINO AVE	SACRAMENTO	3.4	0.2	0.0
6501	APRO, LLC	3329 MATHER FIELD RD.	RANCHO CORDOVA	3.3	0.3	0.0
4152	STRAUCH & COMPANY, A CALIFORNIA CORPORATION	9590 HARBOUR POINT DR	ELK GROVE	3.2	0.4	0.1
2308	RIO FOOD & LIQUOR	6401 RIO LINDA BLVD	RIO LINDA	3.1	0.4	0.0
2157	QUIK STOP MARKET	3296 MARYSVILLE BLVD	SACRAMENTO	3.0	0.3	0.0
6629	7 ELEVEN INCORPORATED	4625 SAN JUAN AVE	FAIR OAKS	2.9	0.3	0.0
5124	TESORO REFINING AND MARKETING COMPANY	2281 EL CAMINO AVE	SACRAMENTO	2.9	0.2	0.0
6801	AS CONVENIENCE & ENERGY INC DBA MEADOWVIEW CHEVRON	1481 MEADOWVIEW RD	SACRAMENTO	2.8	0.4	0.0
3700	BONFARE MARKETS INC	2600 RIO LINDA	SACRAMENTO	2.8	0.4	0.0
7129	TRMC RETAIL LLC ATTN: GASOLINE COMPLIANCE	2600 ARDEN WAY	SACRAMENTO	2.7	0.4	0.0
6794	JOHL PETROLEUM, INC DBA BLACK-FOOT AM/PM	7670 WATT AVE	ANTELOPE	2.7	0.1	0.0
3867	SAMS WEST INC	7147 GREENBACK LANE (#4799)	CITRUS HEIGHTS	2.7	0.3	0.0
3411	QUIK STOP MARKET	1295 FULTON AV	SACRAMENTO	2.7	0.2	0.0
3738	CITY LIQUOR & FOOD	7595 FRANKLIN BLVD	SACRAMENTO	2.7	0.4	0.0
5290	DPSK, INC.	6431 RIVERSIDE BLVD	SACRAMENTO	2.5	0.2	0.0
7046	BP PRODUCTS NORTH AMERICA INC.	5751 HILLSDALE BLVD	SACRAMENTO	2.5	0.8	0.1
6060	7 ELEVEN INCORPORATED	6955 WALERGA	SACRAMENTO	2.5	0.2	0.0
4179	SAFEWAY STORES	2811 DEL PASO RD	SACRAMENTO	2.4	0.8	0.1
7106	BP PRODUCTS NORTH AMERICA INC.	3140 ELKHORN BLVD	NORTH HIGHLANDS	2.3	0.8	0.1
6428	WATT CIRCLE 7	2900 WATT AVE	SACRAMENTO	2.3	0.3	0.0
1948	SOUTHLAND CORPORATION	5791 BROADWAY	SACRAMENTO	2.2	0.4	0.0
5667	CHEVRON PRODUCTS COMPANY	4300 MADISON AVE	SACRAMENTO	2.2	0.2	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	ACUTE HAZARD INDEX (B)	CHRONIC HAZARD INDEX (B)
6167	JASSI GAS & MART INC DBA ARDEN SHELL	860 ARDEN WAY	SACRAMENTO	2.2	0.2	0.0
2317	OAK PARK MARKET	3300 12TH AVE	SACRAMENTO	2.1	0.4	0.0
2196	BISLA DEVELOPMENT & PETROLEUM, LLC DBA BRADSHAW SHELL	3591 BRADSHAW RD	SACRAMENTO	2.1	0.1	0.0
3412	QUIK STOP MARKET	8696 GREENBACK LN	ORANGEVALE	2.0	0.4	0.0
5574	STRAUCH & COMPANY	9215 ELK GROVE FLORIN RD	ELK GROVE	2.0	0.2	0.0
6504	APRO, LLC	3031 P STREET	SACRAMENTO	1.8	0.5	0.0
4235	SAFEWAY STORES	5400 DEWEY DR	FAIR OAKS	1.8	0.7	0.1
3814	CHEVRON PRODUCTS COMPANY	2700 DEL PASO RD	SACRAMENTO	1.8	0.7	0.1
1798	QUIK STOP MARKET	602 4TH ST	GALT	1.8	0.2	0.0
5903	SOUTHLAND CORPORATION	2005 MARCONI AVE	SACRAMENTO	1.7	0.2	0.0
6892	DIAMOND GAS AND MART #3	8329 FOLSOM BLVD	SACRAMENTO	1.7	0.6	0.1
6379	PREETSINGH7, INC DBA TOWNE MART	8223 AUBURN BLVD	CITRUS HEIGHTS	1.7	0.3	0.0
5123	TESORO REFINING AND MARKETING COMPANY	10051 FOLSOM BLVD	SACRAMENTO	1.7	0.2	0.0
2769	BP PRODUCTS NORTH AMERICA INC.	7560 SUNRISE BLVD	CITRUS HEIGHTS	1.7	0.5	0.0
5038	FOODS CO #532	7331 W. STOCKTON BLVD	ELK GROVE	1.7	0.6	0.1
6658	NORCAL PETROLEUM	12821 STOCKTON BLVD	GALT	1.7	0.4	0.1
6016	ORCHID PETROLEUM CORP/ ARCO	5440 SAN JUAN AVE.	CITRUS HEIGHTS	1.7	0.3	0.1
7291	INNOVATIONS INC DBA NORTHGATE LIQUOR & FOOD	3016 NORTHGATE BLVD	SACRAMENTO	1.6	0.3	0.0
4348	CHEVRON PRODUCTS COMPANY	1235 FLORIN RD	SACRAMENTO	1.6	0.1	0.0
3072	GIL MOORE OIL COMPANY	7901 COLLEGE TOWN DR	SACRAMENTO	1.6	0.2	0.0
7287	DLN RANCHO CORDOVA, LLC DBA AN-ATOLIA CHEVRON	11760 DOUGLAS RD	RANCHO CORDOVA	1.6	0.2	0.0
6899	RADC ENTERPRISES INC.	5345 HAZEL AVE	FAIR OAKS	1.5	0.7	0.1
1907	SILVER GAS & FOOD SERVICE	4625 EL CAMINO AVE	SACRAMENTO	1.5	0.3	0.0
7390	BI PETROLEUM INC	7700 AUBURN BLVD	CITRUS HEIGHTS	1.5	0.3	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	ACUTE HAZARD INDEX (B)	CHRONIC HAZARD INDEX (B)
5069	HH GAS/FOOD ENT, INC	3800 47TH AVE	SACRAMENTO	1.4	0.2	0.0
7405	CAPUTO ENTERPRISES, INC DBA ARCO AM/PM	2933 65TH STREET	SACRAMENTO	1.4	0.6	0.1
6532	ONE STOP GAS	2401 16TH STREET	SACRAMENTO	1.4	0.6	0.1
4062	SAMS WEST INC	2495 IRON POINT ROAD (#6620)	FOLSOM	1.4	0.5	0.1
4825	DISCOUNT FOOD & LIQUOR	700 EAST BIDWELL	FOLSOM	1.4	0.4	0.0
7327	BP PRODUCTS NORTH AMERICA INC.	8105 DELTA SHORES CIR	SACRAMENTO	1.4	0.1	0.0
7162	WALMART INC.	8915 GERBER ROAD	SACRAMENTO	1.4	0.2	0.0
5552	GALT GAS & FOOD	627 N. LINCOLN WAY	GALT	1.3	0.2	0.0
1963	COSTCO WHOLESALE C/O BARGHAUSEN	11260 WHITE ROCK RD	RANCHO CORDOVA	1.3	0.4	0.1
4619	TOOLEY OIL COMPANY	730 29TH STREET	SACRAMENTO	1.3	0.4	0.0
6513	A1-MARKETPLACE	7261 STOCKTON BLVD	SACRAMENTO	1.3	0.3	0.0
6809	GAUR INC DBA AMERICAN FOOD STORE	5682 MAIN AVE	ORANGEVALE	1.3	0.3	0.0
6546	QUIK STOP MARKET	7901 MADISON AVE	CITRUS HEIGHTS	1.3	0.3	0.0
6385	D. MILLER INC. DBA MILLERS AMPM	1391 FLORIN RD	SACRAMENTO	1.3	0.3	0.0
5744	SACRAMENTO PETROLEUM	4745 WATT AVE	NORTH HIGHLANDS	1.2	0.2	0.0
7069	7 ELEVEN INCORPORATED	9146 HARBOUR POINT DR.	ELK GROVE	1.2	0.2	0.0
7431	ELEMENTS PETROLEUM INC./KWIK SERV	7500 AUBURN BLVD	CITRUS HEIGHTS	1.2	0.7	0.1
5712	SUPERIOR GAS & MART INC DBA J STREET AMPM	2838 J ST	SACRAMENTO	1.2	0.3	0.0
5147	SAFEWAY STORES	8369 ELK GROVE FLORIN RD	ELK GROVE	1.2	0.1	0.0
6833	BP PRODUCTS NORTH AMERICA INC.	6240 FREEPORT BLVD	SACRAMENTO	1.2	0.2	0.0
5125	TESORO REFINING AND MARKETING COMPANY	7550 WATT AVE	NORTH HIGHLANDS	1.2	0.1	0.0
6572	AU ENERGY, LLC	1599 W. EL CAMINO AVE	SACRAMENTO	1.2	0.2	0.0
7056	RAI & BASSI PETROLEUM INC	3501 NORTHGATE BLVD	SACRAMENTO	1.2	0.2	0.0
1226	SPEEDBIRD MINI-MART	4901 47TH AVE	SACRAMENTO	1.2	0.2	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	ACUTE HAZARD INDEX (B)	CHRONIC HAZARD INDEX (B)
6574	AU ENERGY, LLC	8900 POCKET RD	SACRAMENTO	1.1	0.1	0.0
2727	STRAUCH & COMPANY, A CALIFORNIA CORPORATION	13401 FOLSOM BLVD	FOLSOM	1.1	0.4	0.1
4066	PRIME GAS, INC	7282 FRANKLIN BLVD	SACRAMENTO	1.1	0.6	0.0
7249	RMA GERBER PETROLEUM INC.	8501 GERBER RD	SACRAMENTO	1.1	0.1	0.0
5352	GAWFCO ENTERPRISES, INC.	2893 65TH	SACRAMENTO	1.1	0.1	0.0
6945	A&M GAS STATION 3 INC	4011 FREEPORT BLVD	SACRAMENTO	1.0	0.8	0.0
6713	BRUCEVILLE ENTERPRISES, INC DBA BRUCEVILLE AMPM	10057 BRUCEVILLE RD	ELK GROVE	1.0	0.5	0.0
6177	TOWN MART LIQUOR & GAS	7210 ROSEVILLE RD	SACRAMENTO	1.0	0.2	0.0
7310	VALLEJO PETROLEUM INC. DBA POWERFUL FOOD MART	4305 FRUITRIDGE ROAD	SACRAMENTO	1.0	0.2	0.0
1385	BASIC PROPERTIES	8061 FLORIN RD	SACRAMENTO	0.9	0.9	0.0
4423	CAMELLIA CITY CHEVRON	4700 MANZANITA AVE	CARMICHAEL	0.7	0.7	0.0
5117	AMBER FLOW INC DBA MANZANITA AMPM	4101 MANZANITA AVE	CARMICHAEL	0.9	0.7	0.0
5129	RIO LINDA GAS & MART	732 M ST	RIO LINDA	0.9	0.7	0.0
6503	APRO, LLC	3480 FAIR OAKS BLVD	SACRAMENTO	0.8	0.7	0.0
6780	H&S ENERGY, LLC DBA H&S 44	3481 FAIR OAKS BLVD	SACRAMENTO	0.7	0.7	0.0
7070	7 ELEVEN INCORPORATED	8344 POWER INN RD	ELK GROVE	0.9	0.6	0.0
5711	EAGLE GAS & LIQUOR	4646 EL CAMINO AVE	SACRAMENTO	0.5	0.5	0.0
7398	GREAT GAS WATT INC DBA GREAT GAS	2849 WATT AVE	SACRAMENTO	0.9	0.5	0.0
6215	SAFEWAY STORES	10605 FOLSOM BLVD	RANCHO CORDOVA	0.9	0.5	0.0
4823	OHRI'S GAS & MINI MART	9401 MADISON AVE	ORANGEVALE	0.9	0.5	0.0
2940	CHEVRON PRODUCTS COMPANY	1890 PRAIRIE CITY RD	FOLSOM	0.7	0.5	0.0
7285	H&S ENERGY, LLC DBA H&S ENERGY PRODUCTS, LLC #3068	7966 WALERGA RD	ANTELOPE	0.7	0.5	0.0
6692	S&P BHANGU, INC DBA CALVINE ARCO	8338 POWER INN RD	ELK GROVE	0.6	0.5	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	ACUTE HAZARD INDEX (B)	CHRONIC HAZARD INDEX (B)
4349	CHEVRON PRODUCTS COMPANY	8296 LAGUNA BLVD	ELK GROVE	0.6	0.5	0.0
5502	SUPERIOR GAS & CONVENIENCE STORE DBA ZINFANDEL AMP	2896 ZINFANDEL DR	RANCHO CORDOVA	0.5	0.5	0.0
6508	APRO, LLC	6500 MACK RD	SACRAMENTO	0.5	0.5	0.0
7047	BP PRODUCTS NORTH AMERICA INC.	1855 WATT AVE	SACRAMENTO	0.5	0.5	0.0
6386	BP PRODUCTS NORTH AMERICA INC.	5150 MANZANITA AVE	CARMICHAEL	0.4	0.5	0.0
7015	MICNAN LLC DBA TOOLEY OIL CO	8995 GRANT LINE RD	ELK GROVE	0.4	0.5	0.0
7145	WP PETRO INC	10670 COLOMA RD	RANCHO CORDOVA	0.4	0.5	0.0
3393	R & L THOMPSON INC. DBA NATOMAS CHEVRON	3950 TRUXEL RD	SACRAMENTO	0.4	0.5	0.0
1191	CHEVRON PRODUCTS COMPANY	12205 TRIBUTARY POINT DR	RANCHO CORDOVA	0.4	0.5	0.0
3698	BONFARE MARKETS INC	3100 BROADWAY	SACRAMENTO	0.4	0.5	0.0
7212	M&J PETROLEUM LLC DBA FRANKLIN VALERO	5601 FRANKLIN BLVD	SACRAMENTO	0.7	0.5	0.0
6954	THIND PETROLEUM	10109 FOLSOM BLVD	RANCHO CORDOVA	0.4	0.4	0.0
6875	DELTA FOOD & FUEL	14161 RIVER RD	WALNUT GROVE	0.2	0.4	0.0
4350	CHEVRON PRODUCTS COMPANY	2789 E. BIDWELL ST	FOLSOM	0.6	0.4	0.0
3699	BONFARE MARKETS INC	809 20TH STREET	SACRAMENTO	0.6	0.4	0.0
3603	KEM CORPORATION DBA GLEN COX CHEVRON	430 29TH ST	SACRAMENTO	0.6	0.4	0.0
7543	BOND ROAD CHEVRON	9299 BOND RD	ELK GROVE	0.6	0.4	0.0
6898	RADC ENTERPRISES INC.	3200 ARENA BLVD.	SACRAMENTO	0.6	0.4	0.0
4262	MIDTOWN GAS & FOOD MART	1031 30TH STREET	SACRAMENTO	0.5	0.4	0.0
7235	7 ELEVEN INCORPORATED	3251 SUNRISE BLVD	RANCHO CORDOVA	0.5	0.4	0.0
6502	APRO, LLC	191 IRON POINT RD	FOLSOM	0.5	0.4	0.0
6359	TOOLEY OIL COMPANY, DBA SHELL	5103 FAIR OAKS BLVD	CARMICHAEL	0.5	0.4	0.0
7280	H&S ENERGY, LLC DBA H&S ENERGY PRODUCTS, LLC #3070	8900 MADISON AVE	FAIR OAKS	0.5	0.4	0.0
3958	KHATKAR CORPORATION INC DBA MARCONI EXPRESS MART	2549 MARCONI AVE	SACRAMENTO	0.5	0.4	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	ACUTE HAZARD INDEX (B)	CHRONIC HAZARD INDEX (B)
6505	APRO, LLC	2200 FAIR OAKS BLVD	SACRAMENTO	0.5	0.4	0.0
6897	RADC ENTERPRISES INC.	25045 BLUE RAVINE RD.	FOLSOM	0.5	0.4	0.0
6498	JB MART INC DBA BELL ARCO	1595 BELL AVE	SACRAMENTO	0.5	0.4	0.0
4512	FLORIN INVESTMENT, INC.	4700 FLORIN RD	SACRAMENTO	0.4	0.4	0.0
6506	APRO, LLC	7899 MADISON AVE	CITRUS HEIGHTS	0.4	0.4	0.0
7507	N & B FOOD MART	3907 STOCKTON BLVD	SACRAMENTO	0.4	0.4	0.0
7078	CIRCLE D GAS MART, INC	9301 GREENBACK LN	ORANGEVALE	0.4	0.4	0.0
5517	FOLSOM CHEVRON INVESTMENT, INC	12399 FOLSOM BLVD	RANCHO CORDOVA	0.4	0.4	0.0
7443	MICNAN LLC	7149 WATT AVE	SACRAMENTO	0.4	0.4	0.0
554	SPEEDBIRD MINI-MART	5000 FRUITRIDGE RD	SACRAMENTO	0.4	0.4	0.0
2061	STOP & SHOP	3440 FOLSOM BLVD	SACRAMENTO	0.4	0.4	0.0
3671	CITY MARKET	6825 GREENBACK LN	CITRUS HEIGHTS	0.4	0.4	0.0
2112	ARDEN VILLAGE SERVICE	4230 ARDEN WAY	SACRAMENTO	0.4	0.4	0.0
6142	ARCO SITE #4968 ARDEN TOWNE GAS & MINIMART, INC	3501 FAIR OAKS BLVD	SACRAMENTO	0.4	0.4	0.0
5215	SEREIS CORP DBA CHOICE GAS	7900 FRUITRIDGE RD	SACRAMENTO	0.3	0.4	0.0
7245	JACKSONS ENERGY #6821	3096 SUNRISE BLVD	RANCHO CORDOVA	0.3	0.4	0.0
6430	PAMA GASOLINE CORPORATION	1300 FULTON AVE	SACRAMENTO	0.3	0.4	0.0
1835	CIRCLE K STORES	5555 HEMLOCK ST	SACRAMENTO	0.3	0.4	0.0
5210	786 ENTERPRISE DBA VALERO GAS STATION	8461 FOLSOM BLVD	SACRAMENTO	0.3	0.4	0.0
1530	SERVO GASOLINE	2931 MATHER FIELD RD	RANCHO CORDOVA	0.3	0.4	0.0
5241	CHEVRON PRODUCTS CO DBA CHEVRON STATION #30-5078	215 OLD PLACERVILLE DR	FOLSOM	0.3	0.4	0.0
3737	RAKKAR STATIONS	3430 NORTHGATE BLVD	SACRAMENTO	0.3	0.4	0.0
7049	BP PRODUCTS NORTH AMERICA INC.	6337 FAIR OAKS BLVD	CARMICHAEL	0.3	0.4	0.0
5482	PROPEL FUELS, INC.	8090 FOLSOM BLVD	SACRAMENTO	0.2	0.4	0.0
5481	PROPEL FUELS, INC.	7741 AUBURN BLVD	CITRUS HEIGHTS	0.2	0.4	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	ACUTE HAZARD INDEX (B)	CHRONIC HAZARD INDEX (B)
775	CHEVRON PRODUCTS COMPANY	6151 GREENBACK LN	CITRUS HEIGHTS	0.2	0.4	0.0
633	MAK'S QUICK CORNER (BIOFUELS)	1101 BROADWAY	SACRAMENTO	0.1	0.4	0.0
5944	CIRCLE 7 FOOD & LIQUORS	7601 STOCKTON BLVD	SACRAMENTO	0.1	0.4	0.0
7546	GREENBEV LLC	8994 GREENBACK LN	ORANGEVALE	0.0	0.4	0.0
7128	TRMC RETAIL LLC ATTN: GASOLINE COMPLIANCE	4250 MADISON AVE	NORTH HIGHLANDS	0.0	0.4	0.0
6359	TOOLEY OIL COMPANY, DBA SHELL	5103 FAIR OAKS BLVD	CARMICHAEL	0.0	0.4	0.0
3576	GAWFCO ENTERPRISES, INC.	2330 BROADWAY	SACRAMENTO	0.4	0.4	0.0
1092	HUNT & SONS	4200 ROSEVILLE RD	SACRAMENTO	0.4	0.4	0.0
7130	TRMC RETAIL LLC ATTN: GASOLINE COMPLIANCE	2650 GATEWAY OAKS DR	SACRAMENTO	0.5	0.3	0.0
7123	SOUTHLAND CORPORATION	4140 NORTHGATE BLVD	SACRAMENTO	0.4	0.3	0.0
7411	ELEMENTS PETROLEUM INC./KWIK SERV	5365 DEWEY DR	FAIR OAKS	0.7	0.3	0.0
6580	AU ENERGY, LLC	3510 FAIR OAKS BLVD	SACRAMENTO	0.3	0.3	0.0
3707	SANJOG INVESTMENTS INC., D.B.A. ELSIE CHEVRON.	7314 ELSIE AVE	SACRAMENTO	0.4	0.3	0.0
2290	RANCHO MURIETA CTRY STORE	7175 MURIETA DR	SLOUGHHOUSE	0.2	0.3	0.0
6543	MIKE & BALJIT INC	2500 FULTON AVE	SACRAMENTO	0.4	0.3	0.0
4215	QUIK STOP MARKET	5764 ANTELOPE RD	SACRAMENTO	0.8	0.3	0.0
6577	AU ENERGY, LLC	2221 DEL PASO RD	SACRAMENTO	0.7	0.3	0.0
6636	COSTCO WHOLESALE C/O BARGHAUSEN	7570 ELK GROVE BLVD	ELK GROVE	0.9	0.3	0.1
6896	RADC ENTERPRISES INC.	10450 TWIN CITIES RD.	GALT	0.5	0.3	0.0
7393	CHRONICLE MARKET	5399 FRUITRIDGE RD	SACRAMENTO	0.4	0.3	0.0
5448	ROSEMONT SHELL	9100 KIEFER BLVD	SACRAMENTO	0.3	0.3	0.0
7278	H&S ENERGY, LLC DBA H&S ENERGY PRODUCTS, LLC #3075	4231 ARDEN WAY	SACRAMENTO	0.3	0.3	0.0
1743	TOOLEY OIL COMPANY, DBA SHELL	3050 ZINFANDEL DR	RANCHO CORDOVA	0.3	0.3	0.0
1942	CHEVRON PRODUCTS COMPANY	8169 ELK GROVE BLVD	ELK GROVE	0.3	0.3	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	ACUTE HAZARD INDEX (B)	CHRONIC HAZARD INDEX (B)
1297	CHEVRON PRODUCTS COMPANY	2358 SUNRISE BLVD	RANCHO CORDOVA	0.3	0.3	0.0
7071	7 ELEVEN INCORPORATED	8100 SHELDON RD	ELK GROVE	0.3	0.3	0.0
4344	CHEVRON PRODUCTS COMPANY	1940 65TH ST	SACRAMENTO	0.3	0.3	0.0
6584	AU ENERGY, LLC	7899 GREENBACK LN	CITRUS HEIGHTS	0.2	0.3	0.0
3938	7 ELEVEN INCORPORATED	5501 AUBURN BLVD	SACRAMENTO	0.2	0.3	0.0
5295	T R & G PROPERTY DEVELOPMENT LLC	13397 FOLSOM BLVD	FOLSOM	0.2	0.3	0.0
4606	GOLDEN VIRK INC. DBA CHEVRON	4000 SOUTH LAND PARK	SACRAMENTO	0.2	0.3	0.0
1266	CIRCLE K STORES	7796 SUNRISE BLVD	CITRUS HEIGHTS	0.2	0.3	0.0
6226	DOUBLE AA CORP DBA SACRAMENTO-76	1165 43RD AVE	SACRAMENTO	0.2	0.3	0.0
6526	EFUEL, LLC	7001 EAST PARKWAY	SACRAMENTO	0.1	0.3	0.0
6587	COLONIAL ENERGY, LLC	3519 A ST	NORTH HIGHLANDS	0.1	0.3	0.0
2219	EZ STOP INC FOOD AND LIQUOR	10501 FOLSOM BLVD	RANCHO CORDOVA	0.1	0.3	0.0
7117	7 ELEVEN INCORPORATED	8010 ORCHARD LOOP LN	ELK GROVE	0.1	0.3	0.0
399	CIRCLE K STORES	5809 MANZANITA AVE	CARMICHAEL	0.1	0.3	0.0
6294	FOLSOM FUEL	51 NATOMA ST	FOLSOM	0.1	0.3	0.0
7398	GREAT GAS WATT INC DBA GREAT GAS	2849 WATT AVE	SACRAMENTO	0.0	0.3	0.0
5559	PUNDHAR INVESTMENTS, INC	7800 LINCEN DR	CITRUS HEIGHTS	0.3	0.3	0.0
6593	7 ELEVEN INCORPORATED	1301 HOWE AVE	SACRAMENTO	0.2	0.3	0.0
6616	APRO, LLC	4705 FLORIN RD	SACRAMENTO	0.3	0.3	0.0
6581	AU ENERGY, LLC	9100 HARBOUR POINT DR	ELK GROVE	0.7	0.2	0.0
6776	TERA INVESTMENT, INC.	10610 PROMENADE PARKWAY	ELK GROVE	0.2	0.2	0.0
2230	ORBIT GAS STATION	4716 AUBURN BLVD	SACRAMENTO	0.2	0.2	0.0
7051	BP PRODUCTS NORTH AMERICA INC.	8121 FLORIN RD	SACRAMENTO	0.6	0.2	0.0
6621	RR MS OILS, INC DBA MIMI'S MINI MART	700 C ST	GALT	0.1	0.2	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	ACUTE HAZARD INDEX (B)	CHRONIC HAZARD INDEX (B)
5296	DB & S, LLC DBA DHILLONS SACRAMENTO SHELL	2400 DEL PASO BLVD	SACRAMENTO	0.3	0.2	0.0
1667	COSTCO WHOLESALE C/O BARGHAUSEN	7981 E STOCKTON BLVD	SACRAMENTO	0.8	0.2	0.0
5685	DHARNI LADA, LLC DBA MACK ROAD INC.	6698 MACK RD	SACRAMENTO	0.4	0.2	0.0
7252	7 ELEVEN INCORPORATED	1911 COSUMNES RIVER BLVD	SACRAMENTO	0.3	0.2	0.0
5695	M&M ZAMIRI, INC	2200 EL CAMINO AVE	SACRAMENTO	0.3	0.2	0.0
633	HERC INC DBA MAKS QUICK CORNER	1101 BROADWAY	SACRAMENTO	0.2	0.2	0.0
6588	COLONIAL ENERGY, LLC	2150 MARCONI AVE	SACRAMENTO	0.2	0.2	0.0
7290	HASSAN AND SONS, INC DBA HASSAN #1005	1024 E. BIDWELL ST	FOLSOM	0.2	0.2	0.0
5550	SUNRISE CHEVRON (SKSP INC)	7551 SUNRISE BLVD	CITRUS HEIGHTS	0.2	0.2	0.0
6587	COLONIAL ENERGY, LLC	3519 A ST	NORTH HIGHLANDS	0.2	0.2	0.0
6866	BIG BOSS PROPERTIES, LLC DBA EXTRA MILE CHEVRON	1832 EL CAMINO AVE	SACRAMENTO	0.2	0.2	0.0
5418	POWER OIL INC DBA POWER INN SHELL	8090 FOLSOM BLVD	SACRAMENTO	0.2	0.2	0.0
5419	KAYLA INVESTMENTS INC D.B.A. CAL EXPO CHEVRON	2000 ARDEN WY	SACRAMENTO	0.2	0.2	0.0
7044	BP PRODUCTS NORTH AMERICA INC.	2100 BROADWAY	SACRAMENTO	0.2	0.2	0.0
6509	APRO, LLC	8001 WATT AVE	ANTELOPE	0.2	0.2	0.0
6648	H&S ENERGY, LLC DBA H&S 44	5597 STOCKTON BLVD	SACRAMENTO	0.2	0.2	0.0
7282	H&S ENERGY, LLC DBA H&S ENERGY PRODUCTS, LLC #3076	9680 BUSINESS PARK DR	SACRAMENTO	0.2	0.2	0.0
4912	SAI PETROLEUM INC.	9611 AUTO CENTER DR	ELK GROVE	0.2	0.2	0.0
7289	HASSAN AND SONS, INC DBA HASSAN #1003	2323 LAGUNA BLVD	ELK GROVE	0.2	0.2	0.0
1997	TOOLEY OIL COMPANY, DBA SHELL	3721 TRUXEL RD	SACRAMENTO	0.2	0.2	0.0
7083	DS&D PETROLEUM INC	2701 ORCHARD LN	SACRAMENTO	0.2	0.2	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	ACUTE HAZARD INDEX (B)	CHRONIC HAZARD INDEX (B)
6004	GOLD STAR GAS/FOOD DBA PETRO STAR OIL CO	2399 FLORIN RD	SACRAMENTO	0.1	0.2	0.0
5844	DK & GK INC. DBA SHELL GAS STATION WITH CARWASH	9190 E STOCKTON BLVD	ELK GROVE	0.1	0.2	0.0
6080	FAST N EASY FOOD MART	2101 EL CAMINO AVE	SACRAMENTO	0.1	0.2	0.0
7077	7 ELEVEN INCORPORATED	5550 S. WATT AVE	SACRAMENTO	0.1	0.2	0.0
6750	KPS BROTHERS INC DBA BONFARE MARKET #40	861 FULTON AVE	SACRAMENTO	0.1	0.2	0.0
7450	AERY VENTURES INC.-AERY'S MARKET	4710 AUBURN BLVD	SACRAMENTO	0.1	0.2	0.0
7481	SAC GAS MART LLC DBA 65TH + STOCKTON SHELL	6919 STOCKTON BLVD	SACRAMENTO	0.1	0.2	0.0
6977	POWER GROUP OIL /FOLSOM SHELL FOOD MART	9871 GREENBACK LN	FOLSOM	0.1	0.2	0.0
6800	H & S OIL LLC DBA ELK GROVE AMPM	8500 ELK GROVE BLVD	ELK GROVE	0.1	0.2	0.0
7067	MICNAN LLC DBA TOOLEY OIL CO	5038 MADISON AVE	SACRAMENTO	0.1	0.2	0.0
4433	FREEPORT UNION 76	5600 FREEPORT BLVD	SACRAMENTO	0.1	0.2	0.0
5746	MADISON SERVICE	5200 MANZANITA AVE	CARMICHAEL	0.1	0.2	0.0
6589	COLONIAL ENERGY, LLC	4430 AUBURN BLVD	SACRAMENTO	0.1	0.2	0.0
5537	PERDUN ENTERPRISES INC. DBA ARCO #82803	3099 SUNRISE BLVD	RANCHO CORDOVA	0.1	0.2	0.0
7534	QUICK SHOP MART INC., DBA QUICK SHOP	3700 AUBURN BLVD	SACRAMENTO	0.1	0.2	0.0
7277	H&S ENERGY, LLC DBA H&S ENERGY PRODUCTS, LLC #3077	3300 BRADSHAW RD	SACRAMENTO	0.0	0.2	0.0
5209	RIVERMART	222 JIBBOOM ST	SACRAMENTO	0.3	0.2	0.0
5288	DPSK, INC.	8901 ELK GROVE BLVD	ELK GROVE	0.1	0.2	0.0
3093	STOP & SHOP MARKET	6007 DRY CREEK RD	RIO LINDA	0.5	0.2	0.0
5294	DB & S, LLC DBA DHILLONS SACRAMENTO SHELL	1600 ARDEN WAY	SACRAMENTO	0.1	0.2	0.0
6631	7-ELEVEN, INC DBA 7-ELEVEN #37620	2401 FRUITRIDGE RD	SACRAMENTO	0.4	0.2	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	ACUTE HAZARD INDEX (B)	CHRONIC HAZARD INDEX (B)
6702	HAZEL INVESTMENTS LLC DBA HAZEL ARCO AM/PM	12210 TRIBUTARY POINT DR	RANCHO CORDOVA	0.9	0.2	0.0
3577	MARDAN, INC. DBA NORTHGATE CHEVRON	2449 NORTHGATE BLVD	SACRAMENTO	0.5	0.2	0.0
1259	ATWAL & MUNDI CORPORATION	3500 WATT AVE	SACRAMENTO	0.5	0.2	0.0
2423	SERVO GASOLINE	5701 WATT AVE	NORTH HIGHLANDS	0.3	0.2	0.0
5353	BHULLARS INC	4631 WATT AVE	NORTH HIGHLANDS	0.1	0.2	0.0
6793	DEEP & PREET	8487 ELK GROVE FLORIN RD	ELK GROVE	0.4	0.2	0.0
6573	AU ENERGY, LLC	7969 WATT AVE	ANTELOPE	0.4	0.2	0.0
6451	KAN HERITAGE INC	7620 FOLSOM AUBURN RD	FOLSOM	0.4	0.2	0.0
7053	BP PRODUCTS NORTH AMERICA INC.	4000 SUNRISE BLVD	RANCHO CORDOVA	0.5	0.2	0.0
6141	FLORIN ROAD GAS	5500 FLORIN RD	SACRAMENTO	0.4	0.2	0.0
2659	SERVO GASOLINE	2400 FRUITRIDGE RD	SACRAMENTO	0.8	0.2	0.0
7052	BP PRODUCTS NORTH AMERICA INC.	6140 GREENBACK LN	CITRUS HEIGHTS	0.5	0.1	0.0
7157	SK GASOLINE INC DBA KWIK SERV	5040 EL CAMINO AVENUE	CARMICHAEL	0.6	0.1	0.0
6582	AU ENERGY, LLC	8607 ELK GROVE BLVD	ELK GROVE	0.8	0.1	0.0
647	HUNT AND SONS	5800 S. WATT AVE	SACRAMENTO	0.1	0.1	0.0
7040	7-ELEVEN INC, LOC 148	9396 GREENBACK LN	ORANGEVALE	0.2	0.1	0.0
6622	SK YREKA INC DBA FLORIN FOOD MART	2460 FLORIN RD	SACRAMENTO	0.1	0.1	0.0
7158	7 ELEVEN INCORPORATED	8498 FLORIN ROAD	SACRAMENTO	0.3	0.1	0.0
4102	HUNT & SONS	9687 GORE RD	SACRAMENTO	0.0	0.1	0.0
481	INTER-STATE OIL COMPANY	8221 ALPINE AVE	SACRAMENTO	0.1	0.1	0.0
5547	STRAUCH & COMPANY	4747 NORTHGATE BLVD	SACRAMENTO	0.3	0.1	0.0
1368	SOUTHLAND CORPORATION	6701 AUBURN BLVD	CITRUS HEIGHTS	0.2	0.1	0.0
5878	INTER-STATE OIL COMPANY	9765 DINO DR	ELK GROVE	0.1	0.1	0.0
6029	UNITED EXPORTS LLC DBA WESTERN GAS AUTO REPAIR & SMOG	4790 47TH AVE	SACRAMENTO	0.6	0.1	0.0
5195	SAMS WEST INC	8250 POWER INN RD	SACRAMENTO	0.6	0.1	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	ACUTE HAZARD INDEX (B)	CHRONIC HAZARD INDEX (B)
663	HUNT & SONS	11341 WHITE ROCK RD	RANCHO CORDOVA	0.1	0.1	0.0
7513	GALT FUEL ENTERPRISES LLC DBA GFE-CHEVRON	955 SIMMERHORN RD	GALT	0.9	0.1	0.0
5679	BM PETRO INC	8240 FAIR OAKS BLVD	CARMICHAEL	0.6	0.1	0.0
5790	PROPEL FUELS, INC.	7901 MADISON AVE	CITRUS HEIGHTS	0.3	0.1	0.0
6893	TAKHAR SOUTH SAC PETROLEUM, LLC DBA ARCO AM/PM	5625 FLORIN RD	SACRAMENTO	0.3	0.1	0.0
6895	BPS FUEL	1949 ARDEN WAY	SACRAMENTO	0.3	0.1	0.0
5828	DIAMOND GAS AND MARKET 13	2400 15TH ST	SACRAMENTO	0.3	0.1	0.0
3775	SAFEWAY STORES	4040 MANZANITA AVE	CARMICHAEL	0.2	0.1	0.0
5220	CONVENIENCE ACQUISITION COMPANY DBA MORE FOR LESS	702 NORTH LINCOLN WAY	GALT	0.1	0.1	0.0
4178	UNITED PETROLEUM	10299 FOLSOM BLVD	RANCHO CORDOVA	0.1	0.1	0.0
3940	EFUEL, LLC	5300 FLORIN PERKINS RD	SACRAMENTO	0.1	0.1	0.0
7292	MICNAN LLC, DBA ANTELOPE SHELL	7741 AUBURN BLVD	CITRUS HEIGHTS	0.1	0.1	0.0
7288	HASSAN AND SONS, INC DBA HASSAN #1004	9198 ELK GROVE-FLORIN RD	ELK GROVE	0.1	0.1	0.0
4253	EFUEL, LLC	4420 NORTHGATE BLVD	SACRAMENTO	0.1	0.1	0.0
6175	BANWAIT PETRO INC DBA CIRCLE K	600 RIO TIERRA AVE	SACRAMENTO	0.1	0.1	0.0
7283	H&S ENERGY, LLC DBA H&S ENERGY PRODUCTS, LLC #3078	9700 JACKSON RD	SACRAMENTO	0.1	0.1	0.0
7281	H&S ENERGY, LLC DBA H&S ENERGY PRODUCTS, LLC #3079	8501 BOND RD	ELK GROVE	0.1	0.1	0.0
7276	H&S ENERGY, LLC DBA H&S ENERGY PRODUCTS, LLC #3072	1020 RILEY ST	FOLSOM	0.1	0.1	0.0
5342	SACRAMENTO DUNNIGAN HOLDING INC	4300 WATT AVE	NORTH HIGHLANDS	0.1	0.1	0.0
5534	MICNAN LLC DBA TOOLEY OIL CO	5520 DUDLEY BLVD	NORTH HIGHLANDS	0.1	0.1	0.0
7286	H&S ENERGY, LLC DBA H&S ENERGY PRODUCTS, LLC #3071	9881 GREENBACK LN	FOLSOM	0.1	0.1	0.0
6507	APRO, LLC	9001 GRANTLINE RD	ELK GROVE	0.1	0.1	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	ACUTE HAZARD INDEX (B)	CHRONIC HAZARD INDEX (B)
7279	H&S ENERGY, LLC DBA H&S ENERGY PRODUCTS, LLC #3074	5049 MARCONI AVE	CARMICHAEL	0.1	0.1	0.0
4469	TOOLEY OIL COMPANY, DBA SHELL	9616 W. TARON DR	ELK GROVE	0.1	0.1	0.0
7277	H&S ENERGY, LLC DBA H&S ENERGY PRODUCTS, LLC #3077	3300 BRADSHAW RD	SACRAMENTO	0.1	0.1	0.0
5713	GERBER GAS & MART INC	8100 GERBER RD	SACRAMENTO	0.1	0.1	0.0
7267	FOUR B ONE INC DBA BELL GAS & MINIMART	4400 RALEY BLVD	SACRAMENTO	0.1	0.1	0.0
5750	SAEED OIL CO	2390 FLORIN RD	SACRAMENTO	0.1	0.1	0.0
4702	DISCOUNT GROCERY ENTERPRISE	3840 MADISON AVE	NORTH HIGHLANDS	0.0	0.1	0.0
766	EFUEL, LLC	14972 CA-160	ISLETON	0.0	0.1	0.0
6217	AS CONVENIENCE & ENERGY INC DBA SUNRISE CHEVRON	2707 SUNRISE BLVD	RANCHO CORDOVA	0.0	0.1	0.0
5484	FLORIN SHELL	8062 FLORIN RD	SACRAMENTO	0.0	0.1	0.0
1997	TOOLEY OIL COMPANY, DBA SHELL	3721 TRUXEL RD	SACRAMENTO	0.0	0.1	0.0
4511	EL CENTRO INVESTMENT, INC	2738 EL CENTRO RD	SACRAMENTO	0.0	0.1	0.0
6689	ZAILDAR LIQUOR INC DBA GAS & GO	3449 EL CAMINO AVE	SACRAMENTO	0.0	0.1	0.0
7224	7 ELEVEN INCORPORATED	3311 WEST EL CAMINO AVE	SACRAMENTO	0.0	0.1	0.0
5522	RIVERBANK HOLDING CO, LLC	1371 GARDEN HWY #200	SACRAMENTO	0.0	0.1	0.0
5702	IJAZ CORPORATION/ DBA GRANTLINE ARCO	10421 GRANTLINE RD	ELK GROVE	0.1	0.1	0.0
4821	SAHOTA ENTERPRISES	4311 ANTELOPE RD	ANTELOPE	0.5	0.1	0.0
6091	RANA FOLSOM LLC	9199 FOLSOM BLVD	SACRAMENTO	0.2	0.1	0.0
3899	COSTCO WHOLESALE C/O BARGHAUSEN	1800 CAVITT COURT(COSTCO #765)	FOLSOM	0.7	0.1	0.0
1306	SOUTHLAND CORPORATION	6180 AUBURN BLVD	CITRUS HEIGHTS	0.2	0.1	0.0
5647	GREEN DESERT OIL GROUP-83056 AM/PM ARCO	7969 WALERGA RD	ANTELOPE	0.5	0.1	0.0
5189	FRUITRIDGE AMPM	8880 FRUITRIDGE RD	SACRAMENTO	0.1	0.1	0.0
4791	S-GILL CORP DBA JOE'S MARKET	11070 FAIR OAKS BLVD	FAIR OAKS	0.7	0.1	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	ACUTE HAZARD INDEX (B)	CHRONIC HAZARD INDEX (B)
7054	BP PRODUCTS NORTH AMERICA INC.	9670 KIEFER BLVD	SACRAMENTO	0.2	0.1	0.0
4252	EFUEL, LLC	2732 CITRUS ROAD	RANCHO CORDOVA	0.1	0.1	0.0
5879	INTER-STATE OIL COMPANY	9050 ELKMONT WY	ELK GROVE	0.0	0.1	0.0
6061	7 ELEVEN INCORPORATED	11079 FOLSOM BLVD	RANCHO CORDOVA	0.0	0.1	0.0
6413	FLORIN PETROLEUM, INC. DBA SAC VALLEY TRUCK STOP	7891 STOCKTON BLVD	SACRAMENTO	0.1	0.1	0.0
2358	SOUTHLAND CORPORATION	5500 FLORIN PERKINS RD	SACRAMENTO	0.2	0.1	0.0
6099	SARB ENTERPRISES CORP DBA FRANKLIN GAS MART	4991 FRANKLIN BLVD	SACRAMENTO	0.6	0.1	0.0
7099	7-ELEVEN STORE #38788	7171 STOCKTON BLVD	SACRAMENTO	0.1	0.1	0.0
6599	NAV GAS AND FOODS, INC	10847 FOLSOM BLVD	RANCHO CORDOVA	0.2	0.1	0.0
5233	FLORIN SHELL	8062 FLORIN RD	SACRAMENTO	0.2	0.1	0.0
5844	DK & GK INC. DBA SHELL GAS STATION WITH CARWASH	9190 E STOCKTON BLVD	ELK GROVE	0.3	0.1	0.0
6375	WINSTARR INC. DBA DILLARD STORE	9797 DILLARD RD	WILTON	0.1	0.1	0.0
6575	AU ENERGY, LLC	6490 MACK RD	SACRAMENTO	0.2	0.1	0.0
6579	AU ENERGY, LLC	225 N JIBBOOM ST	SACRAMENTO	0.1	0.1	0.0
6571	AU ENERGY, LLC	4050 FLORIN RD	SACRAMENTO	0.1	0.1	0.0
6578	AU ENERGY, LLC	3500 AUBURN BLVD	SACRAMENTO	0.3	0.1	0.0
6514	AHY INVESTMENTS LLC	8475 ELK GROVE BLVD	ELK GROVE	0.1	0.1	0.0
2086	HUNT AND SONS	1201 FEE DR	SACRAMENTO	0.1	0.1	0.0
2057	SD FOOD INC	5740 WINDING WAY	CARMICHAEL	0.3	0.1	0.0
5935	ELITE CAPITAL INVESTMENTS	5960 24TH ST	SACRAMENTO	0.1	0.0	0.0
5882	KAJLA PETROLEUM INC DBA JACKSON SHELL	9701 JACKSON RD	SACRAMENTO	0.4	0.0	0.0
5567	GREEN DESERT GROUP OIL INC	6100 AIRPORT BLVD	SACRAMENTO	0.1	0.0	0.0
5446	SUNRISE RANCHO GAS INC.	2295 SUNRISE BLVD	RANCHO CORDOVA	0.0	0.0	0.0
6538	GSARWAR MARKET	2199 EL CAMINO AVE	SACRAMENTO	0.0	0.0	0.0
6284	SOHAL 4 INC.	8901 MADISON AVE	FAIR OAKS	0.0	0.0	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	ACUTE HAZARD INDEX (B)	CHRONIC HAZARD INDEX (B)
6677	SOHAL 5	2500 NORTHGATE BLVD	SACRAMENTO	0.0	0.0	0.0
6757	BONFARE MARKETS INC	3120 NORTHGATE BLVD	SACRAMENTO	0.0	0.0	0.0
3480	HOPEWELL HOLDINGS DBA ANTE-LOPE CHEVRON	5869 ANTELOPE RD	SACRAMENTO	0.0	0.0	0.0
6165	ZINFANDEL CHEVRON	3001 ZINFANDEL DR	RANCHO CORDOVA	0.0	0.0	0.0
6165	ZINFANDEL CHEVRON	3001 ZINFANDEL DR	RANCHO CORDOVA	0.0	0.0	0.0
7198	EXPRESS LANE INC.	3991 E COMMERCE WAY	SACRAMENTO	0.0	0.0	0.0
5425	EXPRESS LANE INC.	301 PINE ST.	GALT	0.0	0.0	0.0
7369	BASSI GROUP LLC	2401 SUNRISE BLVD	RANCHO CORDOVA	0.0	0.0	0.0
7369	BASSI GROUP LLC	2401 SUNRISE BLVD	RANCHO CORDOVA	0.0	0.0	0.0
7436	ALBASHA CORPORATION DBA CAL EXPO STATION	1266 HOWE AVE	SACRAMENTO	0.0	0.0	0.0
7538	PB 32 GAS INC DBA SUTTERVILLE FOOD MART	1400 SUTTERVILLE RD	SACRAMENTO	0.0	0.0	0.0
5289	DPSK, INC.	2270 FAIR OAKS BLVD	SACRAMENTO	0.0	0.0	0.0
7539	PB 32G INC DBA FRUITRIDGE CHEVRON	3900 FRUITRIDGE RD	SACRAMENTO	0.0	0.0	0.0
7296	ECO GAS & MART	6323 WATT AVENUE	NORTH HIGHLANDS	0.0	0.0	0.0
6583	AU ENERGY, LLC	6141 GREENBACK LN	CITRUS HEIGHTS	0.0	0.0	0.0
4260	B & E MARKET	7596 BRADSHAW ROAD	SACRAMENTO	0.0	0.0	0.0
3702	ELK GROVE EXXON	9603 E STOCKTON BLVD	ELK GROVE	0.0	0.0	0.0
1961	COSTCO WHOLESALE C/O BARGHAUSEN	1601 EXPO PKWY	SACRAMENTO	0.0	0.0	0.0
6689	ZAILDAR LIQUOR INC DBA GAS & GO	3449 EL CAMINO AVE	SACRAMENTO	0.0	0.0	0.0
6973	MICNAN LLC DBA TOOLEY OIL CO	8830 E STOCKTON BLVD	ELK GROVE	0.0	0.0	0.0
7037	DEVAN DALLA ENTERPRISES, LLC	952 SIMMERHORN RD	GALT	0.0	0.0	0.0
7403	HASSAN AND SONS, INC DBA HASSAN #1011	8908 ELDER CREEK RD	SACRAMENTO	0.0	0.0	0.0
6973	MICNAN LLC DBA TOOLEY OIL CO	8830 E STOCKTON BLVD	ELK GROVE	0.0	0.0	0.0
2160	FORTY-NINER TRUCK STOP	2828 EL CENTRO RD	SACRAMENTO	0.0	0.0	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

- (A) Cancer Risk is expressed as lifetime excess cancer risk in chances per million.
 (B) Hazard Index (HI) is the ratio of the concentration to the reference exposure level.
 (C) Since the District's site-specific HRA resulted in a non-cancer acute hazard index of >1.0, the facility will be notified to perform a refined site-specific HRA. If the results of the facility's site-specific HRA are still >1.0, the public notice and risk reduction and audit steps will be initiated.

Chrome Platers

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
3505	SHERMS CUSTOM PLATING	2140 ACOMA ST	SACRAMENTO	<0.1 (C)	<0.1 (C)
6868	BLACK DIAMOND BLADE CO., INC. DBA CHROME CRAFT	5950 88TH ST	SACRAMENTO	9.9 (C)	<0.1 (C)
5939	METAL FINISHING GROUP, INC.	8290 ALPINE AVE	SACRAMENTO	(D)	(D)

- (A) Cancer Risk is expressed as lifetime excess cancer risk in chances per million.
 (B) Hazard Index (HI) is the ratio of the concentration to the reference exposure level. Note: while a chronic reference exposure level has been established for Hexavalent Chromium, an acute reference exposure level has not; therefore, only a chronic HI has been calculated here.
 (C) Based on the maximum permitted throughput as evaluated during the permitting process.
 (D) Plating operation does not use hexavalent chromium and was not evaluated in this Annual Report.

Diesel Internal Combustion Engine

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
3608	SUTTER HEALTH	1726 28TH STREET	SACRAMENTO	28.3 (C)	0.0
7137	F&S FRESH FOODS	8425 CARBIDE COURT	SACRAMENTO	12.4 (C)	0.0
3129	UNION PACIFIC RAILROAD	ROSEVILLE RAIL YARD	ANTELOPE	9.8	0.0
6240	DEFENSE MICROELECTRONICS ACTIVITY	5584 PATROL B	MCCLELLAN	9.8	0.0
6644	ADESA CALIFORNIA, LLC D/B/A ADESA BRASHER'S	6233 BLACKTOP RD	RIO LINDA	9.7	0.0
667	CITIZENS TELECOMMUNICATIONS COMPANY	6301 LAGUNA BLVD	ELK GROVE	9.6	0.0
5977	HILTON ARDEN WEST	2200 HARVARD ST	SACRAMENTO	9.3	0.0
7223	RANCHO CORDOVA CA I MG, LLC	1960 BIRKMONT DR	RANCHO CORDOVA	9.1	0.0
2102	US GOVT FAA	11375 DOUGLAS RD	MATHER	9.1	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
6311	THE JACKSON LABORATORY, WEST	1650 SANTA ANA AVE	SACRAMENTO	9.1	0.0
7456	RANCHO SECO CARE CENTER	144 F ST	GALT	8.8	0.0
6007	CITY OF CITRUS HEIGHTS DBA CITRUS HEIGHTS COMM CTR	6315 FOUNTAIN SQ DR.	CITRUS HEIGHTS	8.8	0.0
666	PACIFIC BELL DBA AT&T CA	1407 J ST	SACRAMENTO	8.7	0.0
6345	KMS BUSINESS PARK OWNERS ASSOC	171 ENTERPRISE CT, #1	GALT	8.5	0.0
6849	NMC SOUTHGATE PLAZA, LLC	4424 FLORIN RD	SACRAMENTO	8.5	0.0
7528	DEPT. OF GENERAL SERVICES, STATE OF CALIFORNIA DBA FACILITIES MANAGEMENT DIVISION (FMD) CAL EPA	1001 I ST	SACRAMENTO	8.5	0.0
881	COUNTY OF SAC DEPT OF GENERAL SERVICES	2150 STOCKTON BLVD	SACRAMENTO	8.4	0.0
7465	SACRAMENTO CA III FGF, LLC DBA 1325 J ST	1325 J ST	SACRAMENTO	8.2	0.0
1218	CITIZENS TELECOMMUNICATIONS COMPANY	11810 WASHINGTON AVE	COURTLAND	8.1	0.0
6612	ATRIA EL CAMINO GARDENS	2426 GARFIELD AVE	CARMICHAEL	8.1	0.0
7139	NP SACRAMENTO MAP, LLC	6500 POWER LINE ROAD	SACRAMENTO	8.0	0.0
2760	INTEL CORPORATION	1900 PRAIRIE CITY RD	FOLSOM	8.0	0.0
7094	PW FUND B, LP	8040 METRO AIR PARKWAY	SACRAMENTO	8.0	0.0
3107	SAC COUNTY WATER AGENCY	N MARKET BLVD	SACRAMENTO	7.9	0.0
1922	HYATT REGENCY SACRAMENTO	1209 L ST	SACRAMENTO	7.9	0.0
61	STATE OF CALIF GS	625 Q ST	SACRAMENTO	7.8	0.0
5796	BUZZ OATES, LLC	10175 IRON ROCK	ELK GROVE	7.7	0.0
7138	NP SACRAMENTO MAP, LLC	7000 POWER LINE ROAD	SACRAMENTO	7.7	0.0
7105	WALMART, INC. DBA WALMART FULFILLMENT CENTER #3960	7000 POWER LINE RD	SACRAMENTO	7.6	0.0
928	US GOVERNMENT GENERAL SERVICES ADMINISTRATION	2800 COTTAGE WAY	SACRAMENTO	7.6	0.0
1486	THE HOME DEPOT #6620 - C/O 3E	8000 FOLSOM BLVD	SACRAMENTO	7.5	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
193	SMUD FINANCING AUTHORITY DBA CARSON POWER PLANT	8580 LAGUNA STATION ROAD	ELK GROVE	7.4	0.0
5192	BUZZ OATES DEVELOPMENT, LP	5081 KELTON WAY	SACRAMENTO	7.4	0.0
1045	SMUD	14440 TWIN CITIES RD	HERALD	7.4	0.0
5835	DGS DBA EDD, STATE OF CA C/O REIT M. & R. LLC	9815 GOETHE RD	SACRAMENTO	7.4	0.0
2944	CITY OF SACRAMENTO	828 I ST	SACRAMENTO	7.4	0.0
4699	COUNTY OF SAC DEPT OF GENERAL SERVICES	9601 KIEFER BLVD	SACRAMENTO	7.3	0.0
660	ROTUNDA PARTNERS	1201 K ST	SACRAMENTO	7.3	0.0
348	SACRAMENTO AREA SEWER DISTRICT	NORTHROP AVE WESTEND	SACRAMENTO	7.3	0.0
6021	SUTTER VALLEY MEDICAL FOUNDATION	8200 LAGUNA BLVD	ELK GROVE	7.3	0.0
1263	PACIFIC BELL DBA AT&T CA	2700 WATT AVE	SACRAMENTO	7.2	0.0
6179	IRA MGAP HOLDINGS, I, LLC	3160 FOLSOM BLVD	SACRAMENTO	7.2	0.0
3404	CITY OF SACRAMENTO	1000 I ST	SACRAMENTO	7.1	0.0
7371	PW FUND B, LP	7320 POWER LINE RD	SACRAMENTO	7.0	0.0
2906	CITY OF FOLSOM	46 NATOMA ST	FOLSOM	6.9	0.0
4321	CAL PERS	400 Q ST	SACRAMENTO	6.9	0.0
2031	STATE OF CALIFORNIA DEPARTMENT OF GENERAL SERVICES	1300 I ST	SACRAMENTO	6.9	0.0
1826	HOME DEPOT (C/O 3E COMPANY) #0652	2756 SUNRISE BLVD	RANCHO CORDOVA	6.9	0.0
1646	STATE OF CALIF DEPT OF GENERAL SVCS	1516 9TH ST	SACRAMENTO	6.9	0.0
1613	STATE OF CALIF DEPT OF GENERAL SVCS	901 P ST	SACRAMENTO	6.9	0.0
6467	6200 FRANKLIN LLC DBA CAPITAL COMMERCE CENTER	6200 FRANKLIN BLVD	SACRAMENTO	6.8	0.0
7153	PW FUND B, LP	1780 BELL AVENUE	SACRAMENTO	6.8	0.0
3482	US COAST GUARD AIR STATION	6037 PRICE AVE	MCCLELLAN	6.8	0.0
1552	METHODIST HOSPITAL	7500 HOSPITAL DR	SACRAMENTO	6.7	0.0
7244	PW FUND B, LP	7810 METRO AIR PARKWAY	SACRAMENTO	6.7	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
7231	PW FUND B, LP	7625 LONE TREE RD	SACRAMENTO	6.6	0.0
1342	MERCY GENERAL HOSPITAL	4001 J ST	SACRAMENTO	6.6	0.0
1	AEROJET ROCKETDYNE, INC.	2001 AEROJET RD	RANCHO CORDOVA	6.6	0.0
5007	C & S WHOLESALE GROCERS	8301 FRUITRIDGE RD	SACRAMENTO	6.5	0.0
7209	PW FUND B, LP	8035 METRO AIR PARKWAY	SACRAMENTO	6.4	0.0
6860	ELK GROVE MSL, LLC DBA COMMONS AT ELK GROVE	9564 SABRINA LANE	ELK GROVE	6.4	0.0
5937	ADVANCED CALL CENTER TECHNOLOGIES	5949 FAIR OAKS BLVD	CARMICHAEL	6.4	0.0
2334	CITRUS HEIGHTS COMMUNITY HEALTHCARE, LLC	7807 UPLANDS WAY	CITRUS HEIGHTS	6.3	0.0
7172	PRIME-US PARK TOWER, LLC C/O CUSHMAN & WAKEFIELD	980 9TH STREET	SACRAMENTO	6.3	0.0
3403	PACIFIC BELL DBA AT&T CA	98 MONTROSE DR	FOLSOM	6.3	0.0
7328	24 STREET BINGO LLC	2350 FLORIN RD	SACRAMENTO	6.2	0.0
4380	FSM GROUP LLC	7330 EARHART DR	SACRAMENTO	6.1	0.0
2927	MCKESSON DATA CENTER	11000 TRADE CENTER DR	RANCHO CORDOVA	6.1	0.0
1602	COUNTY OF SACRAMENTO AIRPORT	6300 AVIATION DR	SACRAMENTO	6.1	0.0
6632	PRIME DATA CENTERS DBA SVO BUILDING ONE LLC	2407 AK ST	MCCLELLAN	6.1	0.0
6326	NTT GLOBAL DATA CENTERS AMERICAS, INC.	1625 NATIONAL DR	SACRAMENTO	6.0	0.0
4363	FEDERAL EXPRESS CORPORATION	8200 ELDER CREEK RD	SACRAMENTO	5.9	0.0
2802	MCCLELLAN BUSINESS PARK	3140 PEACEKEEPER WAY	MCCLELLAN	5.9	0.0
1179	SUREWEST TELEPHONE	7656 OLD AUBURN BLVD	CITRUS HEIGHTS	5.8	0.0
7095	ELK GROVE INDEPENDENT LIVING LLC DBA THE PARK AT	9670 LAGUNA SPRINGS DR	ELK GROVE	5.7	0.0
1557	STATE OF CALIF DGS/RESDBPM	4949 BROADWAY	SACRAMENTO	5.7	0.0
6857	ETHAN CONRAD PROPERTIES	770 L STREET ST	SACRAMENTO	5.6	0.0
6829	SHORENSTEIN REALTY SERVICES DBA US BANK TOWER	621 CAPITOL MALL	SACRAMENTO	5.6	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
6131	ESKATON PROPERTIES INC DBA ESKATON CARE CTR GREENH	455 FLORIN RD	SACRAMENTO	5.6	0.0
2681	STATE OF CALIF DGS/OFS-PROGRAM SUPPORT ACCT. SECT.	9645 BUTTERFIELD WAY	SACRAMENTO	5.6	0.0
6922	BRE DEPOT PARK, LLC	15 BUSINESS PARK WY	SACRAMENTO	5.6	0.0
758	CITIZENS TELECOMMUNICATIONS COMPANY	8985 ELK GROVE BLVD	ELK GROVE	5.6	0.0
3704	FOLSOM SURGICAL CENTER	1651 CREEKSIDE DR. #100	FOLSOM	5.5	0.0
7112	1122 7TH STREET, LLC	1122 7TH ST	SACRAMENTO	5.5	0.0
3788	CALIFORNIA AMERICAN WATER CO.	VARIOUS LOCATIONS	SACRAMENTO	5.4	0.0
5670	CALIFORNIA ISO	250 OUTCROPPING	FOLSOM	5.4	0.0
4042	STATE OF CALIFORNIA, DEPT OF FOR- ESTRY, AMU	5509 PRICE AVE, BLDG 877	MCCLELLAN	5.3	0.0
6720	ETHAN CONRAD PROPERTIES	801 K ST	SACRAMENTO	5.3	0.0
6551	SUTTER VALLEY MEDICAL FOUNDATION	3161 L ST	SACRAMENTO	5.3	0.0
1595	US GOVERNMENT GENERAL SERVICES ADMINISTRATION	801 I ST	SACRAMENTO	5.3	0.0
6233	ELK GROVE UNIFIED SCHOOL DISTRICT	9721 DILLARD RD	WILTON	5.1	0.0
1221	CPC HERITAGE OAKS HOSP	4250 AUBURN BLVD	SACRAMENTO	5.1	0.0
6885	ROSEVILLE LIFE PROPERTIES	1400 EXPO PARKWAY	SACRAMENTO	5.1	0.0
3908	SUREWEST	5411 LUCE AVE	MCCLELLAN	5.0	0.0
6965	STATE OF CALIFORNIA, DEPT OF GEN- ERAL SERVICES	1021 O STREET	SACRAMENTO	5.0	0.0
2357	KAISER FOUN HOSP SOUTH	6601 WYNDHAM DR	SACRAMENTO	5.0	0.0
6797	MAXIMUS	11050 OLSON DR	RANCHO CORDOVA	4.9	0.0
6235	FORT SUTTER SURGERY CENTER, LP	2801 K ST	SACRAMENTO	4.9	0.0
3943	STATE OF CALIFORNIA GS	1615 CAPITOL AVE	SACRAMENTO	4.9	0.0
4774	BOX 509 RFD, LLC	6501 SYLVAN RD	CITRUS HEIGHTS	4.9	0.0
7243	PW FUND B, LP	7860 METRO AIR PARKWAY	SACRAMENTO	4.8	0.0
6971	NATOMAS DEVELOPMENT PARTNERS, LLC	4201 EAST COMMERCE WY	SACRAMENTO	4.8	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
5178	AT & T CORP.	1214 BIDWELL ST	FOLSOM	4.8	0.0
6907	DCPIII-SAC-11085 SUN CENTER DR, LLC	11085 SUN CENTER DR.	RANCHO CORDOVA	4.7	0.0
1494	PACIFIC BELL DBA AT&T CA	3333 BRADSHAW RD	SACRAMENTO	4.7	0.0
7337	CFT NV DEVELOPMENTS, LLC	10600 WHITE ROCK RD	RANCHO CORDOVA	4.6	0.0
3909	SUREWEST	3625 MARCONI AVE	SACRAMENTO	4.6	0.0
5581	ELK GROVE UNIFIED SCHOOL DISTRICT	13580 JACKSON RD	SLOUGHHOUSE	4.6	0.0
6229	CITY OF SAC., DEPT OF UTILITIES	2200 TANZANITE AVE	SACRAMENTO	4.6	0.0
5213	COUNTY OF SACRAMENTO DEPT OF WATER QUALITY	11922 ELK VIEW WAY	RANCHO CORDOVA	4.6	0.0
5159	HP HOOD, LLC	8340 BELVEDERE AVE	SACRAMENTO	4.6	0.0
6819	SACRAMENTO HEALTHCARE INVESTORS LP DBA ADVANCED	1411 EXPO PARKWAY	SACRAMENTO	4.5	0.0
6397	EDGECONNEX SACRAMENTO HOLDINGS, LLC	10980 GOLD CENTER DR	RANCHO CORDOVA	4.5	0.0
7096	ZAYO GROUP	3224 LUYUNG DR	RANCHO CORDOVA	4.5	0.0
5003	STATE OF CALIFORNIA OES	111 BERCUT DR	SACRAMENTO	4.5	0.0
3942	SACRAMENTO SUBURBAN WATER DISTRICT	5331 WALNUT AVE	SACRAMENTO	4.5	0.0
1993	JC PENNEY C/O PROFESSIONAL SERVICE INDUSTRIES	1695 ARDEN WAY	SACRAMENTO	4.4	0.0
2416	PACIFIC BELL DBA AT&T CA	8295 FRUITRIDGE RD	SACRAMENTO	4.3	0.0
3894	CITY OF SAC., DEPT OF UTILITIES	600 LEISURE LANE	SACRAMENTO	4.3	0.0
2994	QWEST COMMUNICATIONS CORP DBA CENTRUY LINK	3040 GOLD CAMP DR	RANCHO CORDOVA	4.3	0.0
1057	REGIONAL TRANSIT	2760 ACADEMY WAY	SACRAMENTO	4.2	0.0
2530	COUNTY OF SACRAMENTO MSA DWR DOMS	3112 KADEMA DR - D02	SACRAMENTO	4.2	0.0
6921	BRE DEPOT PARK, LLC	6101 MIDWAY ST	SACRAMENTO	4.2	0.0
1648	STATE OF CALIFORNIA - RESD-BPM	751 N ST	SACRAMENTO	4.1	0.0
6918	BONNEVILLE INTERNATIONAL CORPORATION	12610 RISING RD	WILTON	4.1	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
7386	IHEART MEDIA	820 W. DELANO ST	ELVERTA	4.0	0.0
5018	SUNBRIDGE BRITTANY HEALTHCARE	3900 GARFIELD AVE	CARMICHAEL	4.0	0.0
5097	THE PEPSI BOTTLING GROUP	7550 REESE RD	SACRAMENTO	4.0	0.0
6903	CITRUS HEIGHTS MEMORY CARE DEVELOPMENT, LLC DBA TH	6825 SUNRISE BLVD	CITRUS HEIGHTS	4.0	0.0
6783	AMAZON.COM SERVICES, LLC (FACILITY SMF6)	4900 W ELKHORN BLVD	SACRAMENTO	4.0	0.0
4368	ACC NURSING HOME	7801 RUSH RIVER DR	SACRAMENTO	4.0	0.0
7211	US FOODS, INC.	4455 WINTERS STREET	MCCLELLAN	4.0	0.0
7344	KUBOTA TRACTOR CORPORATION	10251 GRANT LINE RD	ELK GROVE	4.0	0.0
5351	QUEST COMMUNICATIONS	4235 FORCUM AVE	MCCLELLAN	3.9	0.0
3911	SUREWEST	1316 FULTON AVE	SACRAMENTO	3.9	0.0
6605	EL & EL WOOD PRODUCTS, INC	700 INDUSTRIAL DR	GALT	3.9	0.0
4611	THE GOLDEN 1 CREDIT UNION	8945 CAL CENTER DR	SACRAMENTO	3.9	0.0
7061	ALM ELK GROVE, LLC	9051 UNION PARK WY	ELK GROVE	3.9	0.0
4352	BRIDGEWAY TOWERS OWNER'S ASSOCIATION	500 N STREET	SACRAMENTO	3.9	0.0
5199	ATRIUM TRS I, LP DBA HOLIDAY INN SACRAMENTO DOWNTOWN ARENA	300 J ST	SACRAMENTO	3.9	0.0
4625	CALIFORNIA AMERICAN WATER CO.	VARIOUS LOCATIONS		3.8	0.0
2901	COUNTY OF SACRAMENTO MATHER AIRPORT	10321 TRUEMPER WAY	MATHER	3.8	0.0
7102	AMAZON.COM SERVICES, LLC (DSR6)	2400 MCCLELLAN PARK DR	SACRAMENTO	3.8	0.0
5492	XO COMMUNICATIONS	770 L STREET	SACRAMENTO	3.8	0.0
6856	COLUMBIA WOODLAKE, LLC	1445 EXPO PARKWAY	SACRAMENTO	3.7	0.0
3998	SACRAMENTO SUBURBAN WATER DISTRICT	1000 RIVER WALK WAY	CARMICHAEL	3.7	0.0
4297	CITY OF FOLSOM FIRE DEPARTMENT	535 GLENN DRIVE	FOLSOM	3.7	0.0
3037	CITY OF SACRAMENTO	2812 MEADOWVIEW RD	SACRAMENTO	3.7	0.0
6079	CLEAR CHANNEL COMMUNICATIONS	1545 RIVER PARK DR, STE 500	SACRAMENTO	3.7	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
2124	STATE OF CALIF CHP	2555 1ST AVE	SACRAMENTO	3.7	0.0
4764	AIRGAS USA, LLC -- WEST DIVISION	6801 FLORIN PERKINS RD	SACRAMENTO	3.6	0.0
6380	SACRAMENTO AREA SEWER DISTRICT	9180 MADISON AVE	ORANGEVALE	3.6	0.0
4183	COMCAST OF SACRAMENTO	6901 ROSEVILLE RD (HEADEND)	RANCHO CORDOVA	3.6	0.0
1468	WESTERN AREA POWER ADMINISTRATION	114 PARKSHORE DR	FOLSOM	3.6	0.0
750	CITRUS HEIGHTS IRRIGATION	6230 SYLVAN RD	CITRUS HEIGHTS	3.5	0.0
6847	KAISER PERMANENTE	3200 ARDEN WY	SACRAMENTO	3.5	0.0
1212	PACIFIC BELL DBA AT&T CA	3809 FLORIN RD	SACRAMENTO	3.5	0.0
7378	MERCY HOUSING CALIFORNIA 47, LLP DBA 7TH & H APTS	1125 9TH STREET	SACRAMENTO	3.5	0.0
4453	SACRAMENTO AREA SEWER DISTRICT	8150 FRUITRIDGE RD	SACRAMENTO	3.5	0.0
5373	CARLTON CROWN PLAZA	1071 FULTON AVE	SACRAMENTO	3.5	0.0
7253	PW FUND B, LP	6003 88TH STREET	SACRAMENTO	3.5	0.0
3092	LOWES HIW INC	800 E BIDWELL ST	FOLSOM	3.5	0.0
6775	OMNINET SACRAMENTO LLC	2005 EVERGREEN ST	SACRAMENTO	3.5	0.0
2795	SAC COUNTY WATER AGENCY	10140 CALVINE RD	SACRAMENTO	3.4	0.0
2934	CARMICHAEL WATER DISTRICT	3501 BAJAMONT WAY	CARMICHAEL	3.4	0.0
4911	LEVEL 3 COMMUNICATIONS	1005 NORTH B ST	SACRAMENTO	3.4	0.0
1053	FRANKLIN RESOURCES	3310 QUALITY DR	RANCHO CORDOVA	3.4	0.0
6792	CITY OF FOLSOM FIRE DEPARTMENT	2139 RITCHIE ST	FOLSOM	3.4	0.0
6628	WINCO FOODS LLC	2300 WATT AVE	SACRAMENTO	3.4	0.0
2071	SACRAMENTO TOWER JOINT VENTURE	14003 RIVER RD	WALNUT GROVE	3.4	0.0
1831	HOME DEPOT (C/O 3E COMPANY)	4641 FLORIN RD	SACRAMENTO	3.4	0.0
6696	CVICH SACRAMENTO II	8670 FRUITRIDGE RD	SACRAMENTO	3.3	0.0
2103	US GOVT DEPT OF VET AFFAIRS	10535 HOSPITAL WAY	MATHER	3.3	0.0
5324	KAISER PERMANENTE	285 PALLADIO PARKWAY	FOLSOM	3.3	0.0
6008	SCHOOLS FINANCIAL CREDIT UNION	6000 MAIN AVE	ORANGEVALE	3.3	0.0
2905	CITY OF FOLSOM	50 NATOMA ST	FOLSOM	3.2	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
3993	SACRAMENTO SUBURBAN WATER DISTRICT	917 ENTERPRISE DR	SACRAMENTO	3.2	0.0
5500	SACRAMENTO AREA SEWER DISTRICT	0 WHYSE LANE	WALNUT GROVE	3.1	0.0
4388	SAC COUNTY WATER AGENCY	VARIOUS LOCATIONS	SACRAMENTO	3.1	0.0
2258	MCI WORLDCOM	2991 GOLD CANAL DR	RANCHO CORDOVA	3.1	0.0
7193	GEDR SACRAMENTO LLC	3001 STATE UNIVERSITY DRIVE	SACRAMENTO	3.1	0.0
5348	CITY OF SAC., DEPT OF UTILITIES	7501 COLLEGE TOWN DR	SACRAMENTO	3.1	0.0
3987	SACRAMENTO SUBURBAN WATER DISTRICT	6649 WATT AVE	NORTH HIGHLANDS	3.0	0.0
3910	SUREWEST	3278 NORTHGATE BLVD	SACRAMENTO	3.0	0.0
6469	STATE STREET CORPORATION	2495 NATOMAS PARK DR	SACRAMENTO	3.0	0.0
2533	H.V. HOUSTON DEVELOPMENT (DBA MARRIOTT HOTEL)	11211 POINT EAST DR	RANCHO CORDOVA	3.0	0.0
2038	CSU SACRAMENTO UNIV UNION	6000 J ST	SACRAMENTO	3.0	0.0
1882	STATE OF CALIF DEPT OF JUSTICE	4949 BROADWAY	SACRAMENTO	3.0	0.0
1362	MERCY HOSPITAL FOLSOM	1650 CREEKSIDE DR	FOLSOM	3.0	0.0
867	COUNTY OF SAC DEPT OF GENERAL SERVICES	5510 GARFIELD AVE	SACRAMENTO	3.0	0.0
676	PACIFIC BELL DBA AT&T CA	2216 STOCKTON BLVD	SACRAMENTO	3.0	0.0
2502	METHODIST HOSPITAL	8151 BRUCEVILLE RD	SACRAMENTO	3.0	0.0
4268	CITY OF SACRAMENTO	5990 H STREET	SACRAMENTO	2.9	0.0
5412	COUNTY OF SACRAMENTO DEPT OF WATER QUALITY	10060 GOETHE RD	SACRAMENTO	2.9	0.0
7255	PCS STRUCTURES TOWERS, LLC DBA 370341 VFW POST III	8990 KRUTHOF WAY	FAIR OAKS	2.9	0.0
6630	DIGNITY HEALTH	4400 DUCKHORN DR	SACRAMENTO	2.9	0.0
7433	PW FUND B, LP	7425 LONE TREE RD	SACRAMENTO	2.9	0.0
3838	CITY OF SAC., DEPT OF UTILITIES	VARIOUS LOCATION	SACRAMENTO	2.9	0.0
913	KAISER HOSPITAL	2025 MORSE AVE	SACRAMENTO	2.9	0.0
477	CITY OF SAC., DEPT OF UTILITIES	7522 POCKET RD	SACRAMENTO	2.9	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
7187	AMERICAN TOWER DELAWARE CORP. DBA AMERICAN TOWER	6529 32ND STREET	NORTH HIGHLANDS	2.9	0.0
6354	AUDACY CALIFORNIA, LLC	719 NORTH MARKET	SACRAMENTO	2.9	0.0
27	PROCTER & GAMBLE	8201 FRUITRIDGE ROAD	SACRAMENTO	2.9	0.0
7090	CALIFORNIA AMERICAN WATER CO.	6660 46TH STREET	SACRAMENTO	2.9	0.0
5235	CAPITAL NEPHROLOGY	1111 EXPOSITION BLVD #300	SACRAMENTO	2.9	0.0
5588	SUNRISE SENIOR LIVING OF CARMICHAEL	5451 FAIR OAKS BLVD	CARMICHAEL	2.9	0.0
2195	CARDINAL HEALTH INC	3238 DWIGHT RD	ELK GROVE	2.8	0.0
58	PHILLIPS 66 COMPANY	76 BROADWAY	SACRAMENTO	2.8	0.0
5513	SACRAMENTO SUBURBAN WATER DISTRICT	1210 STEWART RD	SACRAMENTO	2.8	0.0
2035	CITY OF GALT	10059 TWIN CITIES RD	GALT	2.8	0.0
5660	CITY OF CITRUS HEIGHTS DBA CITRUS HEIGHTS COMM CTR	6300 FOUNTAIN SQ DR.	CITRUS HEIGHTS	2.8	0.0
3171	SAC COUNTY WATER AGENCY	9560 BAY POINT WY	ELK GROVE	2.8	0.0
126	HUHTAMAKI, INC	8450 GERBER RD	SACRAMENTO	2.8	0.0
3529	UNION PACIFIC RAILROAD	401 I STREET	SACRAMENTO	2.8	0.0
6003	TRANSTOWER, INC	14003 RIVER RD	WALNUT GROVE	2.7	0.0
2569	RANCHO MURIETA COMMUNITY SERVICES DIST	15160 JACKSON RD	RANCHO MURIETA	2.7	0.0
3888	A/P PROCESSING CENTER CITY OF SACRAMENTO	300 FAIRBANKS AVE	SACRAMENTO	2.7	0.0
3138	FAIR OAKS WATER DISTRICT	10317 FAIR OAKS BLVD	FAIR OAKS	2.7	0.0
6595	SAC COUNTY WATER AGENCY	1349 W. STRIKER AVE	SACRAMENTO	2.7	0.0
1471	PACIFIC BELL DBA AT&T CA	1423 J ST	SACRAMENTO	2.7	0.0
4695	CAL PERS	11086 SUN CENTER DR	RANCHO CORDOVA	2.7	0.0
7073	400 CM OWNER, LLC	400 CAPITOL MALL, STE 670	SACRAMENTO	2.7	0.0
7556	MAGELLAN MEDICAIDE ADMINISTRATION, LLC	11000 WHITE ROCK RD	RANCHO CORDOVA	2.7	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
4017	COUNTY OF SACRAMENTO DEPT OF WATER QUALITY	2200 ROSE ARBOR LN	SACRAMENTO	2.7	0.0
4091	DIGNITY HEALTH	3400 DATA DR	RANCHO CORDOVA	2.7	0.0
6610	POWER RIDGE OWNERS ASSOCIATION	8151 FRUITRIDGE RD	SACRAMENTO	2.7	0.0
1946	STATE OF CALIF GS DEPT (REAL ESTATE SVCS REGION 4)	1304 O ST	SACRAMENTO	2.6	0.0
7351	PCS STRUCTURES TOWERS, LLC DBA 370341 VFW POST III	4300 EL CAMINO AVE	SACRAMENTO	2.6	0.0
3916	CATHEDRAL OFFICE BLDG	1100 J STREET STE A	SACRAMENTO	2.6	0.0
3841	CITY OF FOLSOM FIRE DEPARTMENT	70 CLARKSVILLE RD	FOLSOM	2.6	0.0
7366	1415 MERIDIAN PLAZA INVESTORS, LP	1415 L STREET	SACRAMENTO	2.6	0.0
3173	COUNTY OF SAC DEPT OF GENERAL SERVICES	9250 BOND RD	SACRAMENTO	2.6	0.0
4685	COUNTY OF SACRAMENTO, DEPT. OF GENERAL SERVICES	3990 BRANCH CENTER RD	SACRAMENTO	2.6	0.0
7302	1651 ARDEN WAY OWNER, LP	1651 ARDEN WAY	SACRAMENTO	2.6	0.0
1603	US GOVT FAA	5620 ALAN BOYD DR	SACRAMENTO	2.6	0.0
5343	COUNTY OF SACRAMENTO DEPT OF WATER QUALITY	WILSON RD PUMP STATION	COURTLAND	2.6	0.0
6914	BLACKROCK FINANCIAL MANAGEMENT, INC	10850 GOLD CENTER DR.	RANCHO CORDOVA	2.6	0.0
5137	NATOMAS UNIFIED SCHOOL DISTRICT DBA NATOMAS HIGH	3200 NORTH PARK DR	SACRAMENTO	2.6	0.0
2781	PACIFIC GAS AND ELECTRIC COMPANY	2740 GATEWAY OAKS DR	SACRAMENTO	2.6	0.0
7250	AMAZON.COM SERVICES, LLC (FACILITY SMF6)	7601 METRO AIR PARKWAY	SACRAMENTO	2.5	0.0
2626	STATE OF CALIF DMV	2415 1ST AVE	SACRAMENTO	2.5	0.0
1271	HEALTH NET, INC	12033 FOUNDATION PLACE	RANCHO CORDOVA	2.5	0.0
2213	COUNTY OF SACRAMENTO DEPT OF WATER QUALITY	3615 AUBURN BLVD	SACRAMENTO	2.5	0.0
6383	SACRAMENTO AREA SEWER DISTRICT	4321 ANATOLIA DR	RANCHO CORDOVA	2.5	0.0
7459	SACRAMENTO AREA SEWER DISTRICT	6117 LARRY WAY	NORTH HIGHLANDS	2.4	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
2121	CITIZENS TELECOMMUNICATIONS COMPANY	64 MAIN ST	ISLETON	2.4	0.0
7221	AMERICAN TOWER DELAWARE CORP. DBA AMERICAN TOWER	8475 AUBURN BLVD	CITRUS HEIGHTS	2.4	0.0
5190	SUTTER GENERAL HOSPITAL	2725 CAPITOL AVE	SACRAMENTO	2.4	0.0
6835	RAINTREE REALTY II, LLC C/O BASIN STREET PRO	10951 WHITE ROCK RD	RANCHO CORDOVA	2.4	0.0
3839	CITY OF GALT	455 INDUSTRIAL DR	GALT	2.4	0.0
6541	COMCAST OF SACRAMENTO	9055 LOCUST ST	ELK GROVE	2.4	0.0
2512	CALIFORNIA STATE UNIVERSITY, SACRAMENTO	6000 J ST (SAC STATE CAMPUS)	SACRAMENTO	2.4	0.0
7018	CENTRAL J STREET LLC	1201 J STREET	SACRAMENTO	2.4	0.0
6381	SACRAMENTO AREA SEWER DISTRICT	5509 55TH ST	SACRAMENTO	2.4	0.0
871	SAC COUNTY WATER AGENCY	8246 WATERMAN RD	ELK GROVE	2.4	0.0
4283	SACRAMENTO AREA SEWER DISTRICT	AUBURN BLVD/VAN MAREN	CITRUS HEIGHTS	2.4	0.0
668	CITIZENS TELECOMMUNICATIONS COMPANY	11000 FREEMAN RD	WILTON	2.4	0.0
7080	WELL QUEST ELK GROVE, LLC	8871 EAST STOCKTON BLVD	ELK GROVE	2.3	0.0
6343	WORLD PAC	310 COMMERCE CIR	SACRAMENTO	2.3	0.0
4893	COUNTY OF SAC DEPT OF GENERAL SERVICES	4001 BRANCH CENTER RD	SACRAMENTO	2.3	0.0
5367	BUZZ OATES DEVELOPMENT, LP	4592 FLORIN PERKINS RD	SACRAMENTO	2.3	0.0
4378	U.S. DEPT OF INTERIOR, BUREAU OF RECLAMATION	7794 FOLSOM DAM RD	FOLSOM	2.3	0.0
2741	CITY OF SACRAMENTO	5303 FRANKLIN BLVD	SACRAMENTO	2.3	0.0
2668	CAL PERS	400 P ST	SACRAMENTO	2.3	0.0
6782	REGAL CINEMAS, INC	8136 DELTA SHORES CIR SOUTH	SACRAMENTO	2.3	0.0
4556	THE HOME DEPOT #6966 C/O 3E COMPANY	2000 HOWE AVE	SACRAMENTO	2.3	0.0
6011	CANNERY VENTURE L.P.	1651 ALHAMBRA BLVD	SACRAMENTO	2.3	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
7188	AMERICAN TOWER INTERNATIONAL DBA AMERICAN TOWER	5831 ROSEBUD LANE	SACRAMENTO	2.3	0.0
7268	CONTRACTORS' WAREHOUSE #6130	3390 WINONA WAY	NORTH HIGHLANDS	2.2	0.0
6382	SACRAMENTO AREA SEWER DISTRICT	10010 ATKINS DR	ELK GROVE	2.2	0.0
5133	SMUD	6201 S ST	SACRAMENTO	2.2	0.1
5109	LOWES HIW INC	3251 ZINFANDEL DR	RANCHO CORDOVA	2.2	0.0
5497	BROADSTONE LAND LLC (DBA TRI PROPERTIES)	340 PALLADIO PARKWAY	FOLSOM	2.2	0.0
2616	CITY OF SAC., DEPT OF UTILITIES	5701 ELVAS AVE	SACRAMENTO	2.2	0.0
7057	GOLDEN STATE WATER COMPANY	3141 TRUSSEL WY	SACRAMENTO	2.2	0.0
6038	CARDINAL HEALTH 414, LLC	201 LATHROP WAY	SACRAMENTO	2.2	0.0
5273	COUNTY OF SAC DEPT OF GENERAL SERVICES	3839 BRADSHAW RD	SACRAMENTO	2.2	0.0
5032	STATE OF CA, DEPT OF TRANSPORTATION	ROUTE 160 @ PAINTERSVILLE	ISLETON	2.2	0.0
1830	SACRAMENTO AREA FLOOD	5334 EAST LEVEE RD	SACRAMENTO	2.2	0.0
1217	CITIZENS TELECOMMUNICATIONS COMPANY	7850 AMHERST ST	ELK GROVE	2.2	0.0
7167	DIMENSION PROPERTIES, LLC DBA GUAYAKI SUSTAINABLE	2934 RAMONA AVENUE, # 100	SACRAMENTO	2.2	0.0
3418	PACIFIC BELL DBA AT&T CA	12700 FOLSOM BL	SACRAMENTO	2.2	0.0
5691	SAC COUNTY WATER AGENCY	4296 W. MEISTER WAY	SACRAMENTO	2.2	0.0
4155	SUNRISE ASSISTED LIVING OF SACRAMENTO	345 MUNROE ST	SACRAMENTO	2.2	0.0
3970	THE MEADOWS AT ELK GROVE	9325 EAST STOCKTON BLVD	ELK GROVE	2.2	0.0
3193	CITY OF SAC., DEPT OF UTILITIES	TRUXEL RD	SACRAMENTO	2.2	0.0
3897	AUDACY CALIFORNIA, LLC	2072 BROADSTONE PARKWAY	FOLSOM	2.2	0.0
6018	CALIFORNIA AMERICAN WATER CO.	3450 REITH CT	SACRAMENTO	2.2	0.0
4848	SAN JUAN WATER DISTRICT	110 HORN CT	FOLSOM	2.2	0.0
7457	AMERICAN TOWER DELAWARE CORP. DBA AMERICAN TOWER	12893 HOBDAWAY ROAD	WILTON	2.2	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
7119	JCPSAC PROPERTIES, LP	10540 WHITE ROCK RD	RANCHO CORDOVA	2.2	0.0
6944	WELLTOWER COGIR TENANT LLC/STOCK RANCH RD	7418 STOCK RANCH RD	CITRUS HEIGHTS	2.2	0.0
6721	TURLOCK LAKEPARK, LP DBA IMPERIAL TOWER APARTMENTS	331 J ST, STE 110	SACRAMENTO	2.2	0.0
5586	COUNTY OF SACRAMENTO - DTECH	15731 JACKSON RD	RANCHO MURIETA	2.2	0.0
7206	AMERICAN TOWER DELAWARE CORP. DBA AMERICAN TOWER	5424 LEMON HILL AVENUE	SACRAMENTO	2.1	0.0
5810	ELK GROVE RETIREMENT RESIDENCE LP	8476 SHELDON RD	ELK GROVE	2.1	0.0
5112	SACRAMENTO REGIONAL FIRE/EMS COMMUNICATION CENTER	10230 SYSTEMS PKWY	SACRAMENTO	2.1	0.0
2586	COUNTY OF SACRAMENTO DEPT OF WATER QUALITY	VARIOUS LOCATIONS	SACRAMENTO	2.1	0.0
3525	PACIFIC BELL DBA AT&T CA	2594 RIO LINDA BLVD	SACRAMENTO	2.1	0.0
2722	CARMICHAEL WATER DISTRICT	DEWEY & WINDING WAY	CARMICHAEL	2.1	0.0
5818	CALIFORNIA LOTTERY	700 N. 10TH STREET	SACRAMENTO	2.1	0.0
3863	COUNTY OF SACRAMENTO DEPT OF WATER QUALITY	BANNISTER RD	SACRAMENTO	2.1	0.0
7189	GTP INFRASTRUCTURE I, LLC DBA AMERICAN TOWER	OLEANDER DRIVE	CARMICHAEL	2.0	0.0
6652	LT SACRAMENTO MF, LLC DBA LINQ MIDTOWN	3111 S ST	SACRAMENTO	2.0	0.0
7470	AUBURN MANOR HOLDING CORPORATION	5915 DEWEY DRIVE	FAIR OAKS	2.0	0.0
6946	CONDUENT STATE AND LOCAL SOLUTIONS INC.	10390 PETER A MCCUEN BLVD	RANCHO CORDOVA	2.0	0.0
5916	COUNTY OF SAC, DEPT OF TRANSPORTATION OPERATIONS	GEORGIANA SLOUGH BRDG	WALNUT GROVE	2.0	0.0
7205	AMERICAN TOWER DELAWARE CORP. DBA AMERICAN TOWER	6722 STACY AVENUE	SACRAMENTO	2.0	0.0
7365	SAN JUAN WATER DISTRICT	ARC-N PUMP STATION	FOLSOM	2.0	0.0
4461	ELK GROVE WATER SERVICE	9715 RAILROAD ST	ELK GROVE	2.0	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
7154	NOME INVESTMENTS LLC	3310 EL CAMINO AVENUE	SACRAMENTO	2.0	0.0
4115	CITY OF FOLSOM	194 RANDALL DR	FOLSOM	2.0	0.0
3040	VISION SERVICE PLAN	3333 QUALITY DR -MS422	RANCHO CORDOVA	2.0	0.0
2745	CITY OF SACRAMENTO	5730 24TH ST	SACRAMENTO	2.0	0.0
1828	HOME DEPOT (C/O 3E COMPANY) #6649	3611 TRUXEL RD	SACRAMENTO	2.0	0.0
6081	THATCHER COMPANY OF CALIFORNIA	8625 UNSWORTH AVE	SACRAMENTO	2.0	0.0
7017	MUSTLO, LLC	4320 AUBURN BLVD	SACRAMENTO	2.0	0.0
3431	CITY OF SAC., DEPT OF UTILITIES	181 PINEDALE AVE	SACRAMENTO	2.0	0.0
1824	CITIZENS TELECOMMUNICATIONS COMPANY	8224 ELK GROVE-FLORIN RD	ELK GROVE	2.0	0.0
6132	SMUD	9750 KIEFER BLVD	SACRAMENTO	1.9	0.0
3015	LANSET AMERICA CORP	10321 PLACER LN	SACRAMENTO	1.9	0.0
7204	AMERICAN TOWER DELAWARE CORP. DBA AMERICAN TOWER	10260 WATERMAN ROAD	ELK GROVE	1.9	0.0
6113	CARLTON CROWN PLAZA	6915 ELK GROVE BLVD	ELK GROVE	1.9	0.0
2877	PACIFIC BELL DBA AT&T CA	710 L ST	RIO LINDA	1.9	0.0
7392	RIO LINDA ELVERTA COMMUNITY WATER DISTRICT	NORTH OF U STREET/ DRY CR	RIO LINDA	1.9	0.0
7159	COMCAST CABLE COMMUNICATIONS, LLC	4604 BLACKROCK DRIVE	SACRAMENTO	1.9	0.0
7091	CALIFORNIA AMERICAN WATER CO.	6540 VERNACE WAY	SACRAMENTO	1.9	0.0
7197	CAPITOL TOWERS APARTMENTS LLC	1500 7TH STREET	SACRAMENTO	1.9	0.0
6732	DOWNTOWN COMMONS COMMERCIAL OWNERS ASSOCIATION	500 J ST	SACRAMENTO	1.9	0.0
6747	KAISER HOSPITAL	501 J ST	SACRAMENTO	1.9	0.0
5153	COUNTY OF SACRAMENTO	799 G ST	SACRAMENTO	1.9	0.0
3096	455 CAPITOL MALL COMPLEX	455 CAPITOL MALL	SACRAMENTO	1.9	0.0
6043	COUNTY OF SAC DEPT OF GENERAL SERVICES	4000 BRADSHAW ROAD	SACRAMENTO	1.9	0.0
1120	KAISER PERMANENTE	10725 INTERNATIONAL DR	SACRAMENTO	1.9	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
6547	NEW LEGACY 555, LLC	555 CAPITOL MALL	SACRAMENTO	1.8	0.0
1781	KAISER HOSPITAL	1650 RESPONSE RD	SACRAMENTO	1.8	0.0
7455	SACRAMENTO COUNTY WATER AGENCY (SCWA)	1306 FITCH WAY	SACRAMENTO	1.8	0.0
964	PACIFIC BELL DBA AT&T CA	7931 CALIFORNIA AVE	SACRAMENTO	1.8	0.0
4960	MCCLELLAN BUSINESS PARK	3720 DUDLEY BLVD	MCCLELLAN	1.8	0.0
780	ARDEN FAIR ASSOCIATES	1689 ARDEN WAY	SACRAMENTO	1.8	0.0
6315	LEVEL 3 COMMUNICATIONS	1303 J ST	SACRAMENTO	1.8	0.0
6188	WEST TARON HOLDINGS, LLC	9700 W. TARON DR	ELK GROVE	1.8	0.0
1220	PACIFIC BELL DBA AT&T CA	6441 CRAIGHURST DR	NORTH HIGHLANDS	1.8	0.0
2096	MACYS WEST	6000 SUNRISE BLVD	CITRUS HEIGHTS	1.8	0.0
5503	SACRAMENTO SUBURBAN WATER DISTRICT	GREAT VALLEY DR	ANTELOPE	1.8	0.0
6970	SENATOR SEAGATE, LP	1121 L STREET STE 204	SACRAMENTO	1.8	0.0
5276	COUNTY OF SAC DEPT OF GENERAL SERVICES	9660 ECOLOGY LANE	SACRAMENTO	1.7	0.0
3823	COUNTY OF SACRAMENTO DEPT OF WATER QUALITY	10740 BEAR HOLLOW DR	SACRAMENTO	1.7	0.0
3574	AGILENT TECHNOLOGIES, INC - REGULATORY FEE #131814	91 BLUE RAVINE ROAD	FOLSOM	1.7	0.0
4920	RUBICON PROPERTY MANAGEMENT	1107 9TH ST	SACRAMENTO	1.7	0.0
5464	CITY OF RANCHO CORDOVA	2729 PROSPECT PARK DR	RANCHO CORDOVA	1.7	0.0
1697	US GOVT FAA	5922 ROSEVILLE RD	NORTH HIGHLANDS	1.7	0.0
5405	ESQUIRE TOWER, A DBA OF TSA-KOPOULOS FAMILY LLC AND	1215 K STREET	SACRAMENTO	1.7	0.0
1963	COSTCO WHOLESALE C/O BARGHAUSEN	11260 WHITE ROCK RD	RANCHO CORDOVA	1.7	0.0
7441	CPR/PDC SACRAMENTO ELKHORN BLVD OWNER LLC	4525 WEST ELKHORN BLVD	SACRAMENTO	1.7	0.0
5582	WALMART STORE 02735 C/O APTIM LICENSING SUPPORT	6051 FLORIN RD	SACRAMENTO	1.7	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
5052	FIRST COVENANT CHURCH	10933 PROGRESS CT	RANCHO CORDOVA	1.7	0.0
5304	MULTICULTURAL RADIO BROADCAST- ING	13051 KIEFER BLVD	SLOUGHHOUSE	1.7	0.0
5259	500 CAPITOL MALL TOWER, LLC	500 CAPITOL MALL	SACRAMENTO	1.7	0.0
4425	JC PENNEY C/O PROFESSIONAL SER- VICE INDUSTRIES	6100 SUNRISE BLVD	CITRUS HEIGHTS	1.7	0.0
866	SAC COUNTY WATER AGENCY	DWIGHT RD	ELK GROVE	1.7	0.0
138	SMUD FINANCING AUTHORITY DBA MCCLELLAN POWER PLANT	4536 DUDLEY BLVD	MCCLELLAN	1.7	0.0
4124	PARATRANSIT, INC	2501 FLORIN RD	SACRAMENTO	1.7	0.0
1414	WELLS FARGO BANK CORP PROP GRP - BE 199038	3640 NORTHGATE BLVD	SACRAMENTO	1.7	0.0
5623	ALLDATA, LLC	9650 W TARON DR	ELK GROVE	1.7	0.0
6968	SHI-III PRARIE CITY LANDING OWNER, LLC	645 WILLARD DR	FOLSOM	1.7	0.0
4411	CITY OF SACRAMENTO - DEPT OF UTIL- ITIES	1901 CLUB CENTER DR	SACRAMENTO	1.7	0.0
2027	MACYS WEST	1701 ARDEN WAY	SACRAMENTO	1.7	0.0
5756	SACRAMENTO AREA SEWER DISTRICT	8232 OLIVE AVE	FAIR OAKS	1.7	0.0
5747	GPT PROPERTIES TRUST C/O REIT MANAGEMENT & RESEARC	915 L ST, STE 1420	SACRAMENTO	1.6	0.0
5996	CITY OF GALT	901 GOLDEN HEIGHTS DR	GALT	1.6	0.0
5761	15TH &L INVESTORS,LLC DBA RESI- DENCE INN BY MARRIOT	1121 15TH ST	SACRAMENTO	1.6	0.0
6791	ZAYO GROUP	ALTA MESA RD	HERALD	1.6	0.0
3860	LOWES HIW INC	6199 SUNRISE BLVD	CITRUS HEIGHTS	1.6	0.0
6105	DIGNITY HEALTH	9650 WYMARK DR	ELK GROVE	1.6	0.0
4412	SACRAMENTO AREA SEWER DISTRICT	3350 AIRPORT RD	SACRAMENTO	1.6	0.0
2695	MERCY SAN JUAN HOSPITAL	6501 COYLE AVE	CARMICHAEL	1.6	0.0
2995	PACIFIC BELL DBA AT&T CA	BORDEN RD & HERALD RD	HERALD	1.6	0.0
4455	QUEST DIAGNOSTICS, INC.	3714 NORTHGATE BLVD	SACRAMENTO	1.6	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
2387	HOME DEPOT #6675 - C/O 3E	2675 E BIDWELL ST	FOLSOM	1.6	0.0
3990	SACRAMENTO SUBURBAN WATER DISTRICT	FAIRBAIRN DR & KARL DR	NORTH HIGHLANDS	1.6	0.0
3988	SACRAMENTO SUBURBAN WATER DISTRICT	2841 BELL STREET	SACRAMENTO	1.6	0.0
7233	AMERICAN TOWER DELAWARE CORP. DBA AMERICAN TOWER	3517 A STREET	NORTH HIGHLANDS	1.6	0.0
6362	AMERICAN TOWER CORPORATION	719 N MARKET BLVD	SACRAMENTO	1.6	0.0
7097	ZAYO GROUP	650 J ST	SACRAMENTO	1.6	0.0
7019	NBCUNIVERSAL MEDIA, LLC	500 MEDIA PL	SACRAMENTO	1.5	0.0
5965	SACRAMENTO METROPOLITAN FIRE DISTRICT	10545 ARMSTRONG AVE	MATHER	1.5	0.0
7146	LOOMIS ARMORED US, LLC DBA LOOMIS	1717 E STREET	SACRAMENTO	1.5	0.0
3508	SUREWEST	5115 ARNOLD AV	MCCLELLAN	1.5	0.0
2688	STATE OF CA, DEPT OF TRANSPORTATION	1120 N ST	SACRAMENTO	1.5	0.0
2396	APPLE COMPUTER	2511 LAGUNA BLVD	ELK GROVE	1.5	0.0
1649	STATE OF CALIFORNIA - RESD-BPM	800 CAPITOL MALL	SACRAMENTO	1.5	0.0
5053	LOCKE WATER WORKS CO.	13910 RIVER RD	WALNUT GROVE	1.5	0.0
4089	SUREWEST	3008 U STREET	SACRAMENTO	1.5	0.0
6159	SUTTER GENERAL HOSPITAL	7700 FOLSOM BLVD	SACRAMENTO	1.5	0.0
4116	CALIFORNIA TEACHERS ASSN	1118 10TH STREET	SACRAMENTO	1.5	0.0
3066	PACIFIC BELL DBA AT&T CA	4752 ARCO ARENA BLVD	SACRAMENTO	1.5	0.0
3717	SACRAMENTO AREA SEWER DISTRICT	1855 IRON POINT ROAD	FOLSOM	1.5	0.0
6623	NIDEC MOTOR CORPORATION DBA MOTION CONTROL ENGINEE	11380 WHITE ROCK RD	RANCHO CORDOVA	1.5	0.0
6478	SACRAMENTO DOWNTOWN ARENA, LLC	609 L ST	SACRAMENTO	1.4	0.0
6066	SUTTER HEALTH CORP.	7700 FOLSOM BLVD	SACRAMENTO	1.4	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
3982	SACRAMENTO SUBURBAN WATER DISTRICT	2736 AUBURN BLVD	SACRAMENTO	1.4	0.0
5911	VERIZON WIRELESS	6307 STONEHOUSE RD	RANCHO MURIETA	1.4	0.0
4112	COUNTY OF SAC DEPT OF GENERAL SERVICES	4600 BROADWAY	SACRAMENTO	1.4	0.0
1873	RANCHO MURIETA COMMUNITY SERVICES DIST	MAIN LIFT NO	RANCHO MURIETA	1.4	0.0
6608	AGILENT TECHNOLOGIES, INC - REGULATORY FEE #131814	101 BLUE RAVINE ROAD	FOLSOM	1.4	0.0
4733	SAC COUNTY WATER AGENCY	DOUGLAS RD & SECURITY PK	RANCHO CORDOVA	1.4	0.0
4046	COUNTY OF SACRAMENTO DEPT OF WATER QUALITY	SE OF POWER INN & AUBERRY	SACRAMENTO	1.4	0.0
5347	CITY OF SAC., DEPT OF UTILITIES	1 WATER ST	SACRAMENTO	1.4	0.0
1458	COUNTY OF SACRAMENTO, DEPT OF GENERAL SVCS	700 H ST	SACRAMENTO	1.4	0.0
7312	CALIFORNIA AMERICAN WATER CO.	2344 COTTAGE WAY	SACRAMENTO	1.4	0.0
4538	SAC COUNTY WATER AGENCY	4323 SUNRISE BLVD	RANCHO CORDOVA	1.4	0.0
3526	PACIFIC BELL DBA AT&T CA	1115 P STREET	SACRAMENTO	1.4	0.0
6981	7405 GREENHAVEN, ACLP DBA CPM PROPERTY MGMT	7405 GREENHAVEN DR	SACRAMENTO	1.4	0.0
4358	CITY OF FOLSOM	756 LORENA LN	FOLSOM	1.4	0.0
3580	FEDERAL HOME LOAN BANK OF SAN FRANCISCO	11050 WHITE ROCK ROAD	RANCHO CORDOVA	1.4	0.0
7356	CA SACRAMENTO COMMONS LLC	1501 5TH STREET	SACRAMENTO	1.4	0.0
7355	CA SACRAMENTO COMMONS LLC	1421 5TH STREET	SACRAMENTO	1.4	0.0
7226	GSV RANCHO CORDOVA, LLC DBA COLLIERS INTERNATIONAL	11031 SUN CENTER DR	RANCHO CORDOVA	1.4	0.0
7208	AMAZON.COM SERVICES, LLC (FACILITY SMF6)	8040 METRO AIR PARKWAY	SACRAMENTO	1.4	0.0
4232	COUNTY OF SACRAMENTO, DEPT. OF GENERAL SERVICES	4000 BRANCH CENTER RD	SACRAMENTO	1.4	0.0
7136	SAC COUNTY WATER AGENCY	8280 CIVIC CENTER DRIVE	ELK GROVE	1.4	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
3691	HOME DEPOT (C/O 3E COMPANY)	9150 W. STOCKTON BLVD	ELK GROVE	1.4	0.0
5881	AUDACY CALIFORNIA, LLC	15125 WHITE ROCK RD	RANCHO CORDOVA	1.3	0.0
3038	CITY OF SACRAMENTO	3550 MARYSVILLE BLVD	SACRAMENTO	1.3	0.0
6917	FOLSOM ENDOSCOPY CENTER, LLC	1671 CREEKSIDE DR. STE 100	FOLSOM	1.3	0.0
6559	EAST COMMERCE BUILDING A CLP	4450 E. COMMERCE WY	SACRAMENTO	1.3	0.0
6458	CITY OF GALT	10065 LIVE OAK AVE	GALT	1.3	0.0
4537	COUNTY OF SACRAMENTO MSA DWR DOMS	4401 BAYOU ROAD	SACRAMENTO	1.3	0.0
6300	CITY OF RANCHO CORDOVA	2897 KILGORE RD	RANCHO CORDOVA	1.3	0.0
7402	ONE CAPITOL MALL, LP	1 CAPITOL MALL	SACRAMENTO	1.3	0.0
7174	T-MOBILE WEST LLC, CELL SITE #SC14041Z, SN041	6307 STONEHOUSE ROAD	SLOUGHOUSE	1.3	0.0
5441	CITY OF SAC., DEPT OF UTILITIES	1510 STRIKER AVE	SACRAMENTO	1.3	0.0
1947	A/P PROCESSING CENTER CITY OF SACRAMENTO	U ST/FRONT ST	SACRAMENTO	1.3	0.0
5861	SACRAMENTO AREA SEWER DISTRICT	4806 DUDLEY BLVD	NORTH HIGHLANDS	1.3	0.0
3960	CALIFORNIA AMERICAN WATER CO.	VARIOUS LOCATIONS	SACRAMENTO	1.3	0.0
1656	US GOVERNMENT GENERAL SERVICES ADMINISTRATION	650 CAPITOL MALL	SACRAMENTO	1.3	0.0
1547	COUNTY OF SAC DEPT OF GENERAL SERVICES	4800 BROADWAY	SACRAMENTO	1.3	0.0
1028	KXTV CHANNEL 10	400 BROADWAY	SACRAMENTO	1.3	0.0
1010	KAISER FOUN HOSP SOUTH	6600 BRUCEVILLE RD	SACRAMENTO	1.3	0.0
7092	CALIFORNIA AMERICAN WATER CO.	3100 47TH STREET	SACRAMENTO	1.3	0.0
6777	EVERGREEN PHARMACEUTICAL OF CA, INC DBA OMNICARE	3630 BUSINESS DR	SACRAMENTO	1.3	0.0
6017	SACRED HEART PARISH SCHOOL	856 39TH STREET	SACRAMENTO	1.3	0.0
3989	SACRAMENTO SUBURBAN WATER DISTRICT	4004 AUBURN BLVD	SACRAMENTO	1.3	0.0
7442	CPR/PDC SACRAMENTO ELKHORN BLVD OWNER LLC	4535 WEST ELKHORN BLVD	SACRAMENTO	1.3	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
5651	COUNTY OF SACRAMENTO - DTECH	7641 GREENBACK LN	CITRUS HEIGHTS	1.2	0.0
7370	JACKSON V, LLC	1865 65TH STREET	SACRAMENTO	1.2	0.0
4560	UNITED STATIONERS SUPPLY COMPANY	5440 STATIONERS WAY	SACRAMENTO	1.2	0.0
7237	AMERICAN TOWER ASSET SUB, LLC DBA AMERICAN TOWER	8149 EXCELSIOR AVE	ORANGEVALE	1.2	0.0
6887	CITY OF SACRAMENTO	1229 I STREET	SACRAMENTO	1.2	0.0
3100	CITY OF SACRAMENTO	624 Q ST	SACRAMENTO	1.2	0.0
5896	COUNTY OF SAC, DEPT OF GS	9630 CONSERVATION RD	SACRAMENTO	1.2	0.0
4436	JOHN JACKSON JR, JOHN JACKSON SR, JOHN & CLAUDINE	3740 BUSINESS DR	SACRAMENTO	1.2	0.0
3729	EMBASSY SUITES HOTEL SACRAMENTO	100 CAPITOL MALL	SACRAMENTO	1.2	0.0
3567	LOWES HIW INC	8369 POWER INN RD	ELK GROVE	1.2	0.0
2909	CITY OF FOLSOM	1942 E NATOMA ST	FOLSOM	1.2	0.0
5891	SACRAMENTO FIRE STATION #5 (C/O CITY OF SAC DGS)	4201 EL CENTRO RD	SACRAMENTO	1.2	0.0
3808	CALIF STATE UNIV SACTO RESIDENTIAL LIFE	6000 J STREET	SACRAMENTO	1.2	0.0
7453	CAPITAL POST ACUTE	6821 24TH STREET	SACRAMENTO	1.2	0.0
6308	16TH & O GATEWAY	1510 16TH ST	SACRAMENTO	1.2	0.0
5020	SACRAMENTO MATHER AIRPORT	10312 MACREADY AVE.	MATHER	1.2	0.0
3859	CITY OF GALT	49 LIVE OAK AVE	GALT	1.2	0.0
700	COUNTY OF SAC DEPT OF GENERAL SERVICES	14049 BOYS RANCH RD	SLOUGHHOUSE	1.2	0.0
5684	MICRON TECHNOLOGY INC.	2235 IRON POINT RD	FOLSOM	1.2	0.0
7269	CONTRACTORS' WAREHOUSE #6134 C/O VERISK 3E	7999 GREENBACK LANE	CITRUS HEIGHTS	1.2	0.0
3991	SACRAMENTO SUBURBAN WATER DISTRICT	3848 BAINBRIDGE DR	NORTH HIGHLANDS	1.2	0.0
346	SACRAMENTO AREA SEWER DISTRICT	CHASE DR WEST END	RANCHO CORDOVA	1.2	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
4223	CITY OF SAC., DEPT OF UTILITIES	6441 ELVAS AVE	SACRAMENTO	1.2	0.0
3590	CITY OF SAC., DEPT OF UTILITIES	7851 FREEPORT BLVD	SACRAMENTO	1.2	0.0
4769	NEW CINGULAR WIRELESS PCS, LLC DBA AT&T MOBILITY	1750 HOWE AVE	SACRAMENTO	1.1	0.0
6497	GPT PROPERTIES TRUST DBA BUREAU OF AUTOMOTIVE REPA	10949 N. MATHER DR	RANCHO CORDOVA	1.1	0.0
5264	ROYAL ELECTRIC CORP FACILITY	8481 CARBIDE CT	SACRAMENTO	1.1	0.0
4638	SAC COUNTY WATER AGENCY	10325 WILDHAWK DR	SACRAMENTO	1.1	0.0
2421	HEARST ARGYLE STATIONS INC	3 TELEVISION CIR	SACRAMENTO	1.1	0.0
5918	VERIZON WIRELESS	6060 SUNRISE VISTA DR	CITRUS HEIGHTS	1.1	0.0
5328	BLOODSOURCE -- SACRAMENTO	10585 ARMSTRONG AVE	MATHER	1.1	0.0
5077	L STREET LOFTS, LLC C/O SACRA- MENTO MANAGEMENT	1818 L ST	SACRAMENTO	1.1	0.0
7202	AMERICAN TOWERS LLC DBA AMERI- CAN TOWER (8642)	3259 FITZGERALD ROAD	RANCHO CORDOVA	1.1	0.0
5753	AT CROYDON WAY LP	10161 CROYDON WAY, #2	SACRAMENTO	1.1	0.0
7275	CONTRACTORS' WAREHOUSE #6131 C/O VERISK 3E	10060 MILLS STATION ROAD	SACRAMENTO	1.1	0.0
2433	AMPAC FINE CHEMICALS	HIGHWAY 50 AND HAZEL AVE	RANCHO CORDOVA	1.1	0.0
6603	CITY OF SAC., DEPT OF UTILITIES	3101 MCKINLEY VILLAGE WY	SACRAMENTO	1.1	0.0
3794	CENIC DBA UC DAVIS COMMUNICA- TIONS RESOURCES	1107 9TH STREET	SACRAMENTO	1.1	0.0
7012	SHI-III BRUCEVILLE POINT OWNER, LLC	9730 BACKER RANCH ROAD	ELK GROVE	1.1	0.0
4615	GOLDEN STATE WATER COMPANY -- R1	3445 OSELOT WAY	RANCHO CORDOVA	1.1	0.0
7087	CALIFORNIA AMERICAN WATER CO.	6016 37TH STREET	SACRAMENTO	1.1	0.0
7394	THE PARK AT EAST SAC, LP	3301 C STREET	SACRAMENTO	1.1	0.0
1184	CPC SIERRA VISTA HOSPITAL	8001 BRUCEVILLE RD	SACRAMENTO	1.1	0.0
1871	STATE OF CALIF FISH & GAME-AMERI- CAN RIVER HATCHERY	2101 NIMBUS RD	RANCHO CORDOVA	1.1	0.0
3455	SCHETTER ELECTRIC	221 SEQUOIA PACIFIC BLVD	SACRAMENTO	1.1	0.0
2547	CALTRANS	3165 GOLD VALLEY DR	RANCHO CORDOVA	1.0	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
5244	VERIZON WIRELESS	7933 BRADSHAW RD	SACRAMENTO	1.0	0.0
4778	VERIZON WIRELESS	11680 KESTREL LAKE RD	ELK GROVE	1.0	0.0
4216	CITY OF FOLSOM	1979 BROADSTONE PKWY	FOLSOM	1.0	0.0
6745	CITY OF FOLSOM	2601 PRAIRIE CITY RD	FOLSOM	1.0	0.0
3085	DEFENSE MICROELECTRONICS ACTIVITY	4235 54TH STREET	MCCLELLAN	1.0	0.0
2744	CITY OF SAC., DEPT OF UTILITIES	1391 35TH AVE	SACRAMENTO	1.0	0.0
3874	QWEST COMMUNICATIONS CORP DBA CENTRUY LINK	770 L STREET	SACRAMENTO	1.0	0.0
3182	COUNTY OF SACRAMENTO - DTECH	7399 SAN JOAQUIN ST	SACRAMENTO	1.0	0.0
1411	LEGISLATIVE COUNSEL BUREAU/LEGISLATIVE DATA CTR	1100 J STREET #200	SACRAMENTO	1.0	0.0
5624	SAC COUNTY WATER AGENCY	10151 FLORIN RD	SACRAMENTO	1.0	0.0
4290	CSUS AQUATIC CENTER	1901 HAZEL AVE	RANCHO CORDOVA	1.0	0.0
4170	FLORIN WATER DISTRICT	7491 REESE RD	SACRAMENTO	1.0	0.0
7560	2020 WEST EL CAMINO LLC	2020 W. EL CAMINO AVE, #120	SACRAMENTO	1.0	0.0
6352	SAFE CREDIT UNION	12519 FOLSOM BLVD	RANCHO CORDOVA	1.0	0.0
4264	SAC COUNTY WATER AGENCY	7510 POPPY RIDGE ROAD	ELK GROVE	1.0	0.0
4910	LEVEL 3 COMMUNICATIONS	13368 ALTA MESA RD	GALT	1.0	0.0
5615	JUDICIAL COUNCIL OF CALIFORNIA	301 BICENTENNIAL CIR	SACRAMENTO	1.0	0.0
1644	STATE OF CALIF GS/OB&G	744 P ST	SACRAMENTO	1.0	0.0
3825	COUNTY OF SAC DEPT OF GENERAL SERVICES	3700 BRANCH CENTER RD	SACRAMENTO	1.0	0.0
4364	CITY OF SAC., DEPT OF UTILITIES	SUMP 85	SACRAMENTO	1.0	0.0
4225	RANCHO MURIETA COMMUNITY SERVICES DIST	7305 BERMUDA CT	RANCHO MURIETA	0.9	0.0
5548	BLUFF ENTERPRISES DBA FOLSOM CONVALESCENT	510 MILL ST	FOLSOM	0.9	0.0
5613	JUDICIAL COUNCIL OF CALIFORNIA	9605 KIEFER BLVD	SACRAMENTO	0.9	0.0
4087	PACIFIC BELL DBA AT&T CA	5951 MAIN AVE	ORANGEVALE	0.9	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
2918	PACIFIC BELL DBA AT&T CA	7100 STONE HOUSE RD	RANCHO MURIETA	0.9	0.0
5554	RECOLOGY, INC.	8301 LUZON AVE	SACRAMENTO	0.9	0.0
2001	US GOVERNMENT GENERAL SERVICES ADMINISTRATION	501 I ST	SACRAMENTO	0.9	0.0
6843	AESTHETIC ARTISTRY SURGICAL & MEDICAL CENTER	1841 IRON POINT RD	FOLSOM	0.9	0.0
7321	THE PRESS AT MIDTOWN	1714 21ST STREET	SACRAMENTO	0.9	0.0
2529	COUNTY OF SACRAMENTO MSA DWR DOMS	W END OF RAFAEL DR - D34	SACRAMENTO	0.9	0.0
2743	CITY OF SACRAMENTO	1515 J ST	SACRAMENTO	0.9	0.0
7192	SACRAMENTO CA III SGF LLC	10370 PETER A. MCCUEN	MATHER	0.9	0.0
4057	A/P PROCESSING CENTER CITY OF SACRAMENTO	NATOMAS & ELK HORN	SACRAMENTO	0.9	0.0
3536	STATE OF CA, DEPT OF TECHNOLOGY SERVICES	3101 GOLD CAMP DR	RANCHO CORDOVA	0.9	0.0
5256	CITY OF SACRAMENTO - DEPT OF UTILITIES	300 RICHARDS BLVD	SACRAMENTO	0.9	0.0
4528	SACRAMENTO FIRE STATION #5 (C/O CITY OF SAC DGS)	731 BROADWAY	SACRAMENTO	0.9	0.0
3666	CITY OF SAC., DEPT OF UTILITIES	VARIOUS LOCATIONS		0.9	0.0
2513	COUNTY OF SACRAMENTO	12500 BRUCEVILLE RD	ELK GROVE	0.9	0.0
2541	CALIFORNIA EXPOSITION & STATE FAIR	1600 EXPOSITION BLVD	SACRAMENTO	0.9	0.0
6864	CEGM RANCHO CORDOVA, LLC	3300 ZINFANDEL DR	RANCHO CORDOVA	0.9	0.0
6912	MBK SENIOR LIVING DBA ALMOND HEIGHTS MSL LLC	8685 GREENBACK LN	ORANGEVALE	0.9	0.0
1684	CITY OF SACRAMENTO	3301 MARTIN LUTHER KING	SACRAMENTO	0.8	0.0
911	US BUREAU OF RECLAMATION - MP-3100	2800 COTTAGE WAY	SACRAMENTO	0.8	0.0
6924	KIOXIA AMERICA, INC	35 IRON POINT CIR	FOLSOM	0.8	0.0
6433	IRON MOUNTAIN	8150 SIGNAL CT	SACRAMENTO	0.8	0.0
5954	VERIZON WIRELESS	7950 CALIFORNIA AVE	FAIR OAKS	0.8	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
4899	FAIR OAKS WATER DISTRICT	7601 HEATHER RD	FAIR OAKS	0.8	0.0
5030	STATE OF CA, DEPT OF TRANSPORTATION	ROUTE 160 NEAR ISLETON	ISLETON	0.8	0.0
7124	COUNTY OF SACRAMENTO MSA DWR DOMS	4969 MARLBOROUGH WAY	CARMICHAEL	0.8	0.0
4737	COUNTY OF SACRAMENTO - DTECH	9250 BOND RD	SACRAMENTO	0.8	0.0
6805	CITY OF FOLSOM	354 PLACERVILLE RD	FOLSOM	0.8	0.0
6336	CALIFORNIA AMERICAN WATER CO.	4701 BELOIT DR.	SACRAMENTO	0.8	0.0
4635	RIO LINDA WATER DISTRICT	8359 RIO LINDA BLVD	ELVERTA	0.8	0.0
1755	WELLS FARGO BANK CORP PROP GRP - BE 193002	2125 BUTANO DR	SACRAMENTO	0.8	0.0
5614	JUDICIAL COUNCIL OF CALIFORNIA	720 9TH ST	SACRAMENTO	0.8	0.0
7088	CALIFORNIA AMERICAN WATER CO.	6300 41ST STREET	SACRAMENTO	0.8	0.0
5859	SAM'S CLUB NO. 662 C/O SHAW LICENSING SUPPORT	8250 POWER INN RD	SACRAMENTO	0.8	0.0
5155	SSC CARMICHAEL OPERATING CO. DBA MISSION CARMICHAEL	3630 MISSION AVE	CARMICHAEL	0.8	0.0
4465	CAPITOL CITY SURGERY CENTER	1800 TRIBUTE RD	SACRAMENTO	0.8	0.0
3684	CELLCO PARTNERSHIP DBA VERIZON WIRELESS	295 PARKSHORE DR	FOLSOM	0.8	0.0
7035	CAPSTONE REALTY INVESTMENTS, LLC	2440 GOLD RIVER RD	RANCHO CORDOVA	0.8	0.0
883	RANCHO MURIETA COMMUNITY SERVICES DIST	RIO OSO WTR BSTR STN	RANCHO MURIETA	0.8	0.0
1699	STATE OF CALIFORNIA - RESD-BPM	721 CAPITOL MALL	SACRAMENTO	0.8	0.0
681	KVIE	1400 TWIN CITIES RD	WALNUT GROVE	0.8	0.0
2375	LOS RIOS COMMUNITY COLLEGE DISTRICT	4700 COLLEGE OAK DR	SACRAMENTO	0.8	0.0
1609	STATE OF CALIF OFF BLDG/G	914 CAPITOL MALL	SACRAMENTO	0.8	0.0
6351	SAFE CREDIT UNION	2295 IRON POINT RD	FOLSOM	0.8	0.0
3596	US GOVT FAA	4175 CONVAIR LINER ROAD	MATHER	0.8	0.0
3019	CITY OF SAC., DEPT OF UTILITIES	REGENCY CIR & HONOR PRKWY	SACRAMENTO	0.8	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
2811	CITY OF SAC., DEPT OF UTILITIES	CREST DR (SW OF DANBROOK)	SACRAMENTO	0.8	0.0
2032	CITY OF GALT	10570 KOST RD	GALT	0.7	0.0
6979	CITY OF ELK GROVE - PUBLIC WORKS DRAINAGE	10441 GRANT LINE RD	ELK GROVE	0.7	0.0
4082	LOS RIOS COMMUNITY COLLEGE DISTRICT	1919 SPANOS CT	SACRAMENTO	0.7	0.0
7030	CDCR / CCHCS DBA CDCR PHARMACY	8364 ROVANA CIRCLE	SACRAMENTO	0.7	0.0
6568	LEVEL 3 COMMUNICATIONS	1107 9TH ST	SACRAMENTO	0.7	0.0
7165	CITRUS HEIGHTS 7435 MP RK6, LLC	7435 STOCK RANCH ROAD	CITRUS HEIGHTS	0.7	0.0
6163	DATA CATE INC	2999 GOLD CANAL DR	RANCHO CORDOVA	0.7	0.0
6378	CITY OF SACRAMENTO - DEPT OF UTILITIES	785 FLORIN RD	SACRAMENTO	0.7	0.0
2676	DEFENSE COMMISSARY AGENCY	3401 DOGWOOD ST, BLDG 948	MCCLELLAN	0.7	0.0
892	SACRAMENTO METROPOLITAN FIRE DISTRICT	7352 ROSEVILLE RD	SACRAMENTO	0.7	0.0
3886	SACRAMENTO HOUSING & REDEVELOPMENT AGENCY	600 I STREET	SACRAMENTO	0.7	0.0
7454	TARGET CORPORATION	7450 METRO AIR PARKWAY	SACRAMENTO	0.7	0.0
4410	CITY OF SACRAMENTO - DEPT OF UTILITIES	2152 RIO LINDA BLVD	SACRAMENTO	0.7	0.0
3530	COSUMNES FIRE DEPT	8545 SHELDON RD	ELK GROVE	0.7	0.0
3191	RALEYS	4061 GATEWAY PARK BLVD	SACRAMENTO	0.7	0.0
1683	CITY OF SACRAMENTO	6500 WYNDHAM DR	SACRAMENTO	0.7	0.0
2320	RIO LINDA WATER DISTRICT	730 L ST	RIO LINDA	0.7	0.0
3378	RICHARD A MCGEE CORRECTIONAL TRAINING	9850 TWIN CITIES ROAD	GALT	0.7	0.0
1698	STATE OF CALIFORNIA - RESD-BPM	801 CAPITOL MALL	SACRAMENTO	0.7	0.0
2707	HOME DEPOT (C/O 3E COMPANY)	5859 ANTELOPE ROAD	CITRUS HEIGHTS	0.7	0.0
7527	DOMINIC L CORTESE FAMILY PARTNERSHIP LP	11155 INTERNATIONAL DR	RANCHO CORDOVA	0.7	0.0
2515	MCI WORLDCOM	20TH & C ST	SACRAMENTO	0.7	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
3677	SAC COUNTY WATER AGENCY	9960 WATERMAN RD.	ELK GROVE	0.7	0.0
5005	STATE OF CALIFORNIA OES	601 SEQUOIA PACIFIC BLVD	SACRAMENTO	0.6	0.0
4306	CITY OF FOLSOM	2034 BRANDING IRON CT	FOLSOM	0.6	0.0
7075	IDEMIA	5111 ROBERTS AVE	MCCLELLAN	0.6	0.0
4146	COUNTY OF SACTO EDUCATION	10474 MATHER BLVD	MATHER	0.6	0.0
1836	SAN JUAN WATER DISTRICT	BACON PUMP STATION	FOLSOM	0.6	0.0
3417	CITY OF SAC., DEPT OF UTILITIES	NATOMAS/N PARK DR	SACRAMENTO	0.6	0.0
3661	CALIFORNIA AMERICAN WATER CO.	2403 COVERED WAGON CIRCLE	ANTELOPE	0.6	0.0
6601	CORDOVA, LLC	10850 WHITE ROCK RD	RANCHO CORDOVA	0.6	0.0
3538	STATE OF CALIFORNIA OES	3650 SCHRIEVER AVE	SACRAMENTO	0.6	0.0
654	STATE OF CALIF PRISON SAC	FACILITY A	REPRESA	0.6	0.0
4706	CITY OF SAC., DEPT OF UTILITIES	8054 TORRENTE WAY	SACRAMENTO	0.6	0.0
6639	CONSOLIDATED COMMUNICATIONS	8295 ELK GROVE BLVD	ELK GROVE	0.6	0.0
2292	COUNTY OF SACRAMENTO MSA DWR DOMS	D12 WINDING WAY/AUBURN - D12	SACRAMENTO	0.6	0.0
6228	CITY OF SAC., DEPT OF UTILITIES	TERRACINA DR (OFF TRUXEL)	SACRAMENTO	0.6	0.0
7038	300 CAPITOL MALL INVESTORS, LP	300 CAPITOL MALL	SACRAMENTO	0.6	0.0
3406	CITY OF SACRAMENTO	805 14TH ST	SACRAMENTO	0.6	0.0
3904	SAC COUNTY WATER AGENCY	9400 HARBOUR POINT DR	ELK GROVE	0.6	0.0
6627	FAIR OAKS WATER DISTRICT	5404 ALAIRE VIA DR	FAIR OAKS	0.6	0.0
5955	VERIZON WIRELESS	5800 MADISON AVE	SACRAMENTO	0.5	0.0
2475	DELTANET DBA DELTA DENTAL	3241 KILGORE RD	RANCHO CORDOVA	0.5	0.0
2419	HEARST ARGYLE STATIONS INC	14003 RIVER RD	WALNUT GROVE	0.5	0.0
6718	AT&T MOBILITY	1931 ARENA BLVD	SACRAMENTO	0.5	0.0
6164	REGIONAL TRANSIT	1225 R ST	SACRAMENTO	0.5	0.0
1859	SACRAMENTO METROPOLITAN FIRE DISTRICT	2101 HURLEY WAY	SACRAMENTO	0.5	0.0
3194	CITY OF SAC., DEPT OF UTILITIES	7788 FREEPORT BLVD	SACRAMENTO	0.5	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
6145	COUNTY OF SACRAMENTO, GENERAL SERVICES	7000 65TH STREET	SACRAMENTO	0.5	0.0
6869	TSV APARTMENTS, LLC	3675 T STREET	SACRAMENTO	0.5	0.0
5737	KOHL'S CORP	6135 SAN JUAN AVE	CITRUS HEIGHTS	0.5	0.0
7009	USDA	181 BLUE RAVINE RD	FOLSOM	0.5	0.0
6951	QUANTUM CARE PLACE CH, LLC	6550 GREENBACK LN	CITRUS HEIGHTS	0.5	0.0
1872	RANCHO MURIETA COMMUNITY SERVICES DIST	REYNOSA DR	RANCHO MURIETA	0.5	0.0
5494	CITY OF SACRAMENTO - DEPT OF UTILITIES	3720 47TH AVE	SACRAMENTO	0.5	0.0
4236	SACRAMENTO METROPOLITAN FIRE DISTRICT	4727 KILZER AVENUE	SACRAMENTO	0.5	0.0
5051	CITY OF SACRAMENTO	4500 24TH ST	SACRAMENTO	0.5	0.0
7333	JOINT RULES COMMITTEE DBA STATE CAPITOL BUILDING	1010 L STREET	SACRAMENTO	0.5	0.0
5578	SACRAMENTO HOUSING & REDEVELOPMENT AGENCY	801 12TH ST	SACRAMENTO	0.5	0.0
7335	CFT NV DEVELOPMENTS, LLC	2730 BROADWAY	SACRAMENTO	0.5	0.0
958	CITY OF SACRAMENTO	1700 CHALLENGE WAY	SACRAMENTO	0.5	0.0
460	REGIONAL TRANSIT	2811 O ST	SACRAMENTO	0.5	0.0
6742	RC WILLEY SACRAMENTO DBA RC WILLEY	8340 DELTA SHORES CIR SOUTH	SACRAMENTO	0.5	0.0
5491	428 ASSOCIATES LP	428 J STREET	SACRAMENTO	0.5	0.0
5938	VERIZON WIRELESS	5144 "B" ARDEN WAY	CARMICHAEL	0.5	0.0
5583	COUNTY OF SACRAMENTO - DTECH	10059 TWIN CITIES RD	GALT	0.5	0.0
5858	CALIFORNIA HIGHWAY PATROL	601 N. 7TH ST.	SACRAMENTO	0.5	0.0
5725	SANITATION DISTRICTS AGENCY	5026 DON JULIO BLVD	SACRAMENTO	0.5	0.0
4714	CITY OF SAC., DEPT OF UTILITIES	3540 DETBASIN, NORTH FREEWAY B	SACRAMENTO	0.5	0.0
4233	COUNTY OF SACRAMENTO MSA DWR DOMS	D010 MANLOVE STORM DRAINAGE	SACRAMENTO	0.4	0.0
2752	VISION SERVICE PLAN	10845 INTERNATIONAL DR	RANCHO CORDOVA	0.4	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
4318	CITY OF SACRAMENTO - DEPT OF UTILITIES	915 I STREET	SACRAMENTO	0.4	0.0
6585	OMNINET SACRAMENTO LLC	2000 EVERGREEN ST	SACRAMENTO	0.4	0.0
7180	STATE OF CALIF DGS/OFS-PROGRAM SUPPORT ACCT. SECT.	651 BANNON STREET	SACRAMENTO	0.4	0.0
7314	ORCA BIOSYSTEMS	7910 METRO AIR PARKWAY	SACRAMENTO	0.4	0.0
7384	VERIZON WIRELESS	7100 BALDWIN DAM RD	FOLSOM	0.4	0.0
6673	VERIZON WIRELESS- SHORTLINE	8545 SHELDON RD	ELK GROVE	0.4	0.0
2572	COUNTY OF SACRAMENTO MSA DWR DOMS	NO. LEVEE E. OF WATT -D43	SACRAMENTO	0.4	0.0
7066	MALCOLM INTERNATIONAL LLC	3286 FITZGERALD RD	RANCHO CORDOVA	0.4	0.0
3413	SACRAMENTO AREA SEWER DISTRICT	8335 RIVER ROAD	SACRAMENTO	0.4	0.0
7150	SACRAMENTO METROPOLITAN FIRE DISTRICT	12065 COBBLE BROOK DR	RANCHO CORDOVA	0.4	0.0
6830	19J LLC	1827 J ST	SACRAMENTO	0.4	0.0
2594	CITY OF SAC., DEPT OF UTILITIES	SAN JUAN & NATOMAS E	SACRAMENTO	0.4	0.0
5415	CITY OF SACRAMENTO, DEPT OF UTILITIES	5642 66TH STREET	SACRAMENTO	0.4	0.0
6361	AMERICAN TOWER CORPORATION	606 W DELANO ST	ELVERTA	0.4	0.0
4592	NEW CINGULAR WIRELESS PCS, LLC DBA AT&T MOBILITY	10030 GOETHE RD	SACRAMENTO	0.4	0.0
4409	CITY OF SACRAMENTO - DEPT OF UTILITIES	7399 SAN JOAQUIN ST	SACRAMENTO	0.4	0.0
3136	NTT GLOBAL DATA CENTERS AMERICAS, INC.	1200 STRIKER AVE	SACRAMENTO	0.4	0.0
1523	SHRINERS HOSPITALS	2425 STOCKTON BLVD	SACRAMENTO	0.4	0.0
6894	POWERSCHOOL GROUP LLC	150 PARKSHORE DRIVE	FOLSOM	0.4	0.0
4420	SUNRISE ASSISTED LIVING OF FAIR OAKS	4820 HAZEL AVE	FAIR OAKS	0.4	0.0
5958	STATE OF CALIF CALTRANS	O ST./BOAT SECTION	SACRAMENTO	0.4	0.0
3660	CALIFORNIA AMERICAN WATER CO.	10201 MISSILE WAY	SACRAMENTO	0.4	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
3740	SAC COUNTY WATER AGENCY	WELL #19, 3RD STREET	HOOD	0.4	0.0
5050	CITY OF SACRAMENTO	3301 JULLIARD DR	SACRAMENTO	0.4	0.0
7059	EGP DEA NORTH HIGHLANDS LLC.	4328 WATT AVE	SACRAMENTO	0.4	0.0
7347	KB PARKSHORE MT, LLC. C/O RUBICON PROPERTY MGMT	255 PARKSHORE DR	FOLSOM	0.4	0.0
4838	COMCAST OF SACRAMENTO, LLC	2175 PERKINS WAY	SACRAMENTO	0.4	0.0
6955	4500 ORANGE GROVE, A CALIFORNIA LTD PARTNERSHIP	4500 ORANGE GROVE AVE	SACRAMENTO	0.4	0.0
5292	EAST BAY MUNICIPAL UTILITY DISTRICT	12352 CLAY STATION RD	HERALD	0.4	0.0
6995	LANTHIAN SACRAMENTO LP	8371 ROVANA CIR	SACRAMENTO	0.4	0.0
7160	CALIFORNIA AMERICAN WATER CO.	6309 VAN MAREN LANE	CITRUS HEIGHTS	0.3	0.0
7085	ELK GROVE MEMORY CARE LLC DBA THE GARDENS AT LAGUN	9750 LAGUNA SPRINGS DRIVE	ELK GROVE	0.3	0.0
899	CITIZENS TELECOMMUNICATIONS COMPANY	7601 SHASTA AVE	ELK GROVE	0.3	0.0
5527	FREEPORT REGIONAL WATER AUTHORITY	10141 GERBER RD	SACRAMENTO	0.3	0.0
4704	CITY OF SAC., DEPT OF UTILITIES	3951 MACK RD	SACRAMENTO	0.3	0.0
6980	CITY OF ELK GROVE - PUBLIC WORKS DRAINAGE	3720 ELK GROVE BLVD	ELK GROVE	0.3	0.0
7144	THE MANSION APARTMENT OWNERS LLC	1517 H STREET	SACRAMENTO	0.3	0.0
4551	WINCO FOODS LLC	8701 GREENBACK LN	ORANGEVALE	0.3	0.0
2062	PACIFIC BELL DBA AT&T CA	553 C ST	GALT	0.3	0.0
5959	STATE OF CALIF CALTRANS	FRONT ST. & NEASHAM	SACRAMENTO	0.3	0.0
6962	25 NORTH 14TH STREET LLC	10888 WHITE ROCK RD	RANCHO CORDOVA	0.3	0.0
6234	QTS SACRAMENTO, LLC	1100 N. MARKET BLVD	SACRAMENTO	0.3	0.0
1183	CITY OF SAC., DEPT OF UTILITIES	GARDEN HWY/EL CENTRO	SACRAMENTO	0.3	0.0
101	FOLSOM STATE PRISON	FOLSOM PRISON	REPRESA	0.3	0.0
7492	PW FUND B, LP	4450 RALEY BLVD	SACRAMENTO	0.3	0.0
6500	CITY OF SACRAMENTO	1100 43RD AVE	SACRAMENTO	0.3	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
7261	RAINIER DC ASSETS LLC	3065 GOLD CAMP DR	RANCHO CORDOVA	0.3	0.0
3045	PACIFIC GAS AND ELECTRIC COMPANY	5555 FLORIN-PERKINS RD	SACRAMENTO	0.3	0.0
7191	CALIFORNIA MILITARY DEPARTMENT	10601 BEAR HOLLOW DRIVE	RANCHO CORDOVA	0.3	0.0
6686	KAISER FOUN HOSP SOUTH	10305 PROMENADE PKWY	ELK GROVE	0.3	0.0
6039	FOLSOM CORDOVA UNIFIED SCHOOL DISTRICT	1965 BIRKMONT AVENUE	RANCHO CORDOVA	0.3	0.0
4169	FLORIN WATER DISTRICT	7330 FRENCH RD	SACRAMENTO	0.3	0.0
7354	WELLSPACE HEALTH	1500 EXPO PARKWAY	SACRAMENTO	0.3	0.0
7163	CITY OF SACRAMENTO FIRE STATION # 14	1400 NORTH B STREET	SACRAMENTO	0.3	0.0
6353	NEW CINGULAR WIRELESS PCS, LLC DBA AT&T MOBILITY	8398 SHELDON RD	ELK GROVE	0.3	0.0
6964	COSUMNES COMMUNITY SERVICES DISTRICT	8820 ELK GROVE BLVD	ELK GROVE	0.3	0.0
2335	AUDACY CALIFORNIA, LLC	5831 ROSEBUD LN	SACRAMENTO	0.3	0.0
6439	VIBRA HOSPITAL OF SACRAMENTO	330 MONTROSE DR	FOLSOM	0.3	0.0
7444	FIT DEVELOPMENT, LP	8680 GREENBACK LN	ORANGEVALE	0.3	0.0
5740	SACRAMENTO METROPOLITAN FIRE DISTRICT	5824 KELLY WAY	MCCLELLAN	0.3	0.0
6812	CITY OF SACRAMENTO	1640 WEST EL CAMINO AVE	SACRAMENTO	0.2	0.0
4939	CITY OF SACRAMENTO - DEPT OF UTILITIES	216 O ST	SACRAMENTO	0.2	0.0
7462	JACKSON V, LLC	3575 BUSINESS DRIVE	SACRAMENTO	0.2	0.0
7303	PMB SACRAMENTO LLC DBA UC DAVIS HEALTH REHAB HOSP	4875 BROADWAY	SACRAMENTO	0.2	0.0
7215	AMERICAN TOWER ASSET SUB, LLC DBA AMERICAN TOWER	3130 BRADSHAW ROAD	SACRAMENTO	0.2	0.0
4063	SUTTER HEALTH-INFORMATION TECHNOLOGY	3707 SCHRIEVER AVE	MATHER	0.2	0.0
6997	WG CARMICHAEL OAKS, LP DBA ATRIA CARMICHAEL OAKS	8350 FAIR OAKS BLVD	CARMICHAEL	0.2	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
6371	KINGS CASINO, LLC DBA STONES GAMBLING HALL	6510 ANTELOPE RD	CITRUS HEIGHTS	0.2	0.0
6457	RANCHO MURIETA COMMUNITY SERVICES DIST	7161 MURIETA PARKWAY	RANCHO MURIETA	0.2	0.0
2435	CITY OF SAC., DEPT OF UTILITIES	CAL EXPO PARKING	SACRAMENTO	0.2	0.0
5950	VERIZON WIRELESS	4211 ARDEN WAY	SACRAMENTO	0.2	0.0
6982	STATE OF CALIFORNIA, DEPT OF GENERAL SERVICES	1215 O STREET	SACRAMENTO	0.2	0.0
7449	SACRAMENTO SUBURBAN WATER DISTRICT	2117 BUTANO DR	SACRAMENTO	0.2	0.0
4756	CITY OF ELK GROVE - FAC MGMT - POLICE DEPT	8401 LAGUNA PALMS WY	ELK GROVE	0.2	0.0
3180	COUNTY OF SACRAMENTO - DTECH	CLARKSVILLE RD	FOLSOM	0.2	0.0
6667	CALIFORNIA IVF	2590 VENTURE OAKS WAY	SACRAMENTO	0.2	0.0
6950	STATE OF CALIF GS DEPT (REAL ESTATE SVCS REGION 4)	715 P ST	SACRAMENTO	0.2	0.0
6523	BIT CALIFORNIA, LLC. D.B.A. DOCUMENT FULFILLMENT	2930 RAMONA AVE #100	SACRAMENTO	0.2	0.0
3170	SAC CONVENTION CTR -DBA SAFE CREDIT UNION CONV CTR	1401 K ST	SACRAMENTO	0.2	0.0
7207	AMERICAN TOWER DELAWARE CORP. DBA AMERICAN TOWER	10250 ARNO ROAD	GALT	0.1	0.0
6377	SGD RETAIL, LLC	405 K ST	SACRAMENTO	0.1	0.0
7254	PCS STRUCTURES TOWERS, LLC DBA 370494 ALLIED DOORS	6550 BELLEAU WOOD LANE	SACRAMENTO	0.1	0.0
4744	FDI COLLATERAL MANAGEMENT	9750 GOETHE RD	SACRAMENTO	0.1	0.0
7421	RU SUTTER RANCHO CORDOVA, LLC	10391 PETER A MCCUEN BLVD	MATHER	0.1	0.0
6297	CALIFORNIA AMERICAN WATER CO.	VARIOUS LOCATIONS	SACRAMENTO	0.1	0.0
7135	SAC COUNTY WATER AGENCY	1155 HOOD FRANKLIN ROAD	HOOD	0.1	0.0
4754	MPOWER COMMUNICATIONS CORPORATION	770 L ST	SACRAMENTO	0.1	0.0
670	CHANNEL 40	1400 TWIN CITIES RD	WALNUT GROVE	0.1	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
3994	MCCLELLAN JET SERVICES	4545 DUDLEY BLVD	MCCLELLAN	0.1	0.0
6771	PENSKE LOGISTICS LLC DBA PENSKE LOGISTICS-STARBUCK	4040 VISTA PARK CT	SACRAMENTO	0.1	0.0
5370	CIM/ J STREET HOTEL SACRAMENTO INC.	1230 J STREET	SACRAMENTO	0.1	0.0
675	SACTO TOWER JOINT VENTURE	14001 RIVER RD	WALNUT GROVE	0.1	0.0
1219	CITIZENS TELECOMMUNICATIONS COMPANY	14111 GRAND AVE	WALNUT GROVE	0.1	0.0
6324	GROVE RIVER DISTRICT, LLC DBA CALIFORNIA HIGHWAY	601 N. 7TH ST	SACRAMENTO	0.1	0.0
3465	A/P PROCESSING CENTER CITY OF SACRAMENTO	6203 GLORIA DR	SACRAMENTO	0.1	0.0
5242	WESTERN AREA POWER ADMINISTRATION	7940 SORENTO RD	ELVERTA	0.1	0.0
3665	A/P PROCESSING CENTER CITY OF SACRAMENTO	3530 RIVERSIDE BLVD	SACRAMENTO	0.1	0.0
3407	CITY OF SACRAMENTO	5770 FREEPORT	SACRAMENTO	0.1	0.0
2431	SUBURBAN PROPANE	10450 GRANT LINE RD	ELK GROVE	0.1	0.0
7262	SACRAMENTO METROPOLITAN FIRE DISTRICT	4942 COLLEGE OAK DR	SACRAMENTO	0.1	0.0
7203	SPECTRASITE COMMUNICATIONS, LLC DBA AMERICAN TOWER	15125 WHITE ROCK ROAD	FOLSOM	0.1	0.0
5004	STATE OF CALIFORNIA OES	630 SEQUOIA PACIFIC BLVD	SACRAMENTO	0.1	0.0
4705	CITY OF SAC., DEPT OF UTILITIES	8117 RUSH RIVER DR	SACRAMENTO	0.1	0.0
6452	SACRAMENTO FOOD BANK & FAMILY SERVICES	1951 BELL AVE	SACRAMENTO	0.1	0.0
6844	CITY OF FOLSOM	14890 SCENIC VISTA CT	FOLSOM	0.1	0.0
6522	LEVEL 3 COMMUNICATIONS	12120 CONLEY RD	HERALD	0.1	0.0
3405	CITY OF SAC., DEPT OF UTILITIES	8121 FRANKLIN BL	SACRAMENTO	0.1	0.0
7499	SPRINT COMMUNICATIONS COMPANY LP	1530 C ST	SACRAMENTO	0.1	0.0
5375	AMERICAN MEDICAL RESPONSE	1041 FEE DR.	SACRAMENTO	0.1	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
7175	CONSCIOUS CAPITAL DATA CENTER, LLC	3141 DATA DRIVE	RANCHO CORDOVA	0.1	0.0
5031	STATE OF CA, DEPT OF TRANSPORTATION	ROUTE 160 @ STEAMBOAT	ISLETON	0.1	0.0
7251	3700 BUSINESS DRIVE, LLC	3700 BUSINESS DRIVE, STE. 150	SACRAMENTO	0.1	0.0
6144	CITY OF SAC., DEPT OF UTILITIES	418 F ST	SACRAMENTO	0.1	0.0
3184	COUNTY OF SACRAMENTO - DTECH	8552 ELVERTA RD	ELVERTA	0.1	0.0
7230	SACRAMENTO REHABILITATION HOSPITAL	10 ADVANTAGE COURT	SACRAMENTO	0.1	0.0
1476	STATE OF CA FOOD & AG(PLANT PESTS DIAGNOSTICS LAB)	3294 MEADOWVIEW RD, BLDG E	SACRAMENTO	0.1	0.0
3183	COUNTY OF SACRAMENTO - DTECH	7788 FREEPORT BLVD	SACRAMENTO	0.1	0.0
6781	MACYS WEST	6041 SUNRISE BLVD	CITRUS HEIGHTS	0.0	0.0
7196	AMERICAN TOWER ASSET SUB, LLC DBA AMERICAN TOWER	9630 KIEFER BLVD	SACRAMENTO	0.0	0.0
7467	CITY OF GALT	758 CARILLION BLVD	GALT	0.0	0.0
4594	NEW CINGULAR WIRELESS PCS, LLC DBA AT&T MOBILITY	9375 CALVINE RD	SACRAMENTO	0.0	0.0
2160	FORTY-NINER TRUCK STOP	2828 EL CENTRO RD	SACRAMENTO	0.0	0.0
7307	CALIFORNIA AMERICAN WATER CO.	4129 APOSTOLO CIRCLE	SACRAMENTO	0.0	0.0
3673	STATE OF CALIFORNIA, DEPT OF GENERAL SERVICES	1430 N STREET	SACRAMENTO	0.0	0.0
4168	FLORIN WATER DISTRICT	7090 MCCOMBER ST	SACRAMENTO	0.0	0.0
6013	SACRAMENTO RECYCLING & TRANSFER STATION	8491 FRUITRIDGE RD	SACRAMENTO	0.0	0.0
7201	ATC PONDEROSA K LLC DBA AMERICAN TOWER (204455)	2500 NEW MARKET DRIVE	SACRAMENTO	0.0	0.0
7186	AMERICAN TOWER ASSET SUB, LLC DBA AMERICAN TOWER	8147 GREENBACK LANE	FAIR OAKS	0.0	0.0
7178	AMAZON.COM SERVICES, LLC (FACILITY SMF6)	4930 ALLBAUGH DRIVE	SACRAMENTO	0.0	0.0
6591	CITY OF SACRAMENTO	7363 24TH ST	SACRAMENTO	0.0	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
5980	WSIN, INC	1825 BELL ST	SACRAMENTO	0.0	0.0
6959	COUNTY OF SACRAMENTO DEPT OF WATER QUALITY	LAMBERT RD PUMP STATION	COURTLAND	0.0	0.0
7320	ELK GROVE WATER SERVICE	9829 WATERMAN ROAD	ELK GROVE	0.0	0.0
5514	SACRAMENTO SUBURBAN WATER DISTRICT	6901 PANORAMA DR	SACRAMENTO	0.0	0.0
6865	COMCAST OF SACRAMENTO II, LLC	3417 51ST AVE	SACRAMENTO	0.0	0.0
6056	RECLAMATION DISTRICT 1000	1633 GARDEN HIGHWAY	SACRAMENTO	0.0	0.0
6200	KVIE	2030 W. EL CAMINO AVE	SACRAMENTO	0.0	0.0
5443	FOLSOM CORDOVA UNIFIED SCHOOL DISTRICT	1970 BROADSTONE PARKWAY	FOLSOM	0.0	0.0
7010	GOLD TAILINGS INVESTMENTS LLC	10815 GOLD CENTER DRIVE	RANCHO CORDOVA	0.0	0.0
6746	PERIMETER SOLUTIONS LP	5500 PRICE AVE	MCCLELLAN	0.0	0.0
6302	1108 R ST. INVESTORS, L.P.	1108 R ST	SACRAMENTO	0.0	0.0
6237	COPART, INC	8687 WEYAND AVE	SACRAMENTO	0.0	0.0
5834	VERIZON WIRELESS	4360 BRAHMIN WY	MATHER	0.0	0.0
5507	SACRAMENTO SUBURBAN WATER DISTRICT	3312 EASTERN AVE	SACRAMENTO	0.0	0.0
4177	AT & T COMMUNICATIONS	603 S ST	SACRAMENTO	0.0	0.0
4107	AMERISOURCEBERGEN CORPORATION	1325 STRIKER AVE	SACRAMENTO	0.0	0.1
4072	CLEAR CHANNEL COMMUNICATIONS	606 WEST DELANO ST	ELVERTA	0.0	0.0
3985	SACRAMENTO SUBURBAN WATER DISTRICT	WATT AVE & NAVAHO DR	MCCLELLAN	0.0	0.0
3491	STATE OF CA - DGS/BPM	1500 11TH ST	SACRAMENTO	0.0	0.0
3262	CHANNEL 40	4655 FRUITRIDGE RD	SACRAMENTO	0.0	0.0
3137	FAIR OAKS WATER DISTRICT	5005 SKYWAY DR	FAIR OAKS	0.0	0.0
2987	FOLSOM WATER TREATMENT PLANT	194 RANDALL DR	FOLSOM	0.0	0.0
2420	HEARST ARGYLE STATIONS INC	1650 LEVEE RD	WALNUT GROVE	0.0	0.0
2066	VERIZON DATA SERVICES, INC	7901 FREEPORT BLVD	SACRAMENTO	0.0	0.2
1495	SPRINT	3433 RAMONA AVE	SACRAMENTO	0.0	0.0

Appendix C: Industrywide Screening Health Risk Assessment Results

SSID	FACILITY NAME	ADDRESS	CITY	CANCER RISK (A)	CHRONIC HAZARD INDEX (B)
947	STATE OF CALIF GS - BLDG & PROP-ERTY MGT	450 N ST	SACRAMENTO	0.0	0.0
644	COUNTY OF SAC DEPT OF GENERAL SERVICES	651 I ST	SACRAMENTO	0.0	0.0

(A) Cancer Risk is expressed as lifetime excess cancer risk in chances per million.

(B) Hazard Index (HI) is the ratio of the concentration to the reference exposure level. Note: while a chronic reference exposure level has been established for Diesel Particular Matter, an acute reference exposure level has not; therefore, only a chronic HI has been calculated here.

(C) Since the District's site-specific HRA resulted in a cancer risk >10.0 in a million, the facility will be notified to perform a refined site-specific HRA. If the results of the facility's site-specific HRA is still > 10.0 in a million, the public notice and risk reduction and audit steps will be initiated.