

# SACRAMENTO METROPOLITAN AIR QUALITY MANAGEMENT DISTRICT

777 12<sup>th</sup> Street Third Floor, Sacramento CA 95814

Phone: 279-207-1122 / Fax: 279-207-1144

## CERTIFICATION OF EXEMPTION FROM AN AIR QUALITY PERMIT TO OPERATE

Company \_\_\_\_\_ Phone \_\_\_\_\_

Type of Business \_\_\_\_\_

Facility Location \_\_\_\_\_

Mailing Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Exemption from permitting requirements as specified in District Rule 201, General Permitting Requirements, is determined by the maximum actual usage of coating and solvent materials. Please record in the table below the **MAXIMUM ACTUAL** daily usage of coatings and solvents (all types) for any one day you work. Be advised that if the usage of coatings and solvents at your facility exceeds 1 gallon in any single day after claiming a permit exemption, you will be in violation of District Rule 201 and may be subject to penalties. **Exemption status does not provide relief from the specific requirements (VOC standards, work practices, recordkeeping) found in other District rules to which your facility may be subject.**

Material	Maximum Actual Daily Usage	Is total greater than 1 gal/day?	
Coatings	_____ gal/day	<b>YES:</b>  <b>OBTAIN PERMIT TO OPERATE</b>	<b>NO:</b>  <b>EXEMPT FROM OBTAINING PERMIT TO OPERATE*</b>
Solvents/Strippers	_____ gal/day		
TOTAL USAGE	_____ gal/day		

\* If any coatings used contain hexavalent chrome, you are not exempt from obtaining a Permit to Operate and should notify the District.

If your answer in the table above is "YES", complete an Authority to Construct/Permit to Operate application package and submit it with the appropriate fees to the District. If your answer in the table above is "NO", complete the remainder of this form and submit it to the District.

The District may verify the information you are providing against manufacturer and/or distributor sales records. This information is subject to provisions of the California Health and Safety Code Sections 42303.5 and 42402(a):

42303.5 "No person shall knowingly make any false statement in any application for a permit, or in any information, analyses, plans, or specifications submitted in conjunction with the application or at the request of the air pollution control officer." 42402(a) " , any person who violates..., any rule, regulation, permit, or order of a district, ... , is strictly liable for a civil penalty of not more than one thousand dollars (\$1,000)."

I, the undersigned, hereby certify under penalty of perjury that the above information is true and correct to the best of my knowledge.

Print name of owner/responsible officer \_\_\_\_\_ Title \_\_\_\_\_

Signature of owner/responsible officer \_\_\_\_\_ Date \_\_\_\_\_